

BetaTHERM NTC Thermistors

**NTC Temperature Sensors for Commercial, Industrial, Medical,
Automotive, Military, Etc.**

**NEW LOW PRICING
UNMATCHED DELIVERY, QUALITY &
SERVICE**



A FIST FULL OF SOLUTIONS FROM *BetaTHERM*
***BetaTHERM* Interchangeable Thermistors meet most stringent
demands for Advanced Thermal Sensor Applications. *BetaTHERM's*
unique manufacturing and quality assurance techniques maintain
unparalleled control of materials and thermal electrical properties.**



***BetaTHERM* Ireland Ltd
Ballybrit Industrial Estate
Galway, Ireland**

**Tel: 353 - 91 - 753238
Fax: 353 - 91 - 753615**

Resistance @25°C	Curve #	Temperature Tolerance	Temperature Range	Resistance Tolerance @25°C	Part Number	Alpha 25°C	0/50°C Beta Value
2,252	3	± 0.1°C	0 to 70°C.	± 0.25%	2.2K3A5	-4.39%	3892
2,252	3	± 0.2°C	0 to 70°C.	± 0.50%	2.2K3A1	-4.39%	3892
2,252	3	± 0.5°C	0 to 70°C.	± 1.0%	2.2K3A7	-4.39%	3892
2,252	3	± 1.0°C	0 to 70°C.	± 2.0%	2.2K3A8	-4.39%	3892
3,000	3	± 0.1°C	0 to 70°C.	± 0.25%	3K3A4	-4.39%	3892
3,000	3	± 0.2°C	0 to 70°C.	± 0.5%	3K3A1	-4.39%	3892
3,000	3	± 0.5°C	0 to 70°C.	± 1.0%	3K3A5	-4.39%	3892
3,000	3	± 1.0°C	0 to 70°C.	± 2.0%	3K3A9	-4.39%	3892
5,000	3	± 0.1°C	0 to 70°C.	± 0.25%	5K3A6	-4.39%	3892
5,000	3	± 0.2°C	0 to 70°C.	± 0.5%	5K3A1	-4.39%	3892
5,000	3	± 0.5°C	0 to 70°C.	± 1.0%	5K3A7	-4.39%	3892
5,000	3	± 1.0°C	0 to 70°C.	± 2.0%	5K3A12	-4.39%	3892
10,000	3	± 0.1°C	0 to 70°C.	± 0.25%	10K3A4	-4.39%	3892
10,000	3	± 0.2°C	0 to 70°C.	± 0.5%	10K3A1	-4.39%	3892
10,000	3	± 0.5°C	0 to 70°C.	± 1.0%	10K3A6	-4.39%	3892
10,000	3	± 1.0°C	0 to 70°C.	± 2.0%	10K3A13	-4.39%	3892
10,000	4	± 0.1°C	0 to 70°C.	± 0.25%	10K4A9	-4.04%	3575
10,000	4	± 0.2°C	0 to 70°C.	± 0.5%	10K4A1	-4.04%	3575
10,000	4	± 0.5°C	0 to 70°C.	± 1.0%	10K4A10	-4.04%	3575
10,000	4	± 1.0°C	0 to 70°C.	± 2.0%	10K4A11	-4.04%	3575
30,000	5	± 0.1°C	0 to 70°C.	± 0.25%	30K5A4	-4.30%	3811
30,000	5	± 0.2°C	0 to 70°C.	± 0.5%	30K5A1	-4.30%	3811
30,000	5	± 0.5°C	0 to 70°C.	± 1.0%	30K5A5	-4.30%	3811
30,000	5	± 1.0°C	0 to 70°C.	± 2.0%	30K5A7	-4.30%	3811
30,000	6	± 0.1°C	0 to 70°C.	± 0.25%	30K6A4	-4.68%	4143
30,000	6	± 0.2°C	0 to 70°C.	± 0.5%	30K6A1	-4.68%	4143
30,000	6	± 0.5°C	0 to 70°C.	± 1.0%	30K6A7	-4.68%	4143
30,000	6	± 1.0°C	0 to 70°C.	± 2.0%	30K6A8	-4.68%	4143
50,000	6	± 0.1°C	0 to 70°C.	± 0.25%	50K6A5	-4.68%	4143
50,000	6	± 0.2°C	0 to 70°C.	± 0.5%	50K6A1	-4.68%	4143
50,000	6	± 0.5°C	0 to 70°C.	± 1.0%	50K6A6	-4.68%	4143
50,000	6	± 1.0°C	0 to 70°C.	± 2.0%	50K6A7	-4.68%	4143
100,000	6	± 0.1°C	0 to 70°C.	± 0.25%	100K6A5	-4.68%	4143
100,000	6	± 0.2°C	0 to 70°C.	± 0.5%	100K6A1	-4.68%	4143
100,000	6	± 0.5°C	0 to 70°C.	± 1.0%	100K6A6	-4.68%	4143
100,000	6	± 1.0°C	0 to 70°C.	± 2.0%	100K6A9	-4.68%	4143



BetaTHERM Ireland Ltd
Ballybrit Industrial Estate
Galway, Ireland

Tel: 353 - 91 - 753238
Fax: 353 - 91 - 753615

TP34