



Kate Griffiths <viamed.kate.griffiths@gmail.com>

Fwd: Sensor requirements for March?

1 message

Steve Nixon <office@viamed.co.uk>
Reply-To: steve.nixon@vandagraphst.com
To: office@vmsecure.me.uk

23 December 2022 at 16:33

Please process the VST purchase orders from rEvo for 8010006

500 March, set shipment date as 8/3/2023

500 April, set shipment date as 7/4/2023

Steve

----- Forwarded message -----

From: **Decoene Pieter (rEvo)** <Pieter@revo-rebreathers.com>
Date: Fri, 23 Dec 2022 at 16:26
Subject: RE: Sensor requirements for March?
To: steve.nixon@vandagraphst.com <steve.nixon@vandagraphst.com>

Hi Steve,

Sorry about this.

Was indeed on my desk

Please see attached, march and april

Have a good Christmas and hopefully some holiday

Br

Pieter

rEvo rebreathers

From: Main Account [mailto:viamedinbox@gmail.com] **On Behalf Of** Steve Nixon
Sent: vrijdag 23 december 2022 10:13
To: Decoene Pieter (rEvo) <Pieter@revo-rebreathers.com>
Subject: Re: Sensor requirements for March?

Hi Pieter

I'm just checking that you received this email.

Steve

On Thu, 8 Dec 2022 at 14:02, Steve Nixon <steve.nixon@vandagraphst.com> wrote:

Hi Pieter

Time seems to be ticking away faster and faster. We have current orders from you for:

500 sensors scheduled to ship 10th December

200 sensors in emergency reserve stock

500 sensors scheduled to ship 6th January

500 sensors scheduled to ship 8th February

Have you thought about your requirements for March? I thought it may be better to query this now rather than wait until after the New Year.

Regards

--

Steve

Steve Nixon

Director - Vandagraph Sensor Technologies Ltd.

Office: +44 (0)1535 634900

Mobile: +44 (0)7850 252267

nbsp;

.

--

Steve

Steve Nixon

Director - Vandagraph Sensor Technologies Ltd.

Office: +44 (0)1535 634900

Mobile: +44 (0)7850 252267

--

Steve

Steve Nixon

Director - Vandagraph Sensor Technologies Ltd.

Office: +44 (0)1535 634900

Mobile: +44 (0)7850 252267

2 attachments



Purchase order 4536011052.pdf

15K



Purchase order 4536011053.pdf

15K