

Document Viamed to Vandagraph transfer prices Revision ID107478

Suggested Upload Document Name: **Risk Assesment For Updating Document ID107478**
Completed by [Steve Nixon](#) 03 Jan 2023

Reason for Risk Assesment

N/A price list

Document Viamed to Vandagraph transfer prices Revision ID107478 Is linked to the Following Standards and processes

Risk Assessment Question ID107478	Does Update Affect	Risk on Update	Notes On Risk / Benefits statement if required	Further Action Required on Issue
107478Q0 Does this Update warrant updating Any External Parties due to any Terms and Conditional Agreements E.G. Notified Body or is the update a Significate change to any ISO Certifications	Does Update Affect? No ▾	Risk Frequency due to Update 1.Improbable ▾ Risk Likly Due to Update 1.Negligible ▾ Action Required: No Action Required	Notes On Risk / Benefits statement if required	Further Action Required on Issue
107478Q1 Does Teledyne Oxygen Sensors Technical file #41 Of type 5 require any Notificaions and/or Risk assesment updates due to this update	Does Update Affect? No ▾	Risk Frequency due to Update 1.Improbable ▾ Risk Likly Due to Update 1.Negligible ▾ Action Required: No Action Required	Notes On Risk / Benefits statement if required	Further Action Required on Issue
107478Q2 Final Notes N/A price list				

SAVE FORM

Only saves your progress in filling in above Questions - No feed back to pressing save form button

Once Form Complete Print Page to PDF (Landscape mode prefereable), go back to document upload page and upload to risk assesment button