

INSTRUCTION FOR RECEIVING INSPECTION

REV NO
DCO
DATE 8/7/99
SHEET 1 OF 2
I.E.I.# / COSM-BU-1999-0272

COMPONENT P/N: 90052-001
PIN / MODEL: 202
COMPONENT DESC: ASSY CABLE W/HYPERTRONICS
SUPPLIER NAME: UDT
DWG #: 90052-001 REV 1

S/N	CHARACTERISTIC	METHOD OF INSPECTION	AQL# / 100%	SPECIAL INSTRUCTION
	COSMETIC SPECIFICATION	VISUAL	0.65 LEVEL II	REJECT IF: a) CABLE IS DIRTY b) HAS BLACK OR BLUE STAIN ANYWHERE c) EACH IMPURITY OR COLOR STAIN EXCEEDS 0.014 IN X 0.014 IN. d) IMPURITIES OR COLOR STAINS MORE THAN 8 INCHES APART e) MORE THAN 3 IMPURITIES OR COLOR STAINS ON ONE CABLE f) NODULES MORE THAN .005 INCHES IN LENGTH g) NODULES DISCOLOURED OR CABLE HAS FOREIGN MATERIAL
	MECHANICAL DIMENSION	MECHANICAL	0.65 LEVEL II	MEASURE THE CABLE AS STATED IN THE DWG

APPROVALS

DEPARTMENT	SIGNATURE	DATE
ORIGINATOR	<i>[Signature]</i>	01 JUL 99
QUALITY ASSURANCE	<i>[Signature]</i>	08 JUL 99
MANUFACTURING	<i>[Signature]</i>	08 JUL 99
ENGINEERING	<i>[Signature]</i>	08 JUL 99

DRAWING ATTACHED

YES ☒ NO ☐

SAMPLE ATTACHED

☐ YES ☒ NO

FORM 1003 REV. C

Receiving Goods













OQA
PCBA


QUALITY
INSPECTION
SECTION






















DOLPHIN NW 40

OCT 2009 PROD. SCHEDULE

ARISTO NW 40

PH #	QTY	1st Oct	2nd Oct	3rd Oct	4th Oct	5th Oct	6th Oct	PH #	QTY	1st Oct	2nd Oct	3rd Oct	4th Oct	5th Oct	6th Oct
2000	1200		200	200	200	175	1200	201-2	200			600			600
2001	100			200	400	150	200	201-3	500				600		600
2002	100				300	400	700	201-4	1200		600			600	1200
2003	90	90	28				98	201-1	250	250					250
2004	90				69		69	201-2	650		300	250			650
2005	10	10	20				67	201-3	400	384					384
2006	2		2				2	201-4	250	192					192
2007	1		1		6		6	201-5	300	269	250	200			769
2008	20		20				20	201-6	492				480		
2009						5	5	201-7	300					300	300
2010	55					35	35								



DOLPHIN NW 40

OCT 2009 PROD. SCHEDULE

ARISTO NW 40

PH #	QTY	1st Oct	2nd Oct	3rd Oct	4th Oct	5th Oct	6th Oct	PH #	QTY	1st Oct	2nd Oct	3rd Oct	4th Oct	5th Oct	6th Oct
2000	1200		200	200	200	175	1200	201-2	200			600			600
2001	100			200	400	150	200	201-3	500				600		600
2002	100				300	400	700	201-4	1200		600			600	1200
2003	90	90	28				98	201-1	250	250					250
2004	90				69		69	201-2	650		300	250			650
2005	10	10	20				67	201-3	400	384					384
2006	2		2				2	201-4	250	192					192
2007	1		1		6		6	201-5	300	269	250	200			769
2008	20		20				20	201-1	492				480		
2009	-						-	201-2	300					300	300
2010	5					5	5								
2011	35					35	35								





Final test Disposables



Final test Disposables

