

NEW ENGLAND ELECTRIC WIRE

CORPORATION

130 N. MAIN STREET. LISBON, NEW HAMPSHIRE 09585
QUOTATIONFAX: (603) 838-6
FAX: (603) 838-25
TEL: (603) 838-66TO: JOHN S. LAMB
VIAMED
15 STATION ROAD

CROSS HILLS, KEIGHLEY

WEST YORKSHIRE, GB BD207DT

PH:011-44-1535-634542
FAX:011-44-1535-635582DATE : 04-23-1998
NEEWC QUOTE # : 9804CAH122
CUSTOMER RFQ# :

REPRESENTATIVE :

In response to your recent inquiry, we are pleased to submit the following quotation:

ITEM	DESCRIPTION	QUANTITY	PRICE
#1	N19-44D-380 980422/3 6 CONDUCTOR CABLE: SHIELDED, JACKETED, TWISTED PAIR: 2(30 AWG - 25/44 HARD BARE CADMIUM COPPER ALLOY, .006" POLYPROPYLENE TO .025" +/- .002" O.D. - BLACK, WHITE) CABLED, 8-7-44 TINNED COPPER SPIRAL SHIELD, 95% MINIMUM COVERAGE, .007" WHITE PVC TO .068" +/- .003" O.D. 4 SINGLES EACH: 30 AWG - 25/44 HARD BARE CADMIUM COPPER ALLOY, .006" POLYPROPYLENE TO .025" +/- .002" O.D.- RED YELLOW, ORANGE, BLUE. CABLE THE SINGLES AND THE TWISTED PAIR WITH POLYESTER FILLERS, .001" PAPER TAPE WRAP, 50% LAP, 12-6-40 TINNED COPPER SPIRAL SHIELD, 90% MINIMUM COVERAGE, .024" WHITE PVC TO .157" +/- .005" O.D. (APPX. 14 LBS. PER 1,000' = CABLE WEIGHT - 12" PLASTIC SPOOLS @ 3 LBS. PER SPOOL) Lead-Time: 8 WEEKS STANDARD - 6 WEEK 1 TIME SPECIAL - NO EXTRA CHARGE Min Order: 1,000 FEET	1.00 MFT	\$ 1,099.90/MFT
#2	N19-44D-377 980422/2 5 CONDUCTOR CABLE: 3 SINGLES, EACH: 30 AWG - 25/44 HARD BARE CADMIUM COPPER ALLOY, .006" POLYPROPYLENE TO .025" +/- .002" O.D. - RED, ORANGE & YELLOW	1.00 MFT	\$ 1,084.40/MFT

#2 CONT'D.

JACKETED, SHIELDED, TWISTED PAIR: 2(30
AWG - 25/44 HARD BARE CADMIUM COPPER
ALLOY, .006" POLYPROPYLENE TO .025" +/-
.002" O.D. - BLACK, AND WHITE), CABLED,
8-7-44 TINNED COPPER SPIRAL SHIELD, 95%
MIN. COVERAGE, O.D., .007" WHITE PVC
JACKET TO .068" +/- .003" O.D.

CABLE THE 3 SINGLES AND JACKETED,
SHIELDED, TWISTED PAIR WITH 2 POLYESTER
FILLERS, .001" PAPER TAPE WRAP, 50% LAP,
12-6-40 TINNED COPPER SPIRAL SHIELD, 95%
MIN. COVERAGE, .022" WHITE PVC JACKET TO
.147" +/- .005" O.D.
(APPX. 13 LBS. PER 1,000' = CABLE WEIGHT-
12" PLASTIC SPOOLS @ 3 LBS. PER SPOOL)

Lead-Time: 8 WEEKS STANDARD - 6 WEEK 1 TIME SPECIAL - NO EXTRA CHARGE
Min Order: 1,000 FEET

MFT = 1,000 FEET

Terms : SUBJECT TO CREDIT APPROVAL
Credit Limit : S.C.A.
FOB : LISBON, NH
Salesperson : CATHY CLEMENT - CAH

All orders are subject to a +/- 10% quantity variance. Unless specified otherwise,
all bulk cable is supplied in random lengths, longest lengths possible.

This Quotation is valid for 30 days.

FAX (603) 838-2805 or (603) 838-6160
email: sales@neewc.com Internet: www.neewcweb.com

#2 CONT'D.

JACKETED, SHIELDED, TWISTED PAIR: 2(30
AWG - 25/44 HARD BARE CADMIUM COPPER
ALLOY, .006" POLYPROPYLENE TO .025" +/-
.002" O.D. - BLACK, AND WHITE), CABLED,
8-7-44 TINNED COPPER SPIRAL SHIELD, 95%
MIN. COVERAGE, O.D., .007" WHITE PVC
JACKET TO .068" +/- .003" O.D.

CABLE THE 3 SINGLES AND JACKETED,
SHIELDED, TWISTED PAIR WITH 2 POLYESTER
FILLERS, .001" PAPER TAPE WRAP, 50% LAP,
12-6-40 TINNED COPPER SPIRAL SHIELD, 95%
MIN. COVERAGE, .022" WHITE PVC JACKET TO
.147" +/- .005" O.D.
(APPX. 13 LBS. PER 1,000' = CABLE WEIGHT-
12" PLASTIC SPOOLS @ 3 LBS. PER SPOOL)

Lead-Time: 8 WEEKS STANDARD - 6 WEEK 1 TIME SPECIAL - NO EXTRA CHARGE
Min Order: 1,000 FEET

MFT = 1,000 FEET

Terms : SUBJECT TO CREDIT APPROVAL
Credit Limit : S.C.A.
FOB : LISBON, NH
Salesperson : CATHY CLEMENT - CAH

All orders are subject to a +/- 10% quantity variance. Unless specified otherwise,
all bulk cable is supplied in random lengths, longest lengths possible.

This Quotation is valid for 30 days.

FAX (603) 838-2805 or (603) 838-6160
email: sales@neewc.com Internet: www.neewcweb.com