



Kate Griffiths &lt;viamed.kate.griffiths@gmail.com&gt;

**RE: PO 00001144034 CALL OFF ORDER - SO 16305 po 51342**

1 message

**Procurement** <procurement@enviroengroup.com>

15 February 2023 at 15:33

To: "kate.griffiths@viamed.co.uk" &lt;kate.griffiths@viamed.co.uk&gt;, Procurement &lt;procurement@enviroengroup.com&gt;

Cc: Steve Hardaker &lt;steve.hardaker@viamed.co.uk&gt;

Hi Kate,

Apologies Emily hasn't updated our system, please find attached revised purchase order to cover.

This is just for stock , So no rush on this order.

Kind Regards

**Kim Jennings***Supply Chain Manager***m:** 07769690337**t:** +44 (0) 1773 441029**kjennings@enviroengroup.com****[www.enviroengroup.com](http://www.enviroengroup.com)****Your voice matters: [Take our customer survey](#)****Envirogen Water Technologies Ltd****Head Office:** [Unit 9 Wimsey Way](#)  
Alfreton Trading Estate, Derbyshire DE55 4LS**Reg Number:** 3289389  
**VAT Number:** GB 841026364

**CONFIDENTIALITY AND WARNING NOTICE:** The information sent by this communication is intended solely for the use of the individual or entity to whom it is addressed. If you are not the intended recipient, please notify the sender and delete this e-mail message from your system. Any disclosure, copying, distribution or taking any action in reliance on the contents of this information is strictly prohibited. Envirogen Group S.A. cannot be held liable for the incorrect and/or incomplete transmission of the information contained in this communication.

**Before Printing, please think about the Environment!****From:** Main Account <viamedinbox@gmail.com> **On Behalf Of** Kate Griffiths**Sent:** Wednesday, February 15, 2023 11:24 AM**To:** Procurement <procurement@enviroengroup.com>; Kim Jennings <kjennings@enviroengroup.com>**Cc:** Steve Hardaker <steve.hardaker@viamed.co.uk>**Subject:** Re: PO 00001144034 CALL OFF ORDER - SO 16305 po 51342

Good morning Kim,

Thank you for your order.

The price of part number 0110122 (your order says 0112210) - R-22A increased on February 4th to **£24.20 each**. An email was sent to Emily on February 10th to advise of this.

Are you happy to accept the price? I also need to advise you that the lead time would be the end of March/beginning of April for the R-22A sensors. We have a large backlog of orders and the manufacturers are experiencing delays also.

Alternatively, we have part number 0110132 - R-22AV in stock (almost all are in stock), this is the same price of £24.20 each. If you would like to speak to Steve Hardaker about the technical differences between the two sensors, he would be happy to take your call this afternoon.

You currently have an order on our system - 51024 dated 23.1.23; we plan to part ship 150 sensors later this week from that order.

Many thanks.

Kind regards

Kate Griffiths

Viamed is now enacting hybrid working to allow sales and admin staff to work remotely and in the office. Telephone calls to the main office will be answered, but please continue to use email where possible.

<http://www.viamed.co.uk>

Email [kate.griffiths@viamed.co.uk](mailto:kate.griffiths@viamed.co.uk)

Tel: +44 (0)1535 634542

Fax: +44 (0)1535 635582

Twitter: [twitter.com/ViamedLtd](https://twitter.com/ViamedLtd)

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

-----

GDPR / Privacy Policy available at [www.viamed.co.uk/policy](http://www.viamed.co.uk/policy)

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call +44 (0)1535 634542

-----

On Wed, 15 Feb 2023 at 10:39, Main Account <[office@viamed.co.uk](mailto:office@viamed.co.uk)> wrote:

----- Forwarded message -----

From: **Procurement** <[procurement@envirogengroup.com](mailto:procurement@envirogengroup.com)>

Date: Wed, 15 Feb 2023 at 10:24

Subject: PO 00001144034 CALL OFF ORDER - SO 16305 po 51342

To: [orders@viamed.co.uk](mailto:orders@viamed.co.uk) <[orders@viamed.co.uk](mailto:orders@viamed.co.uk)>

Cc: Procurement <[procurement@envirogengroup.com](mailto:procurement@envirogengroup.com)>, Gaynor Towse <[gtowse@envirogengroup.com](mailto:gtowse@envirogengroup.com)>

Good Morning

Please find attached purchase order, if you could issue OC stating delivery date and lead time.

Kind Regards

**Kim Jennings**

*Supply Chain Manager*



m: 07769690337

t: +44 (0) 1773 441029

kjennings@enviroengroup.com

[www.enviroengroup.com](http://www.enviroengroup.com)

Your voice matters: [Take our customer survey](#)

Total Water Treatment  
& Process Filtration Experts

[Learn more +](#)



Envirogen Water Technologies  
Ltd



Head Office: [Unit 9 Wimsey Way](#)  
Alfreton Trading Estate, Derbyshire DE55 4LS

Reg Number: 3289389  
VAT Number: GB 841026364

**CONFIDENTIALITY AND WARNING NOTICE:** The information sent by this communication is intended solely for the use of the individual or entity to whom it is addressed. If you are not the intended recipient, please notify the sender and delete this e-mail message from your system. Any disclosure, copying, distribution or taking any action in reliance on the contents of this information is strictly prohibited. Envirogen Group S.A. cannot be held liable for the incorrect and/or incomplete transmission of the information contained in this communication.

🌱 Before Printing, please think about the Environment!

**From:** Gaynor Towse <[gtowse@enviroengroup.com](mailto:gtowse@enviroengroup.com)>  
**Sent:** Tuesday, February 14, 2023 12:07 PM  
**To:** Procurement <[procurement@enviroengroup.com](mailto:procurement@enviroengroup.com)>  
**Cc:** Steve Parker <[sparker@enviroengroup.com](mailto:sparker@enviroengroup.com)>  
**Subject:** Tecalemit Garage Equipment Ltd - PO 00001144034 CALL OFF ORDER - SO 16305

Afternoon Emily,

Please can you order the following Viamed reference our SO 16305 below.

**Gaynor Towse**

*Sales Administrator*



m: 07871 730476

t: +44 (0) 1773 441029

[gtowse@enviroengroup.com](mailto:gtowse@enviroengroup.com)

[www.enviroengroup.com](http://www.enviroengroup.com)

Your voice matters: [Take our customer survey](#)

Total Water Treatment  
& Process Filtration Experts

[Learn more +](#)



Envirogen Water Technologies  
Ltd



Head Office: [Unit 9 Wimsey Way](#)  
Alfreton Trading Estate, Derbyshire DE55 4LS

Reg Number: 3289389  
VAT Number: GB 841026364

**CONFIDENTIALITY AND WARNING NOTICE:** The information sent by this communication is intended solely for the use of the individual or entity to whom it is addressed. If you are not the intended recipient, please notify the sender and delete this e-mail message from your system. Any disclosure, copying, distribution or taking any action in reliance on the contents of this information is strictly prohibited. Envirogen Group S.A. cannot be held liable for the incorrect and/or incomplete transmission of the information contained in this communication.

🌱 Before Printing, please think about the Environment!