








PIN #	WIRE COLOUR
1	RESISTOR
2	ORANGE
3	RED
4	N/C [4]
5	WHITE
6	RESISTOR/INNER SHLD
7	OUTER SHLD
8	N/C [4]
9	BLACK



CONNECTOR/STRAIN RELIEF COLOUR (WHITE)
 MATCHING CABLE COLOUR.
 CONNECTOR/STRAIN RELIEF PVQFDA APPROVED
 MEDICAL GRADE)

CABLE / CONNECTOR SHOULD WITHSTAND MIN. 20LB
 AXAIL PULL FORCE

④ OMIT PINS FROM CONNECTOR

CONTACTS / PINS:
 PHOSPHOR BRONZE, 040 TYP
 FINISH: 30 INCH GOLD OVER /u
 50 IN.u NICKLE.




COMPANY

VIAMED LTD 15 STATION ROAD CROSSHILLS KEIGHLEY
 W.YORKS BD20 7DT U.K.

TITLE CABLE ASSEMBLY 9905101

DIMENSIONS INCHES

SCALE DRAWN BY S.VANN




TRIM OUTER SHIELD AND ORANGE WIRE
FLUSH OR BELOW OUTER JACKET
RED AND YELLOW WIRES

BLACK & WHITE WIRES

.08 TYP

TRIM INNER SHIELD
FLUSH OR BELOW
INNER JACKET

PIN #	WIRE COLOUR
1	RESISTOR
2	ORANGE
3	RED
4	N/C [4]
5	WHITE
6	RESISTOR/INNER SHLD
7	OUTER SHLD
8	N/C [4]
9	BLACK



CONNECTOR/STRAIN RELIEF COLOUR (WHITE)
MATCHING CABLE COLOUR.
CONNECTOR/STRAIN RELIEF PVQFDA APPROVED
MEDICAL GRADE).

CABLE / CONNECTOR SHOULD WITHSTAND MIN. 20LB
AXIAL PULL FORCE

4 OMIT PINS FROM CONNECTOR

CONTACTS / PINS: PHOSPHOR BRONZE, 040 TYP
FINISH: 30 INCH GOLD OVER u
50 IN u NICKLE

COMPANY





VIAMED LTD 15 STATION ROAD CROSSHILLS KEIGHLEY
W.YORKS BD20 7DT U.K.

TITLE CABLE ASSEMBLY 9905102


DIMENSIONS INCHES

SCALE

DRAWN BY S.VANN



DETAIL A



DETAIL B

VIAMED LTD 15 STATION ROAD CROSSHILLS
KEIGHLEY W.YORKS BD20 7DT UK

TITLE 9 PIN D-TYPE & STRAIN RELIEF 9905103

DIMENSIONS INCHES

SCALE DRAWN BY S.VANN