EC Declaration of Conformity

Analytical Industries Inc. described hereafter:

Oxygen Sensors / Analyzers

Have been classified as IIb and are in conformity with the essential requirements and provisions of the Council Directive 93/42/EEC for Medical Devices, subject to the procedures set out in Annex II of the Council Directive and compliance assessment by the Notified Body AMTEC Certification Services Ltd, Davy Avenue, Knowhill Milton Keynes, MK5 8NL, United Kingdom

And is CE marked as: CE 0473

Manufacturer:

European Representative

Patrick . Prindible - Vice Presiden

(y). Princrible - Vice President

ıt

John S Lamb - CEO

Analytical Industries Inc Metropolitan Place Pomona, CA 91767

VIAMED 15 Station Road – Cross, West Yorkshire – BD 20 7DT Leighley / UK

Analytical Industries Inc.

2.1 Declaration of Conformity

Manufacturer:

Analytical Industries Inc.

2855 Metropolitan Place

Pomona, California 91767 USA

Tel: 909-392-6900, Fax: 909-392-3665

e-mail: info@aii1.com

Authorized Representative:

Insanex, S.L.

Josefa Valcarcel, 8.3

28027 Madrid

Spain

Product:

AII 2000 Series Oxygen Analyzer & Monitor

Classification:

IIb

Directives:

Medical Device Directive

Council Directive 93/42/EEC of 14 June 1993 concerning medical devices (MDD 93/42/EEC)

Annex IX, section III Classification, Clause 3.1 Rule 9, paragraph #2

Standards & Certificates:

Annex II of MDD 93/42/EEC – Certificate 485CE ISO 7767: 1997 / EN 12598:1999, based on IEC 601-1:1977 Oxygen monitors for monitoring patient breathing mixtures – Safety requirements

EN 55011 Class B - Radiation

IEC 60601-1-2: 2001 per IEC 61000-4-2, 3, 4, 5,

6, 8, 11 – Immunity Testing ISO 9001:2000 – Certificate 485 ISO 13485:1996 – Certificate 485A

Notified Body:

AMTAC Certification Services Limited

Dary Avenue, Knowhill Milton Keynes MK5 8NL

United Kingdom

Date CE mark affixed:

Name:

Patrick J. Prindible, Manager Quality Systems

We hereby declare the above product meets the provisions of the directives and standards specified. All supporting documents are retained on the premises of the manufacturer and the notified body.