










VIAMED



(F) S. W. Review


REAR VIEW
Oxy TIP (F)



- | | | |
|----------|---|----------|
| 1 ORANGE | → | 1 BLUE |
| 2 GREEN | → | 2 YELLOW |
| 3 — | → | 3 ORANGE |
| 4 RED | → | 4 SHIELD |
| 5 BLUE | → | 5 GREEN |
| 6 — | → | 6 BLACK |
| 7 — | → | 7 RED |
| 8 YELLOW | → | 8 RED |
| 9 SHIELD | → | |
| 10 BLACK | → | |

ALAN BECKETT

29.9.98



Viamed Limited, 15 Station Road, Cross Hills,
Keighley, West Yorkshire BD20 7DT
Tel +44 (0)1535 634542/636757 Fax +44 (0)1535 635582
Email info@viamed.co.uk
Registration No 12917565 in England



Extension Cables

Date	29.9.98	Technician	A. BAKER
Original Manufacturer	SOW	Original part Number	0471114
Work requested by	S.N	LENGTH	
Description	F77 CABLE	Time taken mins	
New part number if required	980929/a	Photographs	Yes No

Connector <i>Nicolet</i> manufacturer	Observations on the cable:-						Connector <i>OHMED</i> manufacturer
View <i>REAR</i>							View <i>REAR</i>
Connector Diagram	Colour	Pins	Cross wiring diagram	Pin	Colour	Connector Diagram	
KEY	ORANGE	1		1	BLUE		
	GREEN	2		2	YELLOW		
	N.C	3		3	ORANGE		
	RED	4		4	SHIELD		
	BLUE	5		5	GREEN		
	N.C	6		6	BLACK		
		7		7	RED		
	YELLOW	8		8			
	SHIELD	9		9			
	BLACK	10		10			
		11		11			
		12		12			
		13		13			
		14		14			
		15		15			
		16		16			
Electronic components		Pin	Are there any changes from Viamed records	Pin		Electronic components	
10k RESISTOR TOLERANCE =		7		7		 LINE	
		8		8			

This diagram has been validated by :

Date

Cable works on original equipment	Cable diagram correct	Components correct	Colours correct
-----------------------------------	-----------------------	--------------------	-----------------

Confidential not for customer use



Viamed

New Information Data Sheet




Viamed

To be filled in for any new information gained in the workshop

Date	23.9.98
Technician	APB
Original part Number	
Description	NEILCOL TO S+W EXT CABLE
Work requested by	
New part number if required	
Time taken	

Modifications need to be dated ,signed and explained

Original Drawing






New Drawing if required

--


Reason for change or other details

Confidential not for customer use

Video
 ↓
 S&W
 exn.
 cable




08642A
white
remoulded
connector)



- 1 Yellow
- 2 22Ω red
- 3 White
- 4 Orange
- 5 Main shield
- 6 47k
- 7 Black
- 8 47k
- 9 (MAIN BODY) Inner Shield

06
S/N
9F2028C

E412-09
Epic Data
white parts



- 1 resistor + capacitor
- 2 n/c
- 3 n/c
- 4 link
- 5 link + Outer shield
- 6 Red
- 7 Yellow
- 8 res + cap + white
- 9 Black + inner shield
- 10 n/c

resistor - 16k

connector
↓
S&W
extr.
cable

