






FINGER PROBE - STYLE F






SECTION VIEW, FINGER PROBE




SECTION VIEW




WIRE CUT LENGTH


NOTE: UNLESS OTHERWISE SPECIFIED.




CABLE/DET/VENT ASSEMBLY




BOTTOM ENVELOPE/LIGHT BLOCKER ASSEMBLY




TOP ENVELOPE ASSEMBLY






WIRE CUT LENGTH





CABLE/DET/EMT ASSEMBLY

BOTTOM ENVELOPE/LIGHT BLOCKER ASSEMBLY




TOP ENVELOPE ASSEMBLY







WIRE CUT LENGTH




CABLE/DET/ENT ASSEMBLY




BOTTOM ENVELOPE/LIGHT BLOCKER ASSEMBLY







TOP ENVELOPE ASSEMBLY







1. MATERIAL: ABS, G.E. CYCOLAC T, COLOR # T.B.D.
2. TEXTURE - MOLD TECH # 11000 (OR 11010).
APPLY TO THAT SURFACE ONLY.
3. UNLESS OTHERWISE SPECIFIED, ALL
DRAFT ANGLE TO BE 2°.
4. DIMENSIONS SHOWN ARE FINISH PART,
ADD SHRINK TO TOOL.
5. UNLESS OTHERWISE SPECIFIED, ALL
FILLET RADII TO BE .01 MAX.
6. BREAK ALL SHARP EDGES.




1. MAT'L: ABS G.E. CYCLOAC T. COLOR: T.B.D.
2. UNLESS OTHERWISE SPECIFIED, ALL DRAFT ANGLE TO BE 2°.
3. DIMENSIONS SHOWN ARE FINISH PART, ADD SHRINK TO TOOL.
4. UNLESS OTHERWISE SPECIFIED, ALL FILLET RADII TO BE .01 MAX.








- FINISH: REMOVE ALL FLASHES



- FINISH: REMOVE ALL FLASHES



SECTION VIEW A-A



SECTION VIEW B-B