



Health and Safety
02/May/2012

People Definitions:

Employee	General Employee	Lone workers	Inexperience Staff
Employee Area	Employee working in specific area		
Guest	General Guest	Maintenance Personnal	Contractors
Public	Unauthorised Public		
	Cleaners		

Hazards Identified:

Computer Workstation
Work at height
Vehicles Parking
slipping/tripping hazards
Pressure Systems
Poor Lighting
Noise
Moving parts of Machinery
Mezzanine floors
Manual handling
Low temperature
Fumes
Faulty Electricals
Fire Cigarettes
Ejection of material
Dust
Chemicals
Blades
Waste Paper
Waste Plastic
Waste Electronic
Large Boxes
Power Cuts Lighting
Vehicles Fork lift
Vehicles Transit
Electrocution
Flood
Open drawers
External Hazards
Burns

Hazards Identified:

Eyesight
Low headroom
Disease
Asbestos

Area Definitions:

Main Warehouse Archives Basement Area length of main office used for the storage of Ar
Main Warehouse Assembly Cabinets
Main Warehouse Basement Stairs
Main Warehouse OLD Boiler Room
Main Warehouse Compressor room
Main Warehouse Stock Room 7
Main Warehouse Vandagraph Stock
Main Warehouse Entrance Hall
Main Warehouse Goods Out
Main Warehouse Stock Room 10 Bin 10 Main room upstairs, Narrow corridors - not for general acc
Main Warehouse Stock Room 8
Main Warehouse Goods Inward
Main Warehouse QA / Stock Room 9
Main Warehouse Office 6 <p>Currently Johns Office</p>
Main Warehouse Stock Room 11
Main Warehouse Office 5 <p>Currently Dereks Office</p>
Main Warehouse Stock Room 2
Main Warehouse Loft
Main Warehouse Main Corridor
Main Warehouse Mechanical Workshop
Main Warehouse Stock Room 10
Main Warehouse Non Conforming Area
Main Warehouse Oxygen Bank
Main Warehouse QA / Stock Room 9 <p>Sensor Testing Area</p>
Main Warehouse Patio
Main Warehouse Plant Landmark Derek Office PC and VNC PC and CTTV pcs</p>
Main Warehouse Stock Room 1
Main Warehouse R & D
Main Warehouse Goods in Reception
Main Warehouse Repair Area
Main Warehouse SpO2 Cupboard
Main Warehouse Stairs from Basement to Level 1
Main Warehouse Jeans Office Room contains Water tap on wall (painted Red) Feeds the

Area Definitions:

Main Warehouse Toilets Downstairs

Main Warehouse Toilets upstairs

Main Warehouse Stock Room Stock Room for />Computer Servers at the end</p>

Main Warehouse Vandagraph workshop

Main Warehouse Path way Path down the North side of the building

Main Warehouse Corridor Library

Ghyll House Room 6 - Small Helen Quiet Room
Off limits to Staff</p>

Ghyll House Office 1 - Main Main Office Downstairs Facing Road</p>

Ghyll House Office 3 - Helen Helen Office</p>

Ghyll House Office 5 Ryan Steve Sales Office
Ryan swaine
Steve Hardaker</p>

Ghyll House Office 4 - Steve Steve Nixon</p>

Ghyll House Room 7- Big Loft Second Floor - Big room
Off limits to Memebbers of sta

Ghyll House Room 2 - Meeting Meeting Room</p>

Ghyll House - Kitchen

Ghyll House - Conservatory

Ghyll House - Garden

Area Main Warehouse Archives:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Medium	General awareness
Blades	Employee	Medium	General awareness
Blades	Employee Area	Medium	General awareness
Blades	Guest	Medium	General awareness
Blades	Public	Medium	General awareness
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		High	Alarms
Fumes	Employee	High	Alarms
Fumes	Employee Area	High	Alarms
Fumes	Guest	High	Alarms
Fumes	Public	High	Alarms
Manual handling	All	Low	HSE Lifting procedures
slipping/tripping hazards		Low	None required
slipping/tripping hazards	Employee	Low	None required
slipping/tripping hazards	Employee Area	Low	None required
slipping/tripping hazards	Guest	Low	None required
slipping/tripping hazards	Public	Low	None required
Work at height		Low	Awareness
Work at height	Employee	Low	Awareness
Work at height	Employee Area	Low	Awareness
Work at height	Guest	Low	Awareness
Work at height	Public	Low	Awareness
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Electrocution	Employee	Low	Awareness

Area Main Warehouse Archives:

Hazard	Potential Victim	Grading of Risk	Action Taken
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Flood		Low	Pump
Flood	Employee	Low	Pump
Flood	Employee Area	Low	Pump
Flood	Guest	Low	Pump
Flood	Public	Low	Pump
Open dowers		Low	Awareness
Open dowers	Employee	Low	Awareness
Open dowers	Employee Area	Low	Awareness
Open dowers	Guest	Low	Awareness
Open dowers	Public	Low	Awareness
Eyesight		Low	Poor eyesight
Eyesight	Employee	Low	Poor eyesight
Eyesight	Employee Area	Low	Poor eyesight
Eyesight	Guest	Low	Poor eyesight
Eyesight	Public	Low	Poor eyesight

Area Main Warehouse Assembly Cabinets:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Low	None required
Blades	Employee	Low	None required
Blades	Employee Area	Low	None required
Blades	Guest	Low	None required
Blades	Public	Low	None required
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		High	Alarms
Fumes	Employee	High	Alarms
Fumes	Employee Area	High	Alarms
Fumes	Guest	High	Alarms
Fumes	Public	High	Alarms
Manual handling		Low	HSE Lifting procedures
Manual handling	Employee	Medium	HSE Lifting procedures
Manual handling	Employee Area	Medium	HSE Lifting procedures
Manual handling	Guest	Low	HSE Lifting procedures
slipping/tripping hazards		Low	None required
slipping/tripping hazards	Employee	Low	None required
slipping/tripping hazards	Employee Area	Low	None required
slipping/tripping hazards	Guest	Low	None required
slipping/tripping hazards	Public	Low	None required
Work at height		Low	Awareness
Work at height	Employee	Low	Awareness
Work at height	Employee Area	Low	Awareness
Work at height	Guest	Low	Awareness
Work at height	Public	Low	Awareness
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs

Area Main Warehouse Assembly Cabinets:			
Hazard	Potential Victim	Grading of Risk	Action Taken
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Open dowers		Low	Awareness
Open dowers	Employee	Low	Awareness
Open dowers	Employee Area	Low	Awareness
Open dowers	Guest	Low	Awareness
Open dowers	Public	Low	Awareness
Eyesight		Low	Poor eyesight
Eyesight	Employee	Low	Poor eyesight
Eyesight	Employee Area	Low	Poor eyesight
Eyesight	Guest	Low	Poor eyesight
Eyesight	Public	Low	Poor eyesight
Low headroom		Medium	Warnings
Low headroom	Employee	Low	Warnings
Low headroom	Employee Area	Low	Warnings
Low headroom	Guest	Medium	Warnings
Low headroom	Public	Medium	Warnings

Area Main Warehouse Basement Stairs:

Hazard	Potential Victim	Grading of Risk	Action Taken
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling	All	Low	HSE Lifting procedures
slipping/tripping hazards		Low	None required
slipping/tripping hazards	Employee	Low	None required
slipping/tripping hazards	Employee Area	Low	None required
slipping/tripping hazards	Guest	Low	None required
slipping/tripping hazards	Public	Low	None required
Work at height	Public	Low	None required
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Flood		Low	Pump
Flood	Employee	Low	Pump
Flood	Employee Area	Low	Pump
Flood	Guest	Low	Pump
Flood	Public	Low	Pump
Low headroom		Medium	Warnings
Low headroom	Employee	Low	Warnings
Low headroom	Employee Area	Low	Warnings
Low headroom	Guest	Medium	Warnings
Low headroom	Public	Medium	Warnings

Area Main Warehouse OLD Boiler Room:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Medium	General awareness
Blades	Employee	Medium	General awareness
Blades	Employee Area	Medium	General awareness
Blades	Guest	Medium	General awareness
Blades	Public	Medium	General awareness
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		High	Alarms
Manual handling	All	Low	HSE Lifting procedures
Pressure Systems		High	Training
Pressure Systems	All	Low	No Entry
slipping/tripping hazards		Low	None required
slipping/tripping hazards	Employee	Low	None required
slipping/tripping hazards	Employee Area	Low	None required
slipping/tripping hazards	Guest	Low	None required
slipping/tripping hazards	Public	Low	None required
Work at height		Low	Awareness
Work at height	Employee	Low	Awareness
Work at height	Employee Area	Low	Awareness
Work at height	Guest	Low	Awareness
Work at height	Public	Low	Awareness
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness

Area Main Warehouse OLD Boiler Room:

Hazard	Potential Victim	Grading of Risk	Action Taken
Electrocution	Public	Low	Awareness
Burns		High	WArning signs
Burns	All	Medium	WArning signs

Area Main Warehouse Compressor room:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Medium	General awareness
Blades	Employee	Medium	General awareness
Blades	Employee Area	Medium	General awareness
Blades	Guest	Medium	General awareness
Blades	Public	Medium	General awareness
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling	All	Low	HSE Lifting procedures
Moving parts of Machinery		Low	Restricted Access & use
Moving parts of Machinery	Employee	Medium	Restricted Access & use
Moving parts of Machinery	Employee Area	High	Training and control
Moving parts of Machinery	Guest	Low	Restricted Access & use
Moving parts of Machinery	Public	Low	Restricted Access & use
Noise	All	High	Ear muffs available
Pressure Systems		High	Training
Pressure Systems	Employee	High	No Entry
Pressure Systems	Employee Area	High	Training
Pressure Systems	Guest	High	Training
Pressure Systems	Public	High	No Entry
slipping/tripping hazards		Low	None required
slipping/tripping hazards	Employee	Low	None required
slipping/tripping hazards	Employee Area	Low	None required
slipping/tripping hazards	Guest	Low	None required
slipping/tripping hazards	Public	Low	None required
Power Cuts Lighting		Low	Emergency Lighting/Signs

Area Main Warehouse Compressor room:

Hazard	Potential Victim	Grading of Risk	Action Taken
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Flood		Low	Pump
Flood	Employee	Low	Pump
Flood	Employee Area	Low	Pump
Flood	Guest	Low	Pump
Flood	Public	Low	Pump

Area Main Warehouse Stock Room 7:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Low	None required
Faulty Electricals		Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling		Low	HSE Lifting procedures
Manual handling	All	Medium	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Work at height	All	Low	Awareness
Computer Workstation		Low	HSE Safety Guide
Waste Paper		Low	Paper Recycling Bins
Waste Plastic		Low	None Required
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Open drawers		Low	Awareness
Eyesight		Low	Poor eyesight

Area Main Warehouse Vandagraph Stock:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Low	General awareness
Faulty Electricals		Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Manual handling		Low	HSE Lifting procedures
Manual handling	All	Medium	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Work at height		Low	Awareness
Work at height	Employee	Low	Awareness
Work at height	Employee Area	Low	Awareness
Work at height	Guest	Low	Awareness
Work at height	Public	Low	Awareness
Computer Workstation		Low	HSE Safety Guide
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Open drawers		Low	Awareness
Eyesight		Low	Poor eyesight

Area Main Warehouse Entrance Hall:

Hazard	Potential Victim	Grading of Risk	Action Taken
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling	All	Low	HSE Lifting procedures
Poor Lighting		Low	None required
Poor Lighting	Employee	Low	None required
Poor Lighting	Employee Area	Low	None required
Poor Lighting	Guest	Low	None required
Poor Lighting	Public	Low	None required
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Large Boxes		High	General Awareness
Large Boxes	Employee	High	General Awareness
Large Boxes	Employee Area	High	General Awareness
Large Boxes	Guest	High	General Awareness
Large Boxes	Public	High	General Awareness
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs

Area Main Warehouse Goods Out:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Medium	General awareness
Blades	Employee	Medium	General awareness
Blades	Employee Area	Medium	General awareness
Blades	Guest	Medium	General awareness
Blades	Public	Medium	General awareness
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling		Medium	HSE Lifting procedures
Manual handling	Employee	Medium	HSE Lifting procedures
Manual handling	Employee Area	Medium	HSE Lifting procedures
Manual handling	Guest	Medium	HSE Lifting procedures
Manual handling	Public	Medium	HSE Lifting procedures
Moving parts of Machinery		Low	Training and control
Moving parts of Machinery	Employee	Low	Training and control
Moving parts of Machinery	Employee Area	Low	Training and control
Moving parts of Machinery	Guest	Low	Training and control
Moving parts of Machinery	Public	Low	Training and control
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Work at height		Low	Awareness
Work at height	Employee	Low	Awareness
Work at height	Employee Area	Low	Awareness

Area Main Warehouse Goods Out:

Hazard	Potential Victim	Grading of Risk	Action Taken
Work at height	Guest	Low	Awareness
Work at height	Public	Low	Awareness
Waste Paper		Low	Paper Recycling Bins
Waste Paper	Employee	Low	Paper Recycling Bins
Waste Paper	Employee Area	Low	Paper Recycling Bins
Waste Paper	Guest	Low	Paper Recycling Bins
Waste Paper	Public	Low	Paper Recycling Bins
Large Boxes		Medium	General Awareness
Large Boxes	Employee	Medium	General Awareness
Large Boxes	Employee Area	Medium	General Awareness
Large Boxes	Guest	Medium	General Awareness
Large Boxes	Public	Medium	General Awareness
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Open dowers		Low	Awareness
Open dowers	Employee	Low	Awareness
Open dowers	Employee Area	Low	Awareness
Open dowers	Guest	Low	Awareness
Open dowers	Public	Low	Awareness

Area Main Warehouse Stock Room 6:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Low	None required
Blades	Employee	Low	None required
Blades	Employee Area	Low	None required
Blades	Guest	Low	None required
Blades	Public	Low	None required
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling		Medium	HSE Lifting procedures
Manual handling	Employee	Medium	HSE Lifting procedures
Manual handling	Employee Area	Medium	HSE Lifting procedures
Manual handling	Guest	Medium	HSE Lifting procedures
Manual handling	Public	Medium	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Work at height		Low	Awareness
Work at height	Employee	Low	Awareness
Work at height	Employee Area	Low	Awareness
Work at height	Guest	Low	Awareness
Work at height	Public	Low	Awareness
Computer Workstation		Low	HSE Safety Guide
Computer Workstation	Employee	Low	HSE Safety Guide
Computer Workstation	Employee Area	Low	HSE Safety Guide

Area Main Warehouse Stock Room 6:

Hazard	Potential Victim	Grading of Risk	Action Taken
Computer Workstation	Guest	Low	HSE Safety Guide
Computer Workstation	Public	Low	HSE Safety Guide
Large Boxes		Medium	General Awareness
Large Boxes	Employee	Medium	General Awareness
Large Boxes	Employee Area	Medium	General Awareness
Large Boxes	Guest	Medium	General Awareness
Large Boxes	Public	Medium	General Awareness
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Open dowers		Low	Awareness
Open dowers	Employee	Low	Awareness
Open dowers	Employee Area	Low	Awareness
Open dowers	Guest	Low	Awareness
Open dowers	Public	Low	Awareness
Eyesight	Employee	Low	Poor eyesight
Eyesight	Employee Area	Low	Poor eyesight
Disease	Employee	Low	
Disease	Employee Area	Low	
Disease	Public	Low	

Area Main Warehouse Stock Room 8:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Low	None required
Faulty Electricals		Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling	All	Medium	HSE Lifting procedures
Noise		Low	None Required
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Work at height	All	Low	Awareness
Computer Workstation		Low	HSE Safety Guide
Waste Paper		Low	Paper Recycling Bins
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Open drawers		Low	Awareness

Area Main Warehouse Goods Inward:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Medium	General awareness
Blades	Employee	Medium	General awareness
Blades	Employee Area	Medium	General awareness
Blades	Guest	Medium	General awareness
Blades	Public	Medium	General awareness
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling		Low	HSE Lifting procedures
Manual handling	Employee	Medium	HSE Lifting procedures
Manual handling	Employee Area	Medium	HSE Lifting procedures
Manual handling	Guest	Low	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Work at height		Low	Awareness
Work at height	Employee	Low	Awareness
Work at height	Employee Area	Low	Awareness
Work at height	Guest	Low	Awareness
Work at height	Public	Low	Awareness
Computer Workstation		Low	HSE Safety Guide
Computer Workstation	Employee	Low	HSE Safety Guide
Computer Workstation	Employee Area	Low	HSE Safety Guide
Computer Workstation	Guest	Low	HSE Safety Guide

Area Main Warehouse Goods Inward:

Hazard	Potential Victim	Grading of Risk	Action Taken
Computer Workstation	Public	Low	HSE Safety Guide
Waste Electronic		Low	Seperate Waste Container
Waste Electronic	Employee	Low	Seperate Waste Container
Waste Electronic	Employee Area	Low	Seperate Waste Container
Waste Electronic	Guest	Low	Seperate Waste Container
Waste Electronic	Public	Low	Seperate Waste Container
Large Boxes		High	General Awareness
Large Boxes	Employee	High	General Awareness
Large Boxes	Employee Area	High	General Awareness
Large Boxes	Guest	High	General Awareness
Large Boxes	Public	High	General Awareness
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Open dowers		Low	Awareness
Open dowers	Employee	Low	Awareness
Open dowers	Employee Area	Low	Awareness
Open dowers	Guest	Low	Awareness
Open dowers	Public	Low	Awareness
External Hazards	Public	Medium	Restricted area
Eyesight	Employee	Low	Poor eyesight
Eyesight	Employee Area	Low	Poor eyesight
Disease		High	Awareness
Disease	Employee	High	Awareness
Disease	Employee Area	High	Awareness
Disease	Guest	High	Awareness

Area Main Warehouse Goods Inward:			
Hazard	Potential Victim	Grading of Risk	Action Taken
Disease	Public	High	Awareness

Area Main Warehouse QA / Stock Room 9:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Medium	General awareness
Blades	Employee	Medium	General awareness
Blades	Employee Area	Medium	General awareness
Blades	Guest	Medium	General awareness
Blades	Public	Medium	General awareness
Chemicals	All	Low	C.O.S.H.H
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling		Low	HSE Lifting procedures
Manual handling	Employee	Medium	HSE Lifting procedures
Manual handling	Employee Area	Medium	HSE Lifting procedures
Moving parts of Machinery	All	Low	None required
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Work at height	All	Low	HSE Information
Computer Workstation		Low	HSE Safety Guide
Computer Workstation	Employee	Low	HSE Safety Guide
Computer Workstation	Employee Area	Low	HSE Safety Guide
Computer Workstation	Guest	Low	HSE Safety Guide
Computer Workstation	Public	Low	HSE Safety Guide
Large Boxes		Low	None Required
Large Boxes	All	Medium	General Awareness

Area Main Warehouse QA / Stock Room 9:

Hazard	Potential Victim	Grading of Risk	Action Taken
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Open dowers		Low	Awareness
Open dowers	Employee	Low	Awareness
Open dowers	Employee Area	Low	Awareness
Open dowers	Guest	Low	Awareness
Open dowers	Public	Low	Awareness
Burns	All	Low	Awareness

Area Main Warehouse Office 6:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Low	None required
Blades	Employee	Low	None required
Blades	Employee Area	Low	None required
Blades	Guest	Low	None required
Blades	Public	Low	None required
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling	All	Low	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Work at height	All	Low	Awareness
Computer Workstation		Low	HSE Safety Guide
Computer Workstation	Employee	Low	HSE Safety Guide
Computer Workstation	Employee Area	Low	HSE Safety Guide
Computer Workstation	Guest	Low	HSE Safety Guide
Computer Workstation	Public	Low	HSE Safety Guide
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness

Area Main Warehouse Office 6:

Hazard	Potential Victim	Grading of Risk	Action Taken
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Open dowers		Low	Awareness
Open dowers	Employee	Low	Awareness
Open dowers	Employee Area	Low	Awareness
Open dowers	Guest	Low	Awareness
Open dowers	Public	Low	Awareness
Eyesight		Low	Poor eyesight
Eyesight	Employee	Low	Poor eyesight
Eyesight	Employee Area	Low	Poor eyesight
Eyesight	Guest	Low	Poor eyesight
Eyesight	Public	Low	Poor eyesight

Area Main Warehouse Stock Room 11:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Medium	General awareness
Faulty Electricals		Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling		Low	HSE Lifting procedures
Manual handling	All	Medium	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution Sign when wet
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Work at height		Low	Awareness
Work at height	Employee	Low	Awareness
Work at height	Employee Area	Low	Awareness
Work at height	Guest	Low	Awareness
Work at height	Public	Low	Awareness
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Open drawers		Low	Awareness
Burns		High	Warning signs
Disease		Medium	

Area Main Warehouse Office 5:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Low	None required
Blades	Employee	Low	None required
Blades	Employee Area	Low	None required
Blades	Guest	Low	None required
Blades	Public	Low	None required
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling	All	Low	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	All	Low	Caution
Work at height	All	Medium	HSE Information
Computer Workstation		Low	HSE Safety Guide
Computer Workstation	Employee	Low	HSE Safety Guide
Computer Workstation	Employee Area	Low	HSE Safety Guide
Computer Workstation	Guest	Low	HSE Safety Guide
Computer Workstation	Public	Low	HSE Safety Guide
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness

Area Main Warehouse Office 5:

Hazard	Potential Victim	Grading of Risk	Action Taken
Electrocution	Public	Low	Awareness
Open dowers		Low	Awareness
Open dowers	Employee	Low	Awareness
Open dowers	Employee Area	Low	Awareness
Open dowers	Guest	Low	Awareness
Open dowers	Public	Low	Awareness
Eyesight	Employee	Low	Poor eyesight
Eyesight	Employee Area	Low	Poor eyesight

Area Main Warehouse Stock Room 2:

Hazard	Potential Victim	Grading of Risk	Action Taken
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling		Medium	HSE Lifting procedures
Manual handling	Employee	Medium	HSE Lifting procedures
Manual handling	Employee Area	Medium	HSE Lifting procedures
Manual handling	Guest	Medium	HSE Lifting procedures
Manual handling	Public	Medium	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Work at height		Low	Awareness
Work at height	Employee	Low	Awareness
Work at height	Employee Area	Low	Awareness
Work at height	Guest	Low	Awareness
Work at height	Public	Low	Awareness
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs

Area Main Warehouse Loft:

Hazard	Potential Victim	Grading of Risk	Action Taken
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling	All	Low	HSE Lifting procedures
slipping/tripping hazards		Low	None required
slipping/tripping hazards	Employee	Low	None required
slipping/tripping hazards	Employee Area	Low	None required
slipping/tripping hazards	Guest	Low	None required
slipping/tripping hazards	Public	Low	None required
Work at height		Low	Awareness
Work at height	Employee	Low	Awareness
Work at height	Employee Area	Low	Awareness
Work at height	Guest	Low	Awareness
Work at height	Public	Low	Awareness
Power Cuts Lighting	All	High	Emergency Lighting/Signs
Electrocution		Low	Awareness
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Low headroom		High	
Low headroom	Employee	Medium	
Low headroom	Employee Area	Medium	
Low headroom	Guest	High	
Low headroom	Public	Low	

Area Main Warehouse Main Corridor:

Hazard	Potential Victim	Grading of Risk	Action Taken
Faulty Electricals		Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Manual handling		Low	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution
Work at height		Low	Awareness
Large Boxes		Medium	General Awareness
Power Cuts Lighting		Low	Emergency Lighting/Signs
Eyesight		Medium	

Area Main Warehouse Mechanical Workshop:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Medium	General awareness
Blades	Employee	Medium	General awareness
Blades	Employee Area	Medium	General awareness
Blades	Guest	Medium	General awareness
Blades	Public	Medium	General awareness
Chemicals		Medium	C.O.S.H.H
Chemicals	Employee	High	C.O.S.H.H
Chemicals	Employee Area	High	Training
Chemicals	Guest	Medium	C.O.S.H.H
Chemicals	Public	High	C.O.S.H.H
Dust		High	Masks & Eyeshields
Dust	Employee	High	Masks & Eyeshields
Dust	Employee Area	High	Masks & Eyeshields
Dust	Guest	High	Masks & Eyeshields
Dust	Public	High	Masks & Eyeshields
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		High	Alarms
Fumes	Employee	High	Alarms
Fumes	Employee Area	High	Alarms
Fumes	Guest	High	Alarms
Fumes	Public	High	Alarms
Manual handling		Low	HSE Lifting procedures
Manual handling	Employee	Medium	HSE Lifting procedures
Manual handling	Employee Area	Medium	HSE Lifting procedures
Manual handling	Guest	Low	HSE Lifting procedures
Moving parts of Machinery		Low	Restricted Access & use
Moving parts of Machinery	Employee	Medium	Restricted Access & use
Moving parts of Machinery	Employee Area	High	Training and control
Moving parts of Machinery	Guest	Low	Restricted Access & use

Area Main Warehouse Mechanical Workshop:

Hazard	Potential Victim	Grading of Risk	Action Taken
Moving parts of Machinery	Public	Low	Restricted Access & use
Noise	All	High	Ear muffs available
slipping/tripping hazards		Low	None required
slipping/tripping hazards	Employee	Low	None required
slipping/tripping hazards	Employee Area	Low	None required
slipping/tripping hazards	Guest	Low	None required
slipping/tripping hazards	Public	Low	None required
Work at height		Low	Awareness
Work at height	Employee	Low	Awareness
Work at height	Employee Area	Low	Awareness
Work at height	Guest	Low	Awareness
Work at height	Public	Low	Awareness
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Open dowers		Low	Awareness
Open dowers	Employee	Low	Awareness
Open dowers	Employee Area	Low	Awareness
Open dowers	Guest	Low	Awareness
Open dowers	Public	Low	Awareness
Burns	Employee	Medium	Awareness
Burns	Employee Area	Medium	Awareness
Eyesight		Medium	Eye goggles
Eyesight	Employee	Medium	Eye goggles
Eyesight	Employee Area	Medium	Eye goggles
Eyesight	Guest	Medium	Eye goggles

Area Main Warehouse Mechanical Workshop:

Hazard	Potential Victim	Grading of Risk	Action Taken
Eyesight	Public	Medium	Eye goggles
Disease		Low	
Disease	Employee	Low	
Disease	Employee Area	Low	
Disease	Guest	Low	
Disease	Public	Low	

Area Main Warehouse Stock Room 10:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Low	None required
Faulty Electricals		Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling		Low	HSE Lifting procedures
Manual handling	All	Medium	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Work at height	All	Low	Awareness
Computer Workstation		Low	HSE Safety Guide
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Open drawers		Low	Awareness

Area Main Warehouse Non Conforming Area:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Medium	General awareness
Blades	Employee	Medium	General awareness
Blades	Employee Area	Medium	General awareness
Blades	Guest	Medium	General awareness
Blades	Public	Medium	General awareness
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling	All	Low	HSE Lifting procedures
slipping/tripping hazards	All	Low	None required
Work at height		Low	Awareness
Work at height	Employee	Low	Awareness
Work at height	Employee Area	Low	Awareness
Work at height	Guest	Low	Awareness
Work at height	Public	Low	Awareness
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Open drawers		Low	Awareness

Area Main Warehouse Non Conforming Area:

Hazard	Potential Victim	Grading of Risk	Action Taken
Open dowers	Employee	Low	Awareness
Open dowers	Employee Area	Low	Awareness
Open dowers	Guest	Low	Awareness
Open dowers	Public	Low	Awareness
Burns	Employee	Low	Awareness
Burns	Employee Area	Low	Awareness
Eyesight	All	Medium	Eye goggles
Eyesight	Public		None

Area Main Warehouse Oxygen Bank:

Hazard	Potential Victim	Grading of Risk	Action Taken
Fumes		High	Alarms
Fumes	Employee	High	Alarms
Fumes	Employee Area	High	Alarms
Fumes	Guest	High	Alarms
Fumes	Public	High	Alarms
Manual handling	All	High	HSE Lifting procedures
slipping/tripping hazards		Low	None required
slipping/tripping hazards	Employee	Low	None required
slipping/tripping hazards	Employee Area	Low	None required
slipping/tripping hazards	Guest	Low	None required
slipping/tripping hazards	Public	Low	None required
Work at height		Low	Awareness
Work at height	Employee	Low	Awareness
Work at height	Employee Area	Low	Awareness
Work at height	Guest	Low	Awareness
Work at height	Public	Low	Awareness
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Burns		Low	None
Burns	Employee	Low	Awareness
Burns	Employee Area	Low	Awareness
Burns	Guest	Low	None
Burns	Public	Low	None
Eyesight	All	Low	Eye goggles

Area Main Warehouse QA / Stock Room 3:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Medium	General awareness
Blades	Employee	Medium	General awareness
Blades	Employee Area	Medium	General awareness
Blades	Guest	Medium	General awareness
Blades	Public	Medium	General awareness
Chemicals		Low	C.O.S.H.H
Chemicals	Employee	Low	C.O.S.H.H
Chemicals	Employee Area	Low	C.O.S.H.H
Chemicals	Guest	Low	C.O.S.H.H
Chemicals	Public	Low	C.O.S.H.H
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling	Employee	Medium	HSE Lifting procedures
Manual handling	Employee Area	Medium	HSE Lifting procedures
Moving parts of Machinery		Low	None required
Moving parts of Machinery	Employee	Low	None required
Moving parts of Machinery	Employee Area	Low	None required
Moving parts of Machinery	Guest	Low	None required
Moving parts of Machinery	Public	Low	None required
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Work at height		Low	HSE Information

Area Main Warehouse QA / Stock Room 3:

Hazard	Potential Victim	Grading of Risk	Action Taken
Work at height	Employee	Low	HSE Information
Work at height	Employee Area	Low	HSE Information
Work at height	Guest	Low	HSE Information
Work at height	Public	Low	HSE Information
Computer Workstation		Low	HSE Safety Guide
Computer Workstation	Employee	Low	HSE Safety Guide
Computer Workstation	Employee Area	Low	HSE Safety Guide
Computer Workstation	Guest	Low	HSE Safety Guide
Computer Workstation	Public	Low	HSE Safety Guide
Large Boxes		Medium	General Awareness
Large Boxes	Employee	Medium	General Awareness
Large Boxes	Employee Area	Medium	General Awareness
Large Boxes	Guest	Medium	General Awareness
Large Boxes	Public	Medium	General Awareness
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Open dowers		Low	Awareness
Open dowers	Employee	Low	Awareness
Open dowers	Employee Area	Low	Awareness
Open dowers	Guest	Low	Awareness
Open dowers	Public	Low	Awareness
Burns		Low	Awareness
Burns	Employee	Low	Awareness
Burns	Employee Area	Low	Awareness
Burns	Guest	Low	Awareness

Area Main Warehouse QA / Stock Room 3:			
Hazard	Potential Victim	Grading of Risk	Action Taken
Burns	Public	Low	Awareness

Area Main Warehouse Patio:

Hazard	Potential Victim	Grading of Risk	Action Taken
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
slipping/tripping hazards		High	Restricted access
slipping/tripping hazards	Employee	High	Restricted access
slipping/tripping hazards	Employee Area	High	Restricted access
slipping/tripping hazards	Guest	High	Restricted access
slipping/tripping hazards	Public	High	Restricted access

Area Main Warehouse Plant Landing:

Hazard	Potential Victim	Grading of Risk	Action Taken
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Manual handling		Low	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	All	Low	None required
Work at height		Low	Awareness
Work at height	Employee	Low	Awareness
Work at height	Employee Area	Low	Awareness
Work at height	Guest	Low	Awareness
Work at height	Public	Low	Awareness
Computer Workstation	All	Low	None required
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness

Area Main Warehouse Stock Room 1:

Hazard	Potential Victim	Grading of Risk	Action Taken
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling	All	Low	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Work at height		Low	Awareness
Work at height	Employee	Low	Awareness
Work at height	Employee Area	Low	Awareness
Work at height	Guest	Low	Awareness
Work at height	Public	Low	Awareness
Computer Workstation		Low	HSE Safety Guide
Computer Workstation	Employee	Low	HSE Safety Guide
Computer Workstation	Employee Area	Low	HSE Safety Guide
Computer Workstation	Guest	Low	HSE Safety Guide
Computer Workstation	Public	Low	HSE Safety Guide
Large Boxes		Medium	General Awareness
Large Boxes	Employee	Medium	General Awareness
Large Boxes	Employee Area	Medium	General Awareness
Large Boxes	Guest	Medium	General Awareness
Large Boxes	Public	Medium	General Awareness
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs

Area Main Warehouse Stock Room 1:

Hazard	Potential Victim	Grading of Risk	Action Taken
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Open dowers		Low	Awareness
Open dowers	Employee	Low	Awareness
Open dowers	Employee Area	Low	Awareness
Open dowers	Guest	Low	Awareness
Open dowers	Public	Low	Awareness
Low headroom		Medium	Warnings
Low headroom	Employee	Medium	Warnings
Low headroom	Employee Area	Medium	Warnings
Low headroom	Guest	Medium	Warnings
Low headroom	Public	Medium	Warnings

Area Main Warehouse R & D:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Medium	General awareness
Blades	Employee	Medium	General awareness
Blades	Employee Area	Medium	General awareness
Blades	Guest	Medium	General awareness
Blades	Public	Medium	General awareness
Chemicals		Low	C.O.S.H.H
Chemicals	Employee	Medium	C.O.S.H.H
Chemicals	Employee Area	High	Training
Chemicals	Guest	Low	C.O.S.H.H
Chemicals	Public	Low	C.O.S.H.H
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling	All	Low	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution Sign when wet
slipping/tripping hazards	Employee	Medium	Caution Sign when wet
slipping/tripping hazards	Employee Area	Medium	Caution Sign when wet
slipping/tripping hazards	Guest	Medium	Caution Sign when wet
slipping/tripping hazards	Public	Medium	Caution Sign when wet
Work at height		Low	Awareness
Work at height	Employee	Low	Awareness
Work at height	Employee Area	Low	Awareness
Work at height	Guest	Low	Awareness
Work at height	Public	Low	Awareness
Computer Workstation		Low	HSE Safety Guide
Computer Workstation	Employee	Low	HSE Safety Guide

Area Main Warehouse R & D:

Hazard	Potential Victim	Grading of Risk	Action Taken
Computer Workstation	Employee Area	Low	HSE Safety Guide
Computer Workstation	Guest	Low	HSE Safety Guide
Computer Workstation	Public	Low	HSE Safety Guide
Waste Electronic		Low	Seperate Waste Container
Waste Electronic	Employee	Low	Seperate Waste Container
Waste Electronic	Employee Area	Low	Seperate Waste Container
Waste Electronic	Guest	Low	Seperate Waste Container
Waste Electronic	Public	Low	Seperate Waste Container
Large Boxes		Medium	General Awareness
Large Boxes	Employee	Medium	General Awareness
Large Boxes	Employee Area	Medium	General Awareness
Large Boxes	Guest	Medium	General Awareness
Large Boxes	Public	Medium	General Awareness
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Warning signs
Electrocution	Employee	High	Warning signs
Electrocution	Employee Area	High	Warning signs
Electrocution	Guest	Low	Warning signs
Electrocution	Public	Low	Warning signs
Open dowers		Low	Awareness
Open dowers	Employee	Low	Awareness
Open dowers	Employee Area	Low	Awareness
Open dowers	Guest	Low	Awareness
Open dowers	Public	Low	Awareness
Burns	All	Medium	Awareness
Eyesight		Low	Poor eyesight
Eyesight	Employee	Low	Poor eyesight
Eyesight	Employee Area	Low	Poor eyesight
Eyesight	Guest	Low	Poor eyesight

Area Main Warehouse R & D:			
Hazard	Potential Victim	Grading of Risk	Action Taken
Eyesight	Public	Low	Poor eyesight
Disease		Medium	
Disease	Employee	Medium	
Disease	Employee Area	Medium	
Disease	Guest	Medium	
Disease	Public	Medium	

Area Main Warehouse Goods in Reception:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Medium	General awareness
Blades	Employee	Medium	General awareness
Blades	Employee Area	Medium	General awareness
Blades	Guest	Medium	General awareness
Blades	Public	Medium	General awareness
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling		Low	HSE Lifting procedures
Manual handling	Employee	High	HSE Lifting procedures
Manual handling	Employee Area	High	HSE Lifting procedures
Manual handling	Guest	Low	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Work at height		Low	Awareness
Work at height	Employee	Low	Awareness
Work at height	Employee Area	Low	Awareness
Work at height	Guest	Low	Awareness
Work at height	Public	Low	Awareness
Computer Workstation		Low	HSE Safety Guide
Computer Workstation	Employee	Low	HSE Safety Guide
Computer Workstation	Employee Area	Low	HSE Safety Guide
Computer Workstation	Guest	Low	HSE Safety Guide

Area Main Warehouse Goods in Reception:

Hazard	Potential Victim	Grading of Risk	Action Taken
Computer Workstation	Public	Low	HSE Safety Guide
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Open dowers		Low	Awareness
Open dowers	Employee	Low	Awareness
Open dowers	Employee Area	Low	Awareness
Open dowers	Guest	Low	Awareness
Open dowers	Public	Low	Awareness
Eyesight		Low	Poor eyesight
Eyesight	Employee	Low	Poor eyesight
Eyesight	Employee Area	Low	Poor eyesight
Eyesight	Guest	Low	Poor eyesight
Eyesight	Public	Low	Poor eyesight
Disease		High	
Disease	Employee	High	
Disease	Employee Area	High	
Disease	Guest	High	
Disease	Public	High	

Area Main Warehouse Repair Area:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Medium	General awareness
Blades	Employee	Medium	General awareness
Blades	Employee Area	Medium	General awareness
Blades	Guest	Medium	General awareness
Blades	Public	Medium	General awareness
Chemicals		Low	C.O.S.H.H
Chemicals	Employee	Medium	C.O.S.H.H
Chemicals	Employee Area	High	Training
Chemicals	Guest	Low	C.O.S.H.H
Chemicals	Public	Low	C.O.S.H.H
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		High	Alarms
Fumes	Employee	High	Alarms
Fumes	Employee Area	High	Alarms
Fumes	Guest	High	Alarms
Fumes	Public	High	Alarms
Manual handling		Low	HSE Lifting procedures
Manual handling	Employee	Medium	HSE Lifting procedures
Manual handling	Employee Area	Medium	HSE Lifting procedures
Manual handling	Guest	Low	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Work at height		Low	Awareness
Work at height	Employee	Low	Awareness
Work at height	Employee Area	Low	Awareness
Work at height	Guest	Low	Awareness

Area Main Warehouse Repair Area:

Hazard	Potential Victim	Grading of Risk	Action Taken
Work at height	Public	Low	Awareness
Computer Workstation		Low	HSE Safety Guide
Computer Workstation	Employee	Low	HSE Safety Guide
Computer Workstation	Employee Area	Low	HSE Safety Guide
Computer Workstation	Guest	Low	HSE Safety Guide
Computer Workstation	Public	Low	HSE Safety Guide
Waste Electronic		Low	Seperate Waste Container
Waste Electronic	Employee	Low	Seperate Waste Container
Waste Electronic	Employee Area	Low	Seperate Waste Container
Waste Electronic	Guest	Low	Seperate Waste Container
Waste Electronic	Public	Low	Seperate Waste Container
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution	Employee	Medium	Warning signs
Electrocution	Employee Area	Medium	Warning signs
Open dowers		Low	Awareness
Open dowers	Employee	Low	Awareness
Open dowers	Employee Area	Low	Awareness
Open dowers	Guest	Low	Awareness
Open dowers	Public	Low	Awareness
Burns	All	Medium	Awareness
Eyesight		Low	Eye goggles
Eyesight	Employee	Medium	Eye goggles
Eyesight	Employee Area	Medium	Eye goggles
Eyesight	Guest	Low	Eye goggles
Low headroom		Medium	Warnings
Low headroom	Employee	Medium	Warnings
Low headroom	Employee Area	Medium	Warnings
Low headroom	Guest	Medium	Warnings
Low headroom	Public	Medium	Warnings

Area Main Warehouse Repair Area:			
Hazard	Potential Victim	Grading of Risk	Action Taken
Disease	All	High	
Disease	Employee	Medium	

Area Main Warehouse SpO2 Cupboard:

Hazard	Potential Victim	Grading of Risk	Action Taken
Fumes		High	Alarms
Fumes	Employee	High	Alarms
Fumes	Employee Area	High	Alarms
Fumes	Guest	High	Alarms
Fumes	Public	High	Alarms
Manual handling	All	Low	HSE Lifting procedures
slipping/tripping hazards		Low	None required
slipping/tripping hazards	Employee	Low	None required
slipping/tripping hazards	Employee Area	Low	None required
slipping/tripping hazards	Guest	Low	None required
slipping/tripping hazards	Public	Low	None required
Work at height		Low	Awareness
Work at height	Employee	Low	Awareness
Work at height	Employee Area	Low	Awareness
Work at height	Guest	Low	Awareness
Work at height	Public	Low	Awareness
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Open dowers		Low	Awareness
Open dowers	Employee	Low	Awareness
Open dowers	Employee Area	Low	Awareness
Open dowers	Guest	Low	Awareness
Open dowers	Public	Low	Awareness

Area Main Warehouse Stairs from Basement to Level 1:

Hazard	Potential Victim	Grading of Risk	Action Taken
Fumes		Medium	Alarms
Fumes	Employee	Medium	Alarms
Fumes	Employee Area	Medium	Alarms
Fumes	Guest	Medium	Alarms
Fumes	Public	Medium	Alarms
Manual handling	All	Low	HSE Lifting procedures
Pressure Systems		Medium	None required
Pressure Systems	Guest	Medium	None required
Pressure Systems	Public	Medium	None required
slipping/tripping hazards		Low	None required
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Low	None required
slipping/tripping hazards	Public	Low	None required
Work at height		Low	Awareness
Work at height	Employee	Low	Awareness
Work at height	Employee Area	Low	Awareness
Work at height	Guest	Low	Awareness
Work at height	Public	Low	Awareness
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Low headroom		High	Warnings
Low headroom	Employee	High	Warnings
Low headroom	Employee Area	High	Warnings
Low headroom	Guest	High	Warnings
Low headroom	Public	High	Warnings

Area Main Warehouse Jeans Office:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Low	None required
Blades	Employee	Low	None required
Blades	Employee Area	Low	None required
Blades	Guest	Low	None required
Blades	Public	Low	None required
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling		Medium	HSE Lifting procedures
Manual handling	Employee	Low	HSE Lifting procedures
Manual handling	Employee Area	Low	HSE Lifting procedures
Manual handling	Guest	Low	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Work at height		Low	Awareness
Work at height	Employee	Low	Awareness
Work at height	Employee Area	Low	Awareness
Work at height	Guest	Low	Awareness
Work at height	Public	Low	Awareness
Computer Workstation		Low	HSE Safety Guide
Computer Workstation	Employee	Low	HSE Safety Guide
Computer Workstation	Employee Area	Low	HSE Safety Guide
Computer Workstation	Guest	Low	HSE Safety Guide

Area Main Warehouse Jeans Office:

Hazard	Potential Victim	Grading of Risk	Action Taken
Computer Workstation	Public	Low	HSE Safety Guide
Large Boxes		Medium	General Awareness
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Open drawers		Medium	Awareness
External Hazards	Guest	Medium	Restricted area
External Hazards	Public	Medium	Restricted area
Eyesight	Employee	Low	Poor eyesight
Eyesight	Employee Area	Low	Poor eyesight

Area Main Warehouse Toilets Downstairs:

Hazard	Potential Victim	Grading of Risk	Action Taken
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
slipping/tripping hazards		Low	None required
slipping/tripping hazards	Employee	Low	None required
slipping/tripping hazards	Employee Area	Low	None required
slipping/tripping hazards	Guest	Low	None required
slipping/tripping hazards	Public	Low	None required
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Disease		Medium	
Disease	Employee	Medium	
Disease	Employee Area	Medium	
Disease	Guest	Medium	
Disease	Public	Medium	

Area Main Warehouse Toilets upstairs:

Hazard	Potential Victim	Grading of Risk	Action Taken
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Disease		Medium	
Disease	Employee	Medium	
Disease	Employee Area	Medium	
Disease	Guest	Medium	
Disease	Public	Medium	

Area Main Warehouse Stock Room 5 / Server Room:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Medium	General awareness
Blades	All	Low	General awareness
Chemicals	Employee	Low	Training
Chemicals	Employee Area	Low	Training
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling	All	Low	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Work at height		Low	Awareness
Work at height	Employee	Low	Awareness
Work at height	Employee Area	Low	Awareness
Work at height	Guest	Low	Awareness
Work at height	Public	Low	Awareness
Computer Workstation		Low	HSE Safety Guide
Computer Workstation	Employee	Low	HSE Safety Guide
Computer Workstation	Employee Area	Low	HSE Safety Guide
Computer Workstation	Guest	Low	HSE Safety Guide
Computer Workstation	Public	Low	HSE Safety Guide
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs

Area Main Warehouse Stock Room 5 / Server Room:

Hazard	Potential Victim	Grading of Risk	Action Taken
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Open dowers		Low	Awareness
Open dowers	Employee	Low	Awareness
Open dowers	Employee Area	Low	Awareness
Open dowers	Guest	Low	Awareness
Open dowers	Public	Low	Awareness
Low headroom	All	Medium	Warnings
Low headroom	Public	Low	Warnings

Area Main Warehouse Vandagraph workshop:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Medium	General awareness
Blades	Employee	Medium	General awareness
Blades	Employee Area	Medium	General awareness
Blades	Guest	Medium	General awareness
Blades	Public	Medium	General awareness
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling	All	Low	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution Sign when wet
slipping/tripping hazards	Employee	Medium	Caution Sign when wet
slipping/tripping hazards	Employee Area	Medium	Caution Sign when wet
slipping/tripping hazards	Guest	Medium	Caution Sign when wet
slipping/tripping hazards	Public	Medium	Caution Sign when wet
Work at height		Low	Awareness
Work at height	Employee	Low	Awareness
Work at height	Employee Area	Low	Awareness
Work at height	Guest	Low	Awareness
Work at height	Public	Low	Awareness
Waste Electronic		Low	Separate Waste Container
Waste Electronic	Employee	Low	Separate Waste Container
Waste Electronic	Employee Area	Low	Separate Waste Container
Waste Electronic	Guest	Low	Separate Waste Container
Waste Electronic	Public	Low	Separate Waste Container
Large Boxes		Medium	General Awareness
Large Boxes	Employee	Medium	General Awareness

Area Main Warehouse Vandagraph workshop:

Hazard	Potential Victim	Grading of Risk	Action Taken
Large Boxes	Employee Area	Medium	General Awareness
Large Boxes	Guest	Medium	General Awareness
Large Boxes	Public	Medium	General Awareness
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution	Employee	Medium	Warning signs
Electrocution	Employee Area	Medium	Warning signs
Open dowers		Low	Awareness
Open dowers	Employee	Low	Awareness
Open dowers	Employee Area	Low	Awareness
Open dowers	Guest	Low	Awareness
Open dowers	Public	Low	Awareness
Burns		Low	None
Burns	Employee	Medium	Awareness
Burns	Employee Area	Medium	Awareness
Burns	Guest	Low	None
Burns	Public	Low	None
Eyesight		Low	Eye goggles
Eyesight	Employee	Low	Eye goggles
Eyesight	Employee Area	Low	Eye goggles
Eyesight	Guest	Low	Eye goggles
Eyesight	Public	Low	Eye goggles

Area Main Warehouse Path way:			
Hazard	Potential Victim	Grading of Risk	Action Taken
Disease	All	Low	

Area Main Warehouse Corridor Library:			
Hazard	Potential Victim	Grading of Risk	Action Taken

Area Ghyll House Room 6 - Small Loft:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Low	None required
Blades	Employee	Low	None required
Blades	Employee Area	Low	None required
Blades	Guest	Low	None required
Blades	Public	Low	None required
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling	All	Low	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Work at height	All	Low	Awareness
Computer Workstation		Low	HSE Safety Guide
Computer Workstation	Employee	Low	HSE Safety Guide
Computer Workstation	Employee Area	Low	HSE Safety Guide
Computer Workstation	Guest	Low	HSE Safety Guide
Computer Workstation	Public	Low	HSE Safety Guide
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness

Area Ghyll House Room 6 - Small Loft:

Hazard	Potential Victim	Grading of Risk	Action Taken
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Open drawers		Low	Awareness
External Hazards	Guest	Medium	Restricted area
External Hazards	Public	Medium	Restricted area
Eyesight	Employee	Low	Poor eyesight
Eyesight	Employee Area	Low	Poor eyesight

Area Ghyll House Office 1 - Main:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Low	None required
Blades	Employee	Low	None required
Blades	Employee Area	Low	None required
Blades	Guest	Low	None required
Blades	Public	Low	None required
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling	All	Low	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Work at height	All	Low	Awareness
Computer Workstation		Low	HSE Safety Guide
Computer Workstation	Employee	Low	HSE Safety Guide
Computer Workstation	Employee Area	Low	HSE Safety Guide
Computer Workstation	Guest	Low	HSE Safety Guide
Computer Workstation	Public	Low	HSE Safety Guide
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness

Area Ghyll House Office 1 - Main:

Hazard	Potential Victim	Grading of Risk	Action Taken
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Open dowers		Low	Awareness
External Hazards	Guest	Medium	Restricted area
External Hazards	Public	Medium	Restricted area
Eyesight	Employee	Low	Poor eyesight
Eyesight	Employee Area	Low	Poor eyesight

Area Ghyll House Office 3 - Helen:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Low	None required
Blades	Employee	Low	None required
Blades	Employee Area	Low	None required
Blades	Guest	Low	None required
Blades	Public	Low	None required
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling	All	Low	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Work at height	All	Low	Awareness
Computer Workstation		Low	HSE Safety Guide
Computer Workstation	Employee	Low	HSE Safety Guide
Computer Workstation	Employee Area	Low	HSE Safety Guide
Computer Workstation	Guest	Low	HSE Safety Guide
Computer Workstation	Public	Low	HSE Safety Guide
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness

Area Ghyll House Office 3 - Helen:

Hazard	Potential Victim	Grading of Risk	Action Taken
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Open dowers		Low	Awareness
External Hazards	Guest	Medium	Restricted area
External Hazards	Public	Medium	Restricted area
Eyesight	Employee	Low	Poor eyesight
Eyesight	Employee Area	Low	Poor eyesight

Area Ghyll House Office 5 Ryan Steve:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Low	None required
Blades	Employee	Low	None required
Blades	Employee Area	Low	None required
Blades	Guest	Low	None required
Blades	Public	Low	None required
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling	All	Low	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Work at height	All	Low	Awareness
Computer Workstation		Low	HSE Safety Guide
Computer Workstation	Employee	Low	HSE Safety Guide
Computer Workstation	Employee Area	Low	HSE Safety Guide
Computer Workstation	Guest	Low	HSE Safety Guide
Computer Workstation	Public	Low	HSE Safety Guide
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness

Area Ghyll House Office 5 Ryan Steve:

Hazard	Potential Victim	Grading of Risk	Action Taken
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Open dowers		Low	Awareness
External Hazards	Guest	Medium	Restricted area
External Hazards	Public	Medium	Restricted area
Eyesight	Employee	Low	Poor eyesight
Eyesight	Employee Area	Low	Poor eyesight

Area Ghyll House Office 4 - Steve Nixon:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Low	None required
Blades	Employee	Low	None required
Blades	Employee Area	Low	None required
Blades	Guest	Low	None required
Blades	Public	Low	None required
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling	All	Low	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Work at height	All	Low	Awareness
Computer Workstation		Low	HSE Safety Guide
Computer Workstation	Employee	Low	HSE Safety Guide
Computer Workstation	Employee Area	Low	HSE Safety Guide
Computer Workstation	Guest	Low	HSE Safety Guide
Computer Workstation	Public	Low	HSE Safety Guide
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness

Area Ghyll House Office 4 - Steve Nixon:

Hazard	Potential Victim	Grading of Risk	Action Taken
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Open dowers		Low	Awareness
External Hazards	Guest	Medium	Restricted area
External Hazards	Public	Medium	Restricted area
Eyesight	Employee	Low	Poor eyesight
Eyesight	Employee Area	Low	Poor eyesight

Area Ghyll House Room 7- Big Loft:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Low	None required
Blades	Employee	Low	None required
Blades	Employee Area	Low	None required
Blades	Guest	Low	None required
Blades	Public	Low	None required
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling	All	Low	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Work at height	All	Low	Awareness
Computer Workstation		Low	HSE Safety Guide
Computer Workstation	Employee	Low	HSE Safety Guide
Computer Workstation	Employee Area	Low	HSE Safety Guide
Computer Workstation	Guest	Low	HSE Safety Guide
Computer Workstation	Public	Low	HSE Safety Guide
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness

Area Ghyll House Room 7- Big Loft:

Hazard	Potential Victim	Grading of Risk	Action Taken
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Open dowers		Low	Awareness
External Hazards	Guest	Medium	Restricted area
External Hazards	Public	Medium	Restricted area
Eyesight	Employee	Low	Poor eyesight
Eyesight	Employee Area	Low	Poor eyesight

Area Ghyll House Room 2 - Meeting Room:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Low	None required
Blades	Employee	Low	None required
Blades	Employee Area	Low	None required
Blades	Guest	Low	None required
Blades	Public	Low	None required
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling	All	Low	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution
slipping/tripping hazards	Employee	Medium	Caution
slipping/tripping hazards	Employee Area	Medium	Caution
slipping/tripping hazards	Guest	Medium	Caution
slipping/tripping hazards	Public	Medium	Caution
Work at height	All	Low	Awareness
Computer Workstation		Low	HSE Safety Guide
Computer Workstation	Employee	Low	HSE Safety Guide
Computer Workstation	Employee Area	Low	HSE Safety Guide
Computer Workstation	Guest	Low	HSE Safety Guide
Computer Workstation	Public	Low	HSE Safety Guide
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness

Area Ghyll House Room 2 - Meeting Room:

Hazard	Potential Victim	Grading of Risk	Action Taken
Electrocution	Employee	Low	Awareness
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Open drawers		Low	Awareness
External Hazards	Guest	Medium	Restricted area
External Hazards	Public	Medium	Restricted area
Eyesight	Employee	Low	Poor eyesight
Eyesight	Employee Area	Low	Poor eyesight

Area Ghyll House - Kitchen:

Hazard	Potential Victim	Grading of Risk	Action Taken
Blades		Medium	General awareness
Blades	Employee	High	General awareness
Blades	Employee Area	High	General awareness
Blades	Guest	Medium	General awareness
Blades	Public	Low	General awareness
Faulty Electricals		Low	PAT Testing / User Responsibility
Faulty Electricals	Employee	Low	PAT Testing / User Responsibility
Faulty Electricals	Employee Area	Low	PAT Testing / User Responsibility
Faulty Electricals	Guest	Low	PAT Testing / User Responsibility
Faulty Electricals	Public	Low	PAT Testing / User Responsibility
Fumes		Low	Alarms
Fumes	Employee	Low	Alarms
Fumes	Employee Area	Low	Alarms
Fumes	Guest	Low	Alarms
Fumes	Public	Low	Alarms
Manual handling	All	Low	HSE Lifting procedures
slipping/tripping hazards		Medium	Caution Sign when wet
slipping/tripping hazards	Employee	Medium	Caution Sign when wet
slipping/tripping hazards	Employee Area	Medium	Caution Sign when wet
slipping/tripping hazards	Guest	Medium	Caution Sign when wet
slipping/tripping hazards	Public	Medium	Caution Sign when wet
Work at height		Low	Awareness
Work at height	Employee	Low	Awareness
Work at height	Employee Area	Low	Awareness
Work at height	Guest	Low	Awareness
Work at height	Public	Low	Awareness
Power Cuts Lighting		Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee	Low	Emergency Lighting/Signs
Power Cuts Lighting	Employee Area	Low	Emergency Lighting/Signs
Power Cuts Lighting	Guest	Low	Emergency Lighting/Signs
Power Cuts Lighting	Public	Low	Emergency Lighting/Signs
Electrocution		Low	Awareness
Electrocution	Employee	Low	Awareness

Area Ghyll House - Kitchen:

Hazard	Potential Victim	Grading of Risk	Action Taken
Electrocution	Employee Area	Low	Awareness
Electrocution	Guest	Low	Awareness
Electrocution	Public	Low	Awareness
Open dowers		Low	Awareness
Open dowers	Employee	Low	Awareness
Open dowers	Employee Area	Low	Awareness
Open dowers	Guest	Low	Awareness
Open dowers	Public	Low	Awareness
Burns	All	High	WArning signs
Burns	Public	Medium	WArning signs
Disease		Medium	
Disease	Employee	Medium	
Disease	Employee Area	Medium	
Disease	Guest	Medium	
Disease	Public	Medium	

Area Ghyll House - Conservatory:

Hazard	Potential Victim	Grading of Risk	Action Taken
Dust	Employee	Low	None required
Dust	Employee Area	Low	None required
Dust	Guest	Low	None required
Low temperature	Employee	Low	None
Low temperature	Employee Area	Low	None
Low temperature	Guest	Low	None
slipping/tripping hazards	All	Medium	Caution Sign when wet
Electrocution	Employee	Low	Non Required
Electrocution	Employee Area	Low	Non Required
Electrocution	Guest	Low	Non Required

Area Ghyll House - Garden:			
Hazard	Potential Victim	Grading of Risk	Action Taken