



Kate Griffiths <viamed.kate.griffiths@gmail.com>

Re: R-24MED

1 message

Supattra Polnikorn <bb_bio_chem2010@yahoo.com>
To: kate.griffiths@viamed.co.uk

25 May 2023 at 12:06

Dear Kate Griffiths,

I'm preferring to get this order urgently, so would you please send me the proforma invoice of 15pcs and I can wire on tomorrow.

Best regards,
Pongnarin Yoosomboon

Sent from my iPhone

On 25 May BE 2566, at 17:30, Kate Griffiths <office@viamed.co.uk> wrote:

Good morning.

We do currently have the R-24MED in stock, but if you would like them shipping with your current order, the lead time for the current order is 8-10 weeks.

Kind regards

Kate Griffiths

Viamed is now enacting hybrid working to allow sales and admin staff to work remotely and in the office. Telephone calls to the main office will be answered, but please continue to use email where possible.

<http://www.viamed.co.uk>
Email kate.griffiths@viamed.co.uk
Tel: +44 (0)1535 634542
Fax: +44 (0)1535 635582

Twitter: twitter.com/ViamedLtd
Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

GDPR / Privacy Policy available at www.viamed.co.uk/policy
The information in this email is confidential and may be legally privileged.
It is intended solely for the addressee. Access to this email by anyone else is unauthorized.
If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call +44 (0)1535 634542

On Thu, 25 May 2023 at 11:23, Supattra Polnikorn <bb_bio_chem2010@yahoo.com> wrote:

Dear Kate Griffiths,

Do you have 15pcs of R-24MED in stock? I would like to order another 15pcs of R-24MED, and I would like you to ship together with the previous order.

Best regards,

5/25/23, 12:08 PM

Gmail - Re: R-24MED

Pongnarin Yoosomboon

Sent from my iPhone