

Main Account <viamedinbox@gmail.com>

MAX O2 ME & Bracket - Quotation request

| • | |
|---|----------------------|
| Obrien Aidan (Medical Physics & Clinical Engineering MPCE) <aidan.obrien@nuh.nhs.uk> o: "viamedinbox@gmail.com" <viamedinbox@gmail.com></viamedinbox@gmail.com></aidan.obrien@nuh.nhs.uk> | 30 May 2023 at 13:23 |
| Dear ViaMed, | |
| I am working on a project and require a oxygen monitor. We have used the MAXO2 ME previously order again: | and would like to |
| Can you please send me a quote for a MaxO2 ME oxygen monitor and the mounting bracket below | v (Part 0121180)? |
| Regards, | |
| Aidan | |
| | |
| | |
| | |
| From: Main Account <viamedinbox@gmail.com> On Behalf Of Zoey Teal Sent: 26 July 2022 14:12</viamedinbox@gmail.com> | |
| To: Kevin Hughes (staff) <mszkrh@exmail.nottingham.ac.uk> Cc: Obrien Aidan (Medical Physics & Clinical Engineering MPCE) <aidan.obrien@nuh.nhs.ukx< td=""><td>; Donal McNally</td></aidan.obrien@nuh.nhs.ukx<></mszkrh@exmail.nottingham.ac.uk> | ; Donal McNally |
| (staff) <eazdsm@exmail.nottingham.ac.uk> Subject: Re: V-wall mounting bracket enquiry</eazdsm@exmail.nottingham.ac.uk> | |
| Good afternoon Kevin, | |
| Thank you for your email. | |
| I can confirm that the Wall Mount is not supplied with the MAXO2 ME however, we can supply then | n separately. |
| The part number you require is 0121180. These are £12.60 each and have a carriage charge of £6 | i.00. |



If you have any further queries, please do not hesitate to contact me.

Kind regards

Zoey Teal

Please note:

The information contained in this email may be the subject of public disclosure under the Freedom of Information Act 2000 - unless legally exempt from disclosure, the confidentiality of this email and your reply cannot be guaranteed.

Copyright of this email and any attachments created by us remains vested in the Nottingham University Hospitals NHS Trust.

This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.

This footnote also confirms that this email message has been swept by anti-virus software for the presence of known computer viruses.

Nottingham University Hospitals NHS Trust City Hospital campus | Hucknall Road | Nottingham | NG5 1PB | Tel: 0115 969 1169 QMC campus | Derby Road | Nottingham | NG7 2UH | Tel: 0115 924 9924

If you have received this email in error please notify the sender.

Tracking ID: b2d399ef-ff01-4f2a-8f51-6d354e34c724

Date and Time : Tue May 30 12:24:32 2023