

## Ryan Swaine <viamed.ryan.swaine@gmail.com>

## Re: R17 Van 1 message

Tofo Scuba <info@tofoscuba.com>

6 June 2023 at 10:17

To: "ryan.swaine@vandagraph.co.uk" <ryan.swaine@vandagraph.co.uk>

Hi Ryan,

Sorry for the delay, we have just paid this now.

Can you please send to:

Ritchie Hunt (Tofo Scuba)

12 helens road, sandford, north somerset, BS25 5PD

**Thanks** 

Ross



Facebook | Twitter | Instagram | TripAdvisor | RateYourDive Whatsapp +258 84 373 3074

Please ensure you are physically fit for diving. If you have had surgery or any ongoing illness that may affect diving, please bring a Doctors note stating you are fit to dive.

06/06/2023, 10:28 Gmail - Re: R17 Van

From: Main Account <viamedinbox@gmail.com> on behalf of Ryan Swaine <office@viamed.co.uk>

Sent: 06 June 2023 10:44

To: Tofo Scuba Subject: Re: R17 Van

Hi Ross

I hope this email finds you well.

Please can you let me know if the attached proforma invoice is still valid?

Thank you and best regards Ryan

Ryan Swaine General Manager VANDAGRAPH Ltd.

http://www.vandagraph.co.uk

Email ryan.swaine@vandagraph.co.uk

Tel: +44 (0)1535 634900 Mob: +44 (0)7803 907117

On Thu, 4 May 2023 at 11:32, Ryan Swaine <ryan.swaine@vandagraph.co.uk> wrote:

H Ross

I hope you're keeping well.

Please find a proforma invoice attached for the 3x R-17VAN sensors.

Please let me know if you have any questions.

Best regards Ryan

Ryan Swaine General Manager VANDAGRAPH Ltd.

http://www.vandagraph.co.uk

Email ryan.swaine@vandagraph.co.uk

Tel: +44 (0)1535 634900 Mob: +44 (0)7803 907117

On Thu, 4 May 2023 at 09:42, Tofo Scuba <info@tofoscuba.com> wrote:

Hi,

Can you please send me a quote for:

3 x R-17VAN Oxygen Sensor (0110217)

Plus courier fee (not sure where in the UK yet)

Thanks

Ross



## Facebook | Twitter | Instagram | TripAdvisor | RateYourDive Whatsapp +258 84 373 3074

Please ensure you are physically fit for diving. If you have had surgery or any ongoing illness that may affect diving, please bring a Doctors note stating you are fit to dive.