


Switchcraft Female 5 pin



* INNER SHIELD AND DUTER SHIELD TO BE TWISTED TOGETHER.

						Title F	P859YA		 	□ 	
						1	Pace Tech	Ī	Dim in	mm	
					Material:	Pace recir			Tol	± 0.2]
						Scale	Not To Scale	To Scale		n J.Nirwan	
REV	Date	Ν°	Drawn	Approv	Part No. 0018592	Date	19/02/03	Dwg	No.	SPY-859.1	


VIAMED


15 Station Rd

Cross Hills, Keighley

West Yorkshire

BD20 7DT





						Title F		ŧ		•	
						Pace Tech			Dim in		mm
					Material :		Face recir				± 0.2
						Scale	Not To Scale		Drawn		J.Nirwan
REV	Date	Ν°	Drawn	Approv	Part No. 0018592	Date	10/05/02	Dwg	No.	S	SPY-859



Switchcraft

TINI Q.G. MINIATURE CONNECTORS


TA(*)M, TA(*)MB, TA(*)ML AND TA(*)MLB CORD PLUG

25

• Chicago, IL 60630 • 773 792-2700 • FAX: 773 792-2129 • www.switchcraft.com 5555 N. Elston Ave. SWITCHCRAFT, INC.

TA(*)F, TA(*)FL AND TA(*)FB CORD PLUG





POLARIZING GROOVE

387

STRAIGHT FEMALE CORD PLUG

CORD PLUG

STRAIGHT MALE

Part Number

Insert Pins

Part Number

TA4ML

TA3MB* TA3ML TA4M

Insert	Contacts	4	4	ιΩ	ur.	,
Part	Number	TA4FL	TA4FLB*	TASF	TASFL	
Insert	Contacts	3	က	က	m	
Part	mper	'A3F	ra3FB	FA3FL.	A3FLB	

2 2 2 2

TASML TASMLB* ◊TA6ML¹

B indicates black housing

TB(*)M AND TB(*)MB RECEPTACLE







Part	Insert	Part	Insert
Number	Pins	Number	Pins
TB3M	က	TB5M	2
TB3MB*	ო	TB5MB*	လ
TB4M	4	♦TB6M	9
TB4MB*	4		

562 x 293 HEX. NUT

625 x 020 FLAT WASHER

HOLE MOUNTING

250 MAX. PANEL
(6.4) THICKNESS


FLAT FOR "D" HOLE

- 7-32 UNS-2A

% [05

B indicates black housing

TLP(*) LOOPING PLUG



Looping plug is designed for circuit testing. patterns Other inserts and wiring possible; contact Switchcraft.


STRAIGHT FEMALE LOOPING PLUG


Male receptacle for chassis/panel mounting. Specially designed flange permits close (front) mount on crowded panels. Mounting hardware supplied.

Available on special order only; contact Switchcraft for price and delivery.
 Number of insert contacts or pins must be specified to complete Part Number.

DIMENSIONS ARE FOR REFERENCE ONLY

Flex relief omitted for larger diameter cable B indicates black housing









Switchcroff Female 5 pin




* NNEP SHILLD AND DUTEP SHILLD TO BE THISTED TOCKTHEP









Switchcraff Female 5 pin




* NNEP SHILLD AND OUTER SHILLD TO BE THISTED TOCETHER.






	Title P859YA										
							1	ace Tech		Dim	in mm
					Material	1	Fuce recir			Tol	± 0.2
							Scale	Not To Scal	le Drawn		J.Nirwan
REV	Date	N°	Drawn	Approv	Part	No0018592	Date	10/05/02	Dwg	No.	SPY-859

Ltd.
15 Station Rd
Cross Hills, Keighley
West Yorkshire
BD20 7DT




Switchcraft Female 5 pin




* INNER SHIELD AND OUTER SHIELD TO BE TWISTED TOGETHER.

							Title P	859YA		€	∃-\$
								ace Tech		Dim in	mm
					Material	:	Tuce recii			Tol	: 0.2
							Scale	Not To Scale		Drawn	J.Nirwan
REV	Date	Ν°	Drawn	Approv	Part	No0018592	Date	19/02/03	Dwg	No.	SPY-859.1

VIAMED Ltd.
15 Station Rd
Cross Hills, Keighley
West Yorkshire
BD20 7DT





						Title	P859YA		€	∃ \	
- 1		ř		¥ :	Material:	Pace Tech			Dim in	mm ± 0.2	
					Material.	Scale	Not To Scale	в	Drawn	J.Nirwan	
REV	Date	Date N° Dra	N° Drawn Approv Part No. 0018592		Date	10/05/02	Dwg	No.	SPY-859		

