



Aqib Majeed &lt;viamed.aqib.majeed@gmail.com&gt;

---

**Fwd: Availability of R-17-A-LVG sensors**

---

**Steve Hardaker** <office@viamed.co.uk>  
Reply-To: steve.hardaker@viamed.co.uk  
To: office@vmsecure.me.uk

10 January 2024 at 14:48

Order from General Diagnostic Ltd.  
Thanks,  
Steve

----- Forwarded message -----

From: <[carl@generaldiagnostic.co.uk](mailto:carl@generaldiagnostic.co.uk)>  
Date: Wed, 10 Jan 2024 at 14:42  
Subject: RE: Availability of R-17-A-LVG sensors  
To: <[steve.hardaker@viamed.co.uk](mailto:steve.hardaker@viamed.co.uk)>

Hi Steve,

Thanks for the info...

Can I, please order 30 units R-17-A-LVG sensors (grey units)

Theres no panic for delivery !

Regards

**Carl Wodke**

**General Diagnostic Ltd**

T: 01455 617888

E: [carl@generaldiagnostic.co.uk](mailto:carl@generaldiagnostic.co.uk)

W: [www.generaldiagnostic.co.uk](http://www.generaldiagnostic.co.uk)

A: 23, Woodland Road, Hinckley, Leicestershire, LE10 1JF

Registered Office: 23 Woodland Road, Hinckley, England, LE10 1JF.

Registered in England Company No: 14668203

VAT Registration Number: 435 9080 84

This message is intended solely for the addressee and may contain confidential information. If you have received this message in error, please send it back, and permanently delete it. Do not use, copy or disclose the information contained in this message or in any attachment.

---

**From:** Main Account <[viamedinbox@gmail.com](mailto:viamedinbox@gmail.com)> **On Behalf Of** Steve Hardaker  
**Sent:** 05 January 2024 16:56  
**To:** [carl@generaldiagnostic.co.uk](mailto:carl@generaldiagnostic.co.uk)  
**Subject:** Re: Availability of R-17-A-LVG sensors

Hi Carl,

We have 40 units in stock right now, how many do you need?

We do have 150 more due in very soon, I've chased them up today and it looks like they are in transit to us right now, so should arrive mid next week.

Best regards,

Steve Hardaker  
Technical Support Manager  
Viamed Ltd.

**Please note: Viamed is now enacting hybrid working to allow sales and admin staff to work remotely and in the office. Telephone calls to the main office will be answered, but please continue to use email where possible.**

Website: [www.viamed.co.uk](http://www.viamed.co.uk)  
email: [steve.hardaker@viamed.co.uk](mailto:steve.hardaker@viamed.co.uk)  
Tel: +44 (0)1535 634542  
Fax: +44 (0)1535 635582

Sign up to our mailing list, go to [www.viamed.co.uk/sign-up](http://www.viamed.co.uk/sign-up)  
Twitter: [twitter.com/ViamedLtd](https://twitter.com/ViamedLtd)  
Facebook: [facebook.com/ViamedLtdUK](https://facebook.com/ViamedLtdUK)  
Company registered in England, No. 1291765.

E-mail Disclaimer

-----  
The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call +44 (0)1535 634542

GDPR / Privacy Policy available at [www.viamed.co.uk/policy](http://www.viamed.co.uk/policy)  
-----

On Fri, 5 Jan 2024 at 14:06, <[carl@generaldiagnostic.co.uk](mailto:carl@generaldiagnostic.co.uk)> wrote:

Hello Steve,

How is your stock situation/availability with regards to the R-17-A-LVG sensors (grey units) ?

I look forward to hearing from you.

Regards

**Carl Wodke**

**General Diagnostic Ltd**

T: 01455 617888

E: [carl@generaldiagnostic.co.uk](mailto:carl@generaldiagnostic.co.uk)

W: [www.generaldiagnostic.co.uk](http://www.generaldiagnostic.co.uk)

A: 23, Woodland Road, Hinckley, Leicestershire, LE10 1JF

Registered Office: 23 Woodland Road, Hinckley, England, LE10 1JF.

Registered in England Company No: 14668203

VAT Registration Number: 435 9080 84

This message is intended solely for the addressee and may contain confidential information. If you have received this message in error, please send it back, and permanently delete it. Do not use, copy or disclose the information contained in this message or in any attachment.