



Ryan Swaine <viamed.ryan.swaine@gmail.com>

Re: ORDER

1 message

Yann Ségalou <yann@segYTEK.com>

6 February 2024 at 10:10

To: ryan.swaine@vandagraph.co.uk

Hi Ryan,

Thank you for your fast answer.

Please send a TEK-OX immediately and I will return the VN202.

Thank you

Yann

Ségytek
Quai du cordon bleu
44100 Nantes
France
Tel : +33 2 40 95 61 26
e-mail : yann@segYTEK.com
Site <www.segYTEK.com>
<https://www.facebook.com/SegYTEK/?ref=bookmarks>

> Le 5 févr. 2024 à 18:41, Ryan Swaine <viamedinbox@gmail.com> a écrit :

>

> Hi Yann

>

> I am very sorry, it is completely my fault.

>

> I can arrange to send you a TEK-OX straight away, would that be ok? Do you want to return the VN202 or keep it for the time being?

>

> Best regards

> Ryan

>

>

> Ryan Swaine

> General Manager

> VANDAGRAPH Ltd.

> <http://www.vandagraph.co.uk>> Email ryan.swaine@vandagraph.co.uk

> Tel: +44 (0)1535 634900

> Mob: +44 (0)7803 907117

>

>

> On Mon, 5 Feb 2024 at 16:30, Yann Ségalou <yann@segYTEK.com> wrote:

> Hi Ryan,

>

> I ordered a VN7910201TEK-OX but I received VN202 mkII with quick Ox !

>

> Do you have an explanation?

>

> Best regards

>

> Yann

>

> Ségytek

> Quai du cordon bleu

> 44100 Nantes

> France

> Tel : +33 2 40 95 61 26
> e-mail : yann@segytek.com
> Site <www.segytek.com>
> <https://www.facebook.com/Segytek/?ref=bookmarks>
>
>> Début du message réexpédié :
>>
>> De: Yann Ségalou <yann@segytek.com>
>> Objet: ORDER
>> Date: 30 janvier 2024 à 10:52:22 UTC+1
>> À: ryan.swaine@vandagraph.co.uk
>>
>> Dear Ryan,
>>
>> This is my new order :
>>
>> Quantity item
>> 1 VN7910201TEK-OX Oxygen Analyser (inc. Sensor/Quick-Ox/Dry Box) - Auto switch-off
>>
>> Best regards
>>
>> Yann Ségalou
>>
>> Ségytek
>> Dive-Rite
>> Quai du cordon bleu
>> 44100 Nantes
>> France
>> Tel : 02 40 95 61 26
>> Fax : 09 57 10 61 26
>> e-mail : yann@segytek.com
>> Site <www.segytek.com>
>