



Kate Griffiths <viamed.kate.griffiths@gmail.com>

Re: New order of Oxygen sensors

1 message

Supattra Polnikorn <bb_bio_chem2010@yahoo.com>

8 April 2024 at 07:06

To: Kate Griffiths <kate.griffiths@viamed.co.uk>

Dear Kate Griffiths,

Thanks, I need MAX-14 fluke version (part number 0110420), and Delivery Address and Invoice Address are correct.

Best regards,
Pongnarin Yoosomboon

On Thursday, 4 April 2024 at 02:27:22 pm GMT+7, Kate Griffiths <kate.griffiths@viamed.co.uk> wrote:

Good morning Pongnarin,

Thank you for your email.

Please could I ask if you require the MAX-14 (part number 0110414) or the MAX-14 fluke version (part number 0110420).

I plan to use the address as follows for your proforma invoice:

Delivery AddressBB Biochem Partner Limited
68/522 Soi Rattanathibet
28 Junction 2, Bangkraso
Mueang Nonthaburi District
Nonthaburi
11000
Thailand**Invoice Address**BB Biochem Partner Limited
68/522 Soi Rattanathibet
28 Junction 2, Bangkraso
Mueang Nonthaburi District
Nonthaburi
11000
Thailand

I await your reply.

Many thanks.

Kind regards

Kate Griffiths

<http://www.viamed.co.uk>Email kate.griffiths@viamed.co.uk

Tel: +44 (0)1535 634542

Fax: +44 (0)1535 635582

Twitter: twitter.com/ViamedLtd

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

Viamed is now enacting hybrid working to allow sales and admin staff to work remotely and in the office. Telephone calls to the main office will be answered, but please continue to use email where possible.

E-mail Disclaimer

GDPR / Privacy Policy available at www.viamed.co.uk/policy

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call +44 (0)1535 634542

On Thu, 4 Apr 2024 at 04:39, Supattra Polnikorn <bb_bio_chem2010@yahoo.com> wrote:

Dear Kate Griffiths,

Would you please send me the proforma invoice for the items as below:

1. MAX-14; 8pcs
2. MAX-250+; 8pcs
3. Viamed R-41V; 1pcs

Best regards,
Pongnarin Yoosomboon