





Handi+

This analyser is great for spot-checking oxygen percentage in hospitals, clinics and in homecare environments. Includes integrated sensor and battery.

- One-touch calibration
- Auto-off (after 80 seconds)
- Response time: <15 seconds to 90% of value
- Disposable at end of sensor life
- Overmould for extra protection







UltraMax

The UltraMaxO2 offers a fast and easy verification of oxygen concentration, flow and outlet pressure of oxygen concentrators

- Accurately meaure oxygen, flow & pressure
- No oxygen sensor required
- No in-field calibration
- Self-diagnostics
- Shielded, reinforced sample gas inlet port
- Measuring range: 20.9 96.0%





$MaxO_2+A \& MaxO_2+AE$

The MaxO2+A analyser is ideal for checking oxygen percent accuracy in concentrators.

With the same specification as the MaxO2+A, the MaxO2+AE is best used anywhere an inline analyser is needed, when alarms are not deemed important. It is especially useful in conjunction with older ventilators or oscillators.

- Long battery life (approximately 5,000 hours on 2 x AA batteries) ■
- Ergonomical handheld design
- Impact resistant and drip proof
- Large LCD with 3.5 digit display





MaxO₂ ME

The MaxO₂ ME low-maintenance oxygen monitor with smart alarms auto-set at 3% ± current reading

- Long battery life (approximately 5,000 hours on 2 x AA batteries)
- Adjustable alarms from 15 99%
- Smart alarms
 - Sets alarms 3% ± current reading
- Back lit LCD display
- DC power port (power supply sold seperately)
- Protective overmould
- Built-in kickstand and dove tail

For a copy of our full Oxygen Monitoring Catalogue go to our website

https://www.viamed.co.uk/oxygenmonitoringcatalogue

+44 (0)1535 634542 www.viamed.co.uk

