

Emily Hanson <viamed.emily.hanson@gmail.com>

Fwd: Quote Required

1 message

Main Account <viamedinbox@gmail.com>
To: emily.hanson@vmsecure.me.uk

Mon, Nov 18, 2024 at 11:14 AM

----- Forwarded message ------

From: Neena Mistry < Neena. Mistry@cht.nhs.uk >

Date: Mon, 18 Nov 2024 at 10:58

Subject: Quote Required

To: info@viamed.co.uk <info@viamed.co.uk>

Good Morning,

Hope this email finds you well.

Please can I request a quote for the following:

6x PN: 0110072 - R-22vi oxygen sensor cells (matched pair)

I require this for our procurement team to process a purchase order number.

Thank you

Kind Regards

Neena Mistry | Senior Medical Engineer | Medical Engineering | Calderdale and Huddersfield Solutions Ltd Tel: 01422 222536 Email: Neena.Mistry@cht.nhs.uk

Medical Engineering | Calderdale Royal Hospital | Salterhebble | Halifax | HX3 OPW



Working in partnership with Calderdal and Huddersfield NHC foundation Trus

Disclaimer: This is an e-mail from Calderdale and Huddersfield NHS Foundation Trust (the Trust). This message and any files transmitted with it are confidential. If you are not the intended recipient any reading, printing, storage, disclosure, copying or any other action taken in respect of the e-mail is prohibited and may be unlawful. If you have received this message in error, please notify the sender immediately by using the reply function and then delete what you have received. The Trust accepts no responsibility for any changes made to this message after it has been sent by the original author. The views or opinions contained herein do not necessarily represent the views of the Trust. This e-mail or any of its attachments may contain data that falls within the scope of Data Protection Legislation. You must ensure that any handling or processing of such data by you is fully compliant with the terms and provisions of Data Protection Legislation (GDPR 2018 and Data Protection Act 2018). Please note that as the sender of this email is a Public Authority, the contents of any email received in response, even if marked confidential, may be disclosed in accordance with the Freedom of Information Act 2000 unless legally exempt.