



Kate Griffiths <viamed.kate.griffiths@gmail.com>

Fwd: O2 sensor

1 message

Main Account <viamedinbox@gmail.com>

20 February 2025 at 09:14

To: Kate Griffiths <kate.griffiths@vmsecure.me.uk>

----- Forwarded message -----

From: **Nathan Merchant (CTM UHB - Clinical Engineering)** <Nathan.J.Merchant@wales.nhs.uk>

Date: Thu, 20 Feb 2025 at 08:47

Subject: O2 sensor

To: info@viamed.co.uk <info@viamed.co.uk>

Good morning,

Could you please quote for a replacement O2 sensor for a Philips Respironics Trilogy Evo. I have a current part number of MAX-16 (R114P70).

Thanks

Kind regards | **Cofion Cynnes**

Nathan

Nathan Merchant**Senior Clinical Technologist | Uwch - Technolegydd Clinigol****Clinical Engineering | Facilities | Peirianeg Glinigol | Cyfleusterau****Cwm Taf Morgannwg University Health Board | Bwrdd Iechyd Prifysgol Cwm Taf Morgannwg****Royal Glamorgan Hospital****Llantrisant****Pontyclun****RCT | CF72 8XR****☎ 01443 443645 est/extn 73647****💻 nathan.merchant@wales.nhs.uk**



A wnewch chi ystyried yr amgylchedd cyn argraffu'r neges hon Please consider the environment before printing this email Dolen gyswllt at ymwadiad Bwrdd Iechyd Prifysgol Cwm Taf Morgannwg - <https://bipctm.gig.cymru/defnydd-or-wefan/ymwadiad-e-bost> Link to Cwm Taf Morgannwg University Health Board email disclaimer - <https://ctmuhb.nhs.wales/use-of-site/email-disclaimer> Dilynwch ni ar Twitter @CwmTaf / Dilynwch ni ar Facebook <https://twitter.com/BIPCTMCymraeg> / <https://www.facebook.com/BwrddIechydPrifysgolCwmTafMorgannwg> Follow us on Twitter @CwmTaf / Follow us on Facebook <https://twitter.com/cwmtafmorgannwg> / <https://www.facebook.com/CwmTafMorgannwg> *Cwm Taf Morgannwg University Health Board is the operational name of Cwm Taf Morgannwg University Local Health Board *Bwrdd Iechyd Prifysgol Cwm Taf Morgannwg yw enw gweithredol Bwrdd Iechyd Lleol Prifysgol Cwm Taf Morgannwg

2 attachments



image001.png
16K



image003.png
60K