## Document VOP 21 Risk, Risk Management and Risk Analysis Revision ID75935

Suggested Upload Document Name: Risk Assesment For Updating Document ID75935 Completed by Derek Lamb 03 Mar 2025 Reason for Risk Assesment added VM3COP24.01 reference Document VOP 21 Risk, Risk Management and Risk Analysis Revision ID75935 Is linked to the Following Standards and processes Notes On Risk / Benefits statement if Assesment Question Update Risk on Update required ID75935 Affect 75935Q0 Does this Update warrant updating Any External Parties due to any Terms and Does Risk Freqency due Notes On Risk / Benefits statement if Conditional Agreements E.G. Notified Body or is the update a Significate change to Update to Update required any ISO Certifications Affect? 1.Improbable ➤ Risk Likly Due to No 🗸 Update 1.Negligible Action Required: No Action Required 75935Q1 Viamed Ltd ISO13485:2016 Section: 4.1.2 Does Risk Freqency due Notes On Risk / Benefits statement if Quality management system to Update Update required The organization shall: Affect? 1.Improbable ✓ a) determine the processes needed for the quality management system and the Risk Likly Due to No 🗸 application of Update these processes throughout the organization taking into account the roles undertaken 1.Negligible Action Required: organization; No Action Required b) apply a risk based approach to the control of the appropriate processes needed for the quality management system; c) determine the sequence and interaction of these processes. 75935Q2 Viamed Ltd ISO13485:2016 Section: 5.4.2 Does Risk Frequency due Notes On Risk / Benefits statement if to Update Quality management system planning Update required 1.Improbable 🗸 Top management shall ensure that: Affect? a) the planning of the quality management system is carried out in order to meet the No 🗸 Risk Likly Due to requirements Update given in 4.1, as well as the quality objectives; 1.Negligible b) the integrity of the quality management system is maintained when changes to the Action Required: No Action Required management system are planned and implemented. Viamed Ltd ISO13485:2016 Section: 7.4.1 Risk Freqency due 7593503 Does Notes On Risk / Benefits statement if Purchasing process Update to Update required The organization shall document procedures (see 4.2.4) to ensure that purchased Affect? 1.Improbable 🗸 product conforms to Risk Likly Due to No 🗸 specified purchasing information. Update The organization shall establish criteria for the evaluation and selection of suppliers. 1.Negligible The criteria shall be: Action Required: a) based on the supplier's ability to provide product that meets the organizations' No Action Required b) based on the performance of the supplier; c) based on the effect of the purchased product on the quality of the medical device; d) proportionate to the risk associated with the medical device. The organization shall plan the monitoring and re-evaluation of suppliers. Supplier performance in meeting requirements for the purchased product shall be monitored. The results of the monitoring shall provide an input into the supplier re-evaluation process. Non-fulfilment of purchasing requirements shall be addressed with the supplier proportionate to the risk associated with the purchased product and compliance with applicable regulatory requirements Records of the results of evaluation, selection, monitoring and re-evaluation of performance and any necessary actions arising from these activities shall be maintained (see 4.2.5). 75935Q4 Notes On Risk / Benefits statement if QProcessProcess 11 Does Risk Freqency due Update to Update required Distribution Of Post Affect? Distibuting incoming post to correct person 1.Improbable ✔

No 🗸

Risk Likly Due to Update

Current Known Risk Royal Mail fail to deliver post

Current Likly 3 Current Frequency 1

3.Serious ✓		
Action Required:		
No Action Required		

75935Q5	QProcessProcess 5882 Send Post To Humanmed Humanedmed post is received, it needs to be forwarded to Humanmed UK Sales Manager  HumanMed has Gone, tasks no longer required Current Known Risk Post is not sent Current Likly 4 Current Frequency 1	Does Update Affect?	Risk Freqency due to Update  1.Improbable  Risk Likly Due to Update  4.Critical  Action Required: No Action Required	Notes On Risk / Benefits statement if required	
75935Q6	QProcessProcess 7743 Customer Complaints Paper File Major Customer Complaints get escalated to Paper Customer Complaints file.  Check the File is being Maintained and any relevant documentation is in the File. Current Known Risk Customer Complaints could be missed or not filed correctly Current Likly 2 Current Frequency 1	Does Update Affect? No 🕶	Risk Freqency due to Update  1.Improbable  Risk Likly Due to Update  2.Minor  Action Required: No Action Required	Notes On Risk / Benefits statement if required	
75935Q7	QProcessProcess 5855 Purchase Order Requirements Teledyne To contact Teledyne and confirm the purchase orders we have outstanding for them Current Known Risk That good that are required will not be available. Current Likly 2 Current Frequency 1	Does Update Affect? No 🕶	Risk Freqency due to Update  1.Improbable  Risk Likly Due to Update  2.Minor  Action Required: No Action Required	Notes On Risk / Benefits statement if required	
75935Q8	QProcessProcess 8030 Purchase Order Invoice Review Confirm the Price on our purchase order matches the price charged by the supplier Current Known Risk We over pay for products or services Current Likly 1 Current Frequency 2	Does Update Affect?	Risk Frequency due to Update  2.Remote  Risk Likly Due to Update  1.Negligible  Action Required: No Action Required	Notes On Risk / Benefits statement if required	
75935Q9	Final Notes				
	No ISO Procedures or Process are negativly affected by updating this document with the new document proposed, only adding refereence to VM3COP24.01 refe				

SAVE FORM Only saves your progress in filling in above Questions - No feed back to pressing save form button Once Form Complete Print Page to PDF (Landscape mode prefereable), go back to document upload page and upload to risk assessment button