



Kate Griffiths &lt;viamed.kate.griffiths@gmail.com&gt;

---

**RE: [EXT] Re: Oxygen sensor MAX-14**

2 messages

---

**Simon Plaisted** <Simon.Plaisted@penlon.com>  
To: Kate Griffiths <kate.griffiths@viamed.co.uk>

21 March 2025 at 10:06

Ok, are you able to send the two sensors for now and the rest once the stock is available?

Thanks

---

**From:** Kate Griffiths <[kate.griffiths@viamed.co.uk](mailto:kate.griffiths@viamed.co.uk)>  
**Sent:** 21 March 2025 09:15  
**To:** Simon Plaisted <[Simon.Plaisted@penlon.com](mailto:Simon.Plaisted@penlon.com)>  
**Subject:** Re: [EXT] Re: Oxygen sensor MAX-14

**CAUTION: This email originated from outside Penlon Ltd. Do not click links or open attachments unless you recognise the sender and know the content is safe.**

---

Hi Simon,

We are expecting more stock to be available around the 10th of May.

Kind regards

Kate Griffiths

<http://www.viamed.co.uk>

Email [kate.griffiths@viamed.co.uk](mailto:kate.griffiths@viamed.co.uk)

Tel: +44 (0)1535 634542

Fax: +44 (0)1535 635582

Twitter: [twitter.com/ViamedLtd](https://twitter.com/ViamedLtd)

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

Viamed is now enacting hybrid working to allow sales and admin staff to work remotely and in the office. Telephone calls to the main office will be answered, but please continue to use email where possible.

## E-mail Disclaimer

-----

GDPR / Privacy Policy available at [www.viamed.co.uk/policy](http://www.viamed.co.uk/policy)

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call +44 (0)1535 634542

-----

On Fri, 21 Mar 2025 at 09:09, Simon Plaisted <[Simon.Plaisted@penlon.com](mailto:Simon.Plaisted@penlon.com)> wrote:

Hi Kate

Do you know when the stock will be available?

Thanks

---

**From:** Kate Griffiths <[kate.griffiths@viamed.co.uk](mailto:kate.griffiths@viamed.co.uk)>

**Sent:** 21 March 2025 09:06

**To:** Simon Plaisted <[Simon.Plaisted@penlon.com](mailto:Simon.Plaisted@penlon.com)>

**Subject:** Re: [EXT] Re: Oxygen sensor MAX-14

**CAUTION: This email originated from outside Penlon Ltd. Do not click links or open attachments unless you recognise the sender and know the content is safe.**

---

Good morning Simoin,

Thank you for your order.

Please could I advise you that we now do not have enough stock to fulfill your order. **Would you like us to part ship two sensors?** I look forward to your reply.

Many thanks.

Kind regards

Kate Griffiths

<http://www.viamed.co.uk>

Email [kate.griffiths@viamed.co.uk](mailto:kate.griffiths@viamed.co.uk)

Tel: +44 (0)1535 634542

Fax: +44 (0)1535 635582

Twitter: [twitter.com/ViamedLtd](https://twitter.com/ViamedLtd)

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

Viamed is now enacting hybrid working to allow sales and admin staff to work remotely and in the office. Telephone calls to the main office will be answered, but please continue to use email where possible.

E-mail Disclaimer

-----

GDPR / Privacy Policy available at [www.viamed.co.uk/policy](http://www.viamed.co.uk/policy)

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call +44 (0)1535 634542

-----

On Thu, 20 Mar 2025 at 14:59, Simon Plaisted <[Simon.Plaisted@penlon.com](mailto:Simon.Plaisted@penlon.com)> wrote:

Hi Kate

Please see PO169585 attached.

Thanks

---

**From:** Kate Griffiths <[kate.griffiths@viamed.co.uk](mailto:kate.griffiths@viamed.co.uk)>

**Sent:** 11 March 2025 14:52

**To:** Simon Plaisted <[Simon.Plaisted@penlon.com](mailto:Simon.Plaisted@penlon.com)>

**Subject:** [EXT] Re: Oxygen sensor MAX-14

**CAUTION: This email originated from outside Penlon Ltd. Do not click links or open attachments unless you recognise the sender and know the content is safe.**

---

Good afternoon Simon,

Thank you for your email.

Please see attached quotation as requested.

If you choose to order, please could the reference **QVM155553** be mentioned on the PO?

These sensors are currently in stock.

Kind regards

Kate Griffiths

<http://www.viamed.co.uk>

Email [kate.griffiths@viamed.co.uk](mailto:kate.griffiths@viamed.co.uk)

Tel: +44 (0)1535 634542

Fax: +44 (0)1535 635582

Twitter: [twitter.com/ViamedLtd](https://twitter.com/ViamedLtd)

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

Viamed is now enacting hybrid working to allow sales and admin staff to work remotely and in the office. Telephone calls to the main office will be answered, but please continue to use email where possible.

E-mail Disclaimer

-----

GDPR / Privacy Policy available at [www.viamed.co.uk/policy](http://www.viamed.co.uk/policy)

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call +44 (0)1535 634542

On Tue, 11 Mar 2025 at 13:59, Simon Plaisted <[Simon.Plaisted@penlon.com](mailto:Simon.Plaisted@penlon.com)> wrote:

Good afternoon

I would like to buy another 5x part number 0110420 - oxygen sensor MAX-14 (Fluke version).

Can you please send over a quote.

Thanks



---

This message has been scanned for viruses by Mimecast

---

#### Confidentiality Notice

This message is intended only for the addressee and may contain information that is confidential or privileged. Unauthorised use is strictly prohibited and may be unlawful. If you are not the addressee you should not copy, disclose or otherwise use this message, except for the purpose of delivery to the addressee. We will not accept liability for any claims arising as a result of the use of the internet to transmit information by or to Penlon Limited.

**A Medcaptain Company** Registered Office: Abingdon Science Park, Barton Lane, Abingdon, OX14 3NB UK • Registered No: 3228364 England

---

**Kate Griffiths** <[kate.griffiths@viamed.co.uk](mailto:kate.griffiths@viamed.co.uk)>  
Draft To: Simon Plaisted <[Simon.Plaisted@penlon.com](mailto:Simon.Plaisted@penlon.com)>  
Bcc: Main Account <[viamedinbox@gmail.com](mailto:viamedinbox@gmail.com)>

21 March 2025 at 10:19

Hi Simon,

Yes, no problem.

Kind regards

Kate Griffiths

<http://www.viamed.co.uk>

Email [kate.griffiths@viamed.co.uk](mailto:kate.griffiths@viamed.co.uk)

Tel: +44 (0)1535 634542

Fax: +44 (0)1535 635582

Twitter: [twitter.com/ViamedLtd](https://twitter.com/ViamedLtd)

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

Viamed is now enacting hybrid working to allow sales and admin staff to work remotely and in the office. Telephone calls to the main office will be answered, but please continue to use email where possible.

E-mail Disclaimer

-----  
GDPR / Privacy Policy available at [www.viamed.co.uk/policy](http://www.viamed.co.uk/policy)

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call +44 (0)1535 634542

-----

[Quoted text hidden]