



Kate Griffiths <viamed.kate.griffiths@gmail.com>

Fwd: Can I get a current price please?

1 message

Main Account <viamedinbox@gmail.com>

6 June 2025 at 10:28

To: Kate Griffiths <kate.griffiths@vmsecure.me.uk>

----- Forwarded message -----

From: **Walker, Maresa** <Maresa.Walker@nhs.scot>

Date: Fri, 6 Jun 2025 at 10:22

Subject: Can I get a current price please?

To: Steve Hardaker <steve.hardaker@viamed.co.uk>

Cc: Corbett, Stewart <Stewart.Corbett@nhs.scot>

Hi Steve,

Can I get a current price for the following parts including any delivery charge for delivery to ScotSTAR, Scottish Ambulance Service please?

O2 sensor, R-44V, PN: 0110044

Nitric Oxide, NO Sensor MNO1, PN: 0110490

Nitric Dioxide, NO2 Sensor, MND1S, PN: 0110495

Best Regards,

Maresa Walker (She/Her)

Section Manager/ Advanced Specialist Clinical Technologist

Scottish Transport And Retrieval Service (**ScotSTAR**)/ Royal Hospital for Children (**RHC**)**Hours of Service:** Mon to Thur 0800-1600, Fri 0800-1530**ScotSTAR** Medical Physics Department/ Medical Equipment Management/ Scottish Ambulance Service/ Hangar B/ [180 Abbotsinch Road/ Paisley/ PA3 2RY](#)

Tel: 0141 810 6678 (SAS Internal 54033)

maresa.walker@nhs.scot /Section Managerstewart.corbett@nhs.scot /Specialist Clinical Technologist**RHC** Women & Children's Medical Physics Department/ Medical Equipment Management/ 2nd Floor/ Royal Hospital for Children/ [1345 Govan Road/ Glasgow/ G51 4TF](#)

Tel: 0141 452 3286 (GGC Internal 83286)

lawrence.young@nhs.scot /Section Manager**Medical Equipment Management (MEM) Webpage**<https://scottish.sharepoint.com/sites/MEM>

We welcome regular feedback regarding our service via the following links:

Customer Feedback

<https://link.webropolsurveys.com/Participation/Public/04d91049-c13c-45b1-a3d7-2e7251da60c5?displayId=Uni2585422>

Customer Complaints

<https://link.webropolsurveys.com/Participation/Public/294b8371-fcf0-4327-8c28-9403fc0c28b8?displayId=Uni2231945>

This email is intended for the named recipient only. If you have received it by mistake, please (i) contact the sender by email reply; (ii) delete the email from your system; . and (iii) do not copy the email or disclose its contents to anyone.
