



Kate Griffiths &lt;viamed.kate.griffiths@gmail.com&gt;

---

**Draeger SpO2 cable**

1 message

---

**BRIDGEND, Brian (UNIVERSITY COLLEGE LONDON HOSPITALS NHS FOUNDATION TRUST)**

9 June 2025 at

&lt;brian.bridgend@nhs.net&gt;

11:11

To: Kate Griffiths &lt;kate.griffiths@viamed.co.uk&gt;

Good morning Kate,

Can I have the price for the following cable please.

1 x 6010594 SpO2 Adapter Cable comp. w/ Draeger-Masimo - Masimo LNCS

**T.T.F.N**

---

**Brian Bridgeland**  
**Team Leader Neonatal Support**email: [brian.bridgend@nhs.net](mailto:brian.bridgend@nhs.net)

Direct Line: 020 344 76254 | Ext: 76254 | Mob: 07940476934

Department of Medical Physics and Biomedical Engineering, UCL Hospitals NHS Trust, Level -2, EGA Wing, 235  
Euston Road, LONDON NW1 2BU**Medical Equipment Helpdesk**Direct line: 02034474321 | Ext: 74321 | Email: [uclh.enquiry.mpb.helpdesk@nhs.net](mailto:uclh.enquiry.mpb.helpdesk@nhs.net)

Switchboard: 0845 155 000 or 020 3456 7890

---

We are committed to delivering top-quality patient care,

excellent education and world class research

**safety** **kindness** **teamwork** **improving**

---

UCLH website | Media | Become a member | Support our charities | Contact UCLH  
Find us on Facebook | Follow us on Twitter | Subscribe on YouTube

---

\*\*\*\*\*  
\*\*\*\*\*

This message may contain confidential information. If you are not the intended recipient

please:

i) inform the sender that you have received the message in error before deleting it; and  
ii) do not disclose, copy or distribute information in this e-mail or take any action in relation to its content (to do so is strictly prohibited and may be unlawful).

Thank you for your co-operation.

NHSmial is the secure email, collaboration and directory service available for all NHS staff in England. NHSmial is approved for exchanging patient data and other sensitive information with NHSmial and other accredited email services.

For more information and to find out how you can switch visit [Joining NHSmial – NHSmial Support](#)