

Purchase Order AP15468961

2 messages

Emily Morton <emily.morton@viamed.co.uk>
To: Craig.Conway@aapct.scot.nhs.uk
Bcc: viamedinbox@gmail.com

Mon, Jun 16, 2025 at 1:41 PM

Good afternoon.

Thank you for your order i have now processed this for you, unfortunately this is on hold due to a pricing difference:

0110452- 1 = £ 112.10 2 = £ 109.40 3 = £ 106.60 11 = £ 101.00

Please could you let me know if you would like to proceed.

Kind regards

Emily Morton
Office Administrator
Viamed Ltd.

http://www.viamed.co.uk

Email: emily.morton@viamed.co.uk

Tel: 44 (0)1535 634 542 Fax: 44 (0)1535 635 582

Twitter: twitter.com/ViamedLtd

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

GDPR / Privacy Policy available at www.viamed.co.uk/policy

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call 44 (0)1535 634542

Craig Conway (AA Medical Physics) < Craig. Conway@aapct.scot.nhs.uk>

Mon, Jun 16, 2025 at 4:05

PM

To: Emily Morton <emily.morton@viamed.co.uk>

Hi Emily,

Thanks for letting me know about the price change.

I have re-submitted the amended purchase order to reflect the correct price of the part.

From what I can see the purchase order will now be AP15468961-000-001

If you can let me know if there is any further issues, then I would be grateful

Kind regards

Craig Conway

From: Emily Morton <emily.morton@viamed.co.uk>

Sent: 16 June 2025 1:41 PM

You don't often get email from emily.morton@viamed.co.uk. Learn why this is important

[Quoted text hidden]

This email is intended for the named recipient only. If you have received it by mistake, please (i) contact the sender by email reply; (ii) delete the email from your system; . and (iii) do not copy the email or disclose its contents to anyone.

To: Craig Conway (AA Medical Physics) < Craig.Conway@aapct.scot.nhs.uk>