



Aqib Majeed <viamed.aqib.majeed2@gmail.com>

---

## Fwd: MAX-14 O2 cell quotation

---

**Main Account** <viamedinbox@gmail.com>

Mon, Jun 23, 2025 at 4:07 PM

To: Aqib Majeed <aqib.majeed@vmsecure.me.uk>

----- Forwarded message -----

From: **KNIGHT, Richard (EAST SUSSEX HEALTHCARE NHS TRUST)** <[richard.knight10@nhs.net](mailto:richard.knight10@nhs.net)>

Date: Mon, 23 Jun 2025 at 16:05

Subject: MAX-14 O2 cell quotation

To: [info@viamed.co.uk](mailto:info@viamed.co.uk) <[info@viamed.co.uk](mailto:info@viamed.co.uk)>

Good afternoon,

Please can I have a quotation for a MAX-14 O2 cell, I believe the part number is 0110414.

Thanks,

Richard.

***Richard Knight***



***Specialist Clinical Engineering Technician Workshop Supervisor***

***Clinical Engineering (EME), Conquest Hospital, The Ridge,***

***St. Leonards-on-Sea East Sussex TN37 7RD***

***Tel : 0300 131 5151***

***Ext: 771036***

<b>Clinical Engineering</b>		<b>Medical Equipment</b> Management    Servicing    Repairs
Tel: 0300 131 5151    Ext: 735151    Email: <a href="mailto:esht.clinicalengineering@nhs.net">esht.clinicalengineering@nhs.net</a>		
Eastbourne District General Hospital, Kings Drive, Eastbourne, East Sussex, BN21 2UD	Conquest Hospital, The Ridge, St Leonards-on-Sea, East Sussex, TN37 7RD	

\*\*\*\*\*

This message may contain confidential information. If you are not the intended recipient please:

- i) inform the sender that you have received the message in error before deleting it; and
- ii) do not disclose, copy or distribute information in this e-mail or take any action in relation to its content (to do so is strictly prohibited and may be unlawful).

Thank you for your co-operation.

NHSmile is the secure email, collaboration and directory service available for all NHS staff in England. NHSmile is approved for exchanging patient data and other sensitive information with NHSmile and other accredited email services.

For more information and to find out how you can switch visit [Joining NHSmile – NHSmile Support](#)