


REF number/type	Description	Labelling
REF: 011-00119 Type: AR-275PRA	Reusable rectal/esophageal temperature probe, Adult, phone plug right-angled	Box label:

REF number/type	Description	Labelling
REF: 011-00119 Type: AR-275PRA	Reusable rectal/esophageal temperature probe, Adult, phone plug right-angled	Flag label (front):  Flag label (back): 

REF number/type	Description	Labelling
REF: 011-01401 Type: AR-275PHA	Reusable rectal/esophageal temperature probe, Philips compatible connector	Box label: Sensatronic Reusable temperature probe Rectal/esophageal application REF 011-01401 SN 2501100001 # AR-275PHA 2025-08-06 CE 0482 UDI (01) 0 42606513 8040 1 (11) 250806 (21) 2501100001 Box 1 NON STERILE MR IP44 -30°C to 70°C 800 hPa to 1060 hPa 10% to 95% LATEX, PHT, DEHP, Rx ONLY, !, i, MD Sensatronic GmbH Am Ring 9 - 23970 Wismar, Germany E-Mail: prrc@sensatronic.com - Made in Germany CH REP: Dipl.-Ing. (FH) Jan Möstel, Robert-Seidel-Hof 70, CH-8048 Zürich UK REP: Viamed Ltd., 15 Station Road, Cross Hills, Keighley BD20 7DT West Yorkshire, United Kingdom CH Importer: Philips AG, Seestrasse 87, CH-8810 Horgen, Switzerland UK Importer: Philips Electronics UK Ltd., Ascent 1, Aerospace Boulevard, GU14 6XW Farnborough, United Kingdom 300-00717 Rev. 1


REF number/type	Description	Labelling
REF: 011-01401 Type: AR-275PHA	Reusable rectal/esophageal temperature probe, Philips compatible connector	Product label (front side):  Product label (back side): 

REF number/type	Description	Labelling
REF: 011-01402 Type: PR-275PHA	Reusable rectal/esophageal temperature probe, Philips compatible connector	Box label: Sensatronic Reusable temperature probe Rectal/esophageal application REF 011-01402 SN 2501100001 # PR-275PHA 2025-08-06 CE 0482 (01) 0 42606513 8041 8 (11) 250806 (21) 2501100001 IP44 -30°C to 70°C 800 hPa to 1060 hPa 10% to 95% RH MD Rx ONLY ! (Warning) i (Information) PHT (Pressure) DEHP (Diethylhexylphthalate) LATEX (Latex) DE (Germany) Sensatronic GmbH Am Ring 9 - 23970 Wismar, Germany E-Mail: prrc@sensatronic.com - Made in Germany CH REP: Dipl.-Ing. (FH) Jan Möstel, Robert-Seidel-Hof 70, CH-8048 Zürich UK REP: Viamed Ltd., 15 Station Road, Cross Hills, Keighley BD20 7DT West Yorkshire, United Kingdom CH Importer: Philips AG, Seestrasse 87, CH-8810 Horgen, Switzerland UK Importer: Philips Electronics UK Ltd., Ascent 1, Aerospace Boulevard, GU14 6XW Farnborough, United Kingdom 300-00718 Rev. 1

REF number/type	Description	Labelling
REF: 011-01402 Type: PR-275PHA	Reusable rectal/esophageal temperature probe, Philips compatible connector	Product label (front side):  Product label (back side): 


REF number/type	Description	Labelling
REF: 011-01405 Type: SPR-275PHA	Reusable Skin temperature probe, Philips compatible connector	Box label:  Sensatronic Reusable temperature probe Skin application REF 011-01405 SN 2501100001 # SPR-275PHA 2025-08-06 CE 0482 UDI (01) 0 42606513 8044 9 (11) 250806 (21) 2501100001 Box 1 NON STERILE MR IP44 -30°C to 70°C 800 hPa to 1060 hPa 10% to 95% LATEX, PHT, DEHP, Rx ONLY, !, i, MD Sensatronic GmbH Am Ring 9 - 23970 Wismar, Germany E-Mail: prrc@sensatronic.com - Made in Germany CH REP: Dipl.-Ing. (FH) Jan Möstel, Robert-Seidel-Hof 70, CH-8048 Zürich UK REP: Viamed Ltd., 15 Station Road, Cross Hills, Keighley BD20 7DT West Yorkshire, United Kingdom CH Importer: Philips AG, Seestrasse 87, CH-8810 Horgen, Switzerland UK Importer: Philips Electronics UK Ltd., Ascent 1, Aerospace Boulevard, GU14 6XW Farnborough, United Kingdom 300-00719 Rev. 1


REF number/type	Description	Labelling
REF: 011-01405 Type: SPR-275PHA	Reusable Skin temperature probe, Philips compatible connector	Product label (front side):  Product label (back side): 

REF number/type	Description	Labelling
REF: 013-00080 Type: GP-75-9P	General purpose probe, single-use, non-sterile, 9 FR, Molex connector	Box label:  Sensatronic General purpose single-use temperature probe 9 FR REF 013-00080 UDI 0 42606513 8090 6 04-2028 LOT 2501300001 # GP-75-9P CH REP Dipl.-Ing. (FH) Jan Möstel Robert-Seidel-Hof 70 CH-8048 Zürich Switzerland UK REP Viamed Ltd. 15 Station Road, Cross Hills, Keighley BD20 7DT West Yorkshire United Kingdom CH Importer: Philips AG Seestrasse 87 CH-8810 Horgen Switzerland UK Importer: Philips Electronics UK Ltd. Ascent 1 Aerospace Boulevard GU14 6XW Farnborough United Kingdom MD DE CE 0482 General purpose single-use temperature probe 9 FR REF 013-00080 LOT 2501300001 # GP-75-9P 300-00600 Rev. 2

REF number/type	Description	Labelling
REF: 013-00081 Type: GP-75-12P	General purpose probe, single-use, non-sterile, 12 FR, Molex connector	Box label: Sensatronic General purpose single-use temperature probe 12 FR REF 013-00081 UDI 0 42606513 8091 3 04-2028 LOT 2501300001 # GP-75-12P CH REP Dipl.-Ing. (FH) Jan Möstel Robert-Seidel-Hof 70 CH-8048 Zürich Switzerland UK REP Viamed Ltd. 15 Station Road, Cross Hills, Keighley BD20 7DT West Yorkshire United Kingdom CH Importer: Philips AG Seestrasse 87 CH-8810 Horgen Switzerland UK Importer: Philips Electronics UK Ltd. Ascent 1 Aerospace Boulevard GU14 6XW Farnborough United Kingdom MD DE CE 0482 General purpose single-use temperature probe 12 FR REF 013-00081 LOT 2501300001 # GP-75-12P 300-00604 Rev. 2

REF number/type	Description	Labelling
REF: 013-00081 Type: GP-75-12P	General purpose probe, single-use, non-sterile, 12 FR, Molex connector	Pouch label (direct printing): Sensatronic General purpose single-use temperature probe 12FR # GP-75-12P REF 013-00081 LOT 250130001 04-2028 UDI (01) 0 42606513 8111 8 (10) 250130001 (11) 250424 10% 95% 1060 hPa 700 hPa +5°C +40°C Sensatronic GmbH Am Ring 9 - 23970 Wismar, Germany E-Mail: prrc@sensatronic.com - Made in Germany CE 0482 MD 300-00605 Rev. 1

REF number/type	Description	Labelling
REF: 013-00082 Type: SD-75P	Skin probe, single-use, non-sterile, Molex connector	Box label:  Sensatronic Skin single-use temperature probe REF 013-00082 LOT 2501300001 # SD-75P CH REP Dipl.-Ing. (FH) Jan Möstel Robert-Seidel-Hof 70 CH-8048 Zürich Switzerland UK REP Viamed Ltd. 15 Station Road, Cross Hills, Keighley BD20 7DT West Yorkshire United Kingdom CH Importer: Philips AG Seestrasse 87 CH-8810 Horgen Switzerland UK Importer: Philips Electronics UK Ltd. Ascent 1 Aerospace Boulevard GU14 6XW Farnborough United Kingdom Temperature range: -30°C to 60°C Pressure range: 700 hPa to 1060 hPa Humidity range: 10% to 95% Sensatronic GmbH Am Ring 9 - 23970 Wismar, Germany E-Mail: info@sensatronic.com - Made in Germany MD DE CE 0482 Skin single-use temperature probe REF 013-00082 LOT 2501300001 # SD-75P 300-00608 Rev. 2

REF number/type	Description	Labelling
REF: 013-00082 Type: SD-75P	Skin probe, single-use, non-sterile, Molex connector	Pouch label (direct printing):  The label contains the following information and symbols: Sensatronic logo and product name: Skin single-use temperature probe - Icons: No open flame, Box 1 - CE mark with number: 0482 - Item number: # SD-75P - UDI (Unique Device Identifier) box - Reference: REF 013-00082 - Lot number: LOT 250130001 - Barcode with data: (01) 0 42606513 8112 5, (10) 250130001, (11) 250424 - Expiration date: 04-2028 - Icons: No re-use, MR (Medical Reusable), Non Sterile, Latex, PHT (Phthalate), DEHP - MD (Medical Device) icon - Humidity: 95% (max), 10% (min), 700 hPa - Pressure: 1060 hPa - Temperature: +5°C to +40°C - Warning: Rx ONLY - Manufacturer: Sensatronic GmbH, Am Ring 9 - 23970 Wismar, Germany - Contact: E-Mail: prrc@sensatronic.com - Made in Germany - Revision: 300-00609 Rev. 1

REF number/type	Description	Labelling
REF: 013-00071 Type: GP-75-12G	General purpose temperature probe, single-use, non-sterile, 12 FR, Molex connector	Box label: Sensatronic General purpose single-use temperature probe 12 FR REF 013-00071 UDI 2028-11 LOT 250130001 # GP-75-12G CH REP Dipl.-Ing. (FH) Jan Möstel Robert-Seidel-Hof 70 CH-8048 Zürich Switzerland UK REP Viamed Ltd. 15 Station Road, Cross Hills, Keighley BD20 7DT West Yorkshire United Kingdom Technical Markings: MD DE CE 0482 Distributed by: corpuls® Hauswiesenstraße 26 - 86916 Kaufering, Germany GS REF 19401.1 300-00760 Rev. 0

REF number/type	Description	Labelling
REF: 013-00071 Type: GP-75-12G	General purpose temperature probe, single-use, non-sterile, 12 FR, Molex connector	Pouch label (direct printing):  Sensatronic General purpose single-use temperature probe 12FR # GP-75-12G REF 013-00071 LOT 250130001 2028-11 UDI (01) 0 42606513 8179 8 (10) 250130001 (11) 251105 MD 95% 1060 hPa 10% 700 hPa +5°C +40°C Sensatronic GmbH Am Ring 9 - 23970 Wismar, Germany E-Mail: prrc@sensatronic.com - Made in Germany Distributed by: corpuls Hauswiesenstraße 26 - 86916 Kaufering, Germany Rx ONLY CE 0482 GS REF 19401.1 300-00761 Rev. 0

REF number/type	Description	Labelling
REF: 013-00072 Type: SD-75G	Skin temperature probe, single-use, non-sterile, Molex connector	Box label: Sensatronic Skin single-use temperature probe REF 013-00072 LOT 250130001 # SD-75G UDI (01) 0 42606513 8171 2 (10) 250130001 (11) 251105 CH REP Dipl.-Ing. (FH) Jan Möstel Robert-Seidel-Hof 70 CH-8048 Zürich Switzerland UK REP Viamed Ltd. 15 Station Road, Cross Hills, Keighley BD20 7DT West Yorkshire United Kingdom 20 NON STERILE MR -30°C to 60°C 700 hPa to 1060 hPa 10% to 95% LATEX PHT DEHP Rx ONLY ! i MD DE CE 0482 Distributed by: corpuls® Hauswiesenstraße 26 - 86916 Kaufering, Germany GS REF 19401.3 300-00762 Rev. 0

REF number/type	Description	Labelling
REF: 013-00072 Type: SD-75G	Skin temperature probe, single-use, non-sterile, Molex connector	Pouch label (direct printing):  Sensatronic Skin single-use temperature probe # SD-75G REF 013-00072 LOT 250130001 2028-11 UDI (01) 0 42606513 8180 4 (10) 250130001 (11) 251105 MD 95% 1060 hPa 10% 700 hPa +5°C +40°C Sensatronic GmbH Am Ring 9 - 23970 Wismar, Germany E-Mail: prrc@sensatronic.com - Made in Germany Distributed by: corpuls Hauswiesenstraße 26 - 86916 Kaufering, Germany CE 0482 GS REF 19401.3 300-00763 Rev. 0

REF number/type	Description	Labelling
REF: 013-00073 Type: TD-75G	Tympanic temperature probe, single-use, non-sterile, Molex connector	Box label: Sensatronic Tympanic single-use temperature probe REF 013-00073 LOT 250130001 # TD-75G UDI (01) 0 42606513 8172 9 (10) 250130001 (11) 251105 CH REP Dipl.-Ing. (FH) Jan Möstel Robert-Seidel-Hof 70 CH-8048 Zürich Switzerland UK REP Viamed Ltd. 15 Station Road, Cross Hills, Keighley BD20 7DT West Yorkshire United Kingdom MD DE CE 0482 Distributed by: corpuls® Hauswiesenstraße 26 - 86916 Kaufering, Germany GS REF 19401.2 300-00764 Rev. 0

REF number/type	Description	Labelling
REF: 013-00073 Type: TD-75G	Tympanic temperature probe, single-use, non-sterile, Molex connector	Pouch label (direct printing):  Sensatronic Tympanic single-use temperature probe # TD-75G REF 013-00073 LOT 250130001 2028-11 UDI MD (01) 0 42606513 8181 1 (10) 250130001 (11) 251105 10% 95% 700 hPa 1060 hPa +5°C +40°C Rx ONLY Sensatronic GmbH Am Ring 9 - 23970 Wismar, Germany E-Mail: prrc@sensatronic.com - Made in Germany Distributed by: corpuls Hauswiesenstraße 26 - 86916 Kaufering, Germany CE 0482 GS REF 19401.2 300-00765 Rev. 0

REF number/type	Description	Labelling
REF: 013-00090 Type: GP-75-9M	General purpose temperature probe, single-use, non-sterile, 9 FR, Molex connector	Box label: Sensatronic General purpose single-use temperature probe 9 FR REF 013-00090 LOT 2501300001 # GP-75-9M UDI (01) 0 42606513 8093 7 (10) 2501300001 (11) 250722 CH REP Dipl.-Ing. (FH) Jan Möstel Robert-Seidel-Hof 70 CH-8048 Zürich Switzerland UK REP Viamed Ltd. 15 Station Road, Cross Hills, Keighley BD20 7DT West Yorkshire United Kingdom 20 NON STERILE MR IP44 -30°C to 60°C 800 hPa to 1060 hPa 10% to 95% humidity LATEX, PHT, DEHP, Rx ONLY, !, i, MD, DE, CE 0482 Sensatronic GmbH Am Ring 9 - 23970 Wismar, Germany E-Mail: info@sensatronic.com - Made in Germany General purpose single-use temperature probe 9 FR REF 013-00090 LOT 2501300001 # GP-75-9M 300-00602 Rev. 3

REF number/type	Description	Labelling
REF: 013-00090 Type: GP-75-9M	General purpose temperature probe, single-use, non-sterile, 9 FR, Molex connector	Pouch label (direct printing): Sensatronic General purpose single-use temperature probe 9FR # GP-75-9M REF 013-00090 LOT 250130015 UDI (01) 0 42606513 8113 2 (10) 250130015 (11) 251111 10% 95% 700 hPa 1060 hPa +5°C +40°C Sensatronic GmbH Am Ring 9 - 23970 Wismar, Germany E-Mail: prrc@sensatronic.com - Made in Germany Ce 0482 MD Rx ONLY 300-00603 Rev. 2


REF number/type	Description	Labelling
REF: 013-00091 Type: GP-75-12M	General purpose temperature probe, single-use, non-sterile, 12 FR, Molex connector	Box label: Sensatronic General purpose single-use temperature probe 12 FR REF 013-00091 LOT 2501300001 # GP-75-12M UDI (01) 0 42606513 8094 4 (10) 2501300001 (11) 251111 CH REP Dipl.-Ing. (FH) Jan Möstel Robert-Seidel-Hof 70 CH-8048 Zürich Switzerland UK REP Viamed Ltd. 15 Station Road, Cross Hills, Keighley BD20 7DT West Yorkshire United Kingdom 20 NON STERILE MR IP44 -30°C 60°C 1060 hPa 800 hPa 95% 10% LATEX PHT DEHP Rx ONLY ! i Sensatronic GmbH Am Ring 9 - 23970 Wismar, Germany E-Mail: info@sensatronic.com - Made in Germany MD DE CE 0482 General purpose single-use temperature probe 12 FR REF 013-00091 LOT 2501300001 # GP-75-12M 300-00606 Rev. 3


REF number/type	Description	Labelling
REF: 013-00092 Type: SD-75M	Skin temperature probe, single-use, non-sterile, Molex connector	Box label: Sensatronic Skin single-use temperature probe REF 013-00092 LOT 2501300001 # SD-75M UDI (01) 0 42606513 8095 1 (10) 2501300001 (11) 251204 2028-12 CH REP Dipl.-Ing. (FH) Jan Möstel Robert-Seidel-Hof 70 CH-8048 Zürich Switzerland UK REP Viamed Ltd. 15 Station Road, Cross Hills, Keighley BD20 7DT West Yorkshire United Kingdom CH Importer: t.b.d. UK Importer: t.b.d. NON STERILE MR IP44 300-00610 Rev. 3

REF number/type	Description	Labelling
REF: 013-00092 Type: SD-75M	Skin temperature probe, single-use, non-sterile, Molex connector	Pouch label (direct printing):  Sensatronic Skin single-use temperature probe # SD-75M REF 013-00092 LOT 250130001 UDI (01) 0 4260651 38115 6 (10) 250130001 (11) 251204 CE 0482 1 NON STERILE LATEX MD DEHP Rx ONLY 10% 95% 700 hPa 1060 hPa +5°C +40°C Sensatronic GmbH Am Ring 9 - 23970 Wismar, Germany E-Mail: prrc@sensatronic.com - Made in Germany 300-00611 Rev. 2


REF number/type	Description	Labelling
REF: 013-00093 Type: TD-75M	Tympanic temperature probe, single-use, non-sterile, Molex connector	Box label: Sensatronic Tympanic single-use temperature probe REF 013-00073 LOT 250130001 # TD-75G UDI (01) 0 42606513 8172 9 (10) 250130001 (11) 251105 2028-11 CH REP Dipl.-Ing. (FH) Jan Möstel Robert-Seidel-Hof 70 CH-8048 Zürich Switzerland UK REP Viamed Ltd. 15 Station Road, Cross Hills, Keighley BD20 7DT West Yorkshire United Kingdom NON STERILE MR -30°C 60°C 700 hPa 1060 hPa 10% 95% LATEX PHT DEHP Rx ONLY ! i Sensatronic GmbH Am Ring 9 - 23970 Wismar, Germany E-Mail: info@sensatronic.com - Made in Germany MD DE CE 0482 Distributed by: corpuls® Hauswiesenstraße 26 - 86916 Kaufering, Germany GS REF 19401.2 300-00764 Rev. 0


REF number/type	Description	Labelling
REF: 013-00093 Type: TD-75M	Tympanic temperature probe, single-use, non-sterile, Molex connector	Pouch label (direct printing):  Sensatronic Tympanic single-use temperature probe # TD-75M REF 013-00093 LOT 250130001 UDI (01) 0 4260651 38117 0 (10) 250130001 (11) 251204 CE 0482 DE MD 10% 95% 700 hPa 1060 hPa +5°C +40°C MR NON STERILE LATEX RHT DEHP Rx ONLY Sensatronic GmbH Am Ring 9 - 23970 Wismar, Germany E-Mail: prrc@sensatronic.com - Made in Germany 300-00615 Rev. 2


REF number/type	Description	Labelling
REF: 013-00162 Type: EC-30-PM	Extension cable for single-use probes, 3.0 m, Molex connector and Philips compatible monitor connector	Box label:  Sensatronic Temperature probe extension cable 3.0 m # EC-30-PM UDI REF 013-00162 (01) 0 42606513 8139 2 LOT 250130001 (10) 250130001 (11) 250424 MD 10% 95% 700 hPa 1060 hPa -30°C +60°C Rx ONLY 300-00641 Rev. 2 CH REP: Dipl.-Ing. (FH) Jan Möstel, Robert-Seidel-Hof 70, CH-8048 Zürich, Switzerland UK REP: Viamed Ltd., 15 Station Road, Cross Hills, Keighley BD20 7DT West Yorkshire, United Kingdom CH Importer: Philips AG, Seestrasse 87, CH-8810 Horgen, Switzerland UK Importer: Philips Electronics UK Ltd., Ascent 1, Aerospace Boulevard, GU14 6XW Farnborough, United Kingdom

REF number/type	Description	Labelling
REF: 013-00162 Type: EC-30-PM	Extension cable for single-use probes, 3.0 m, Molex connector and Philips compatible monitor connector	Flag label (front):  Flag label (back): 

REF number/type	Description	Labelling
REF: 013-00163 Type: EC-15-PM	Extension cable for single-use probes, 1.5 m, Molex connector and Philips compatible monitor connector	Box label: Sensatronic Temperature probe extension cable 1.5 m # EC-15-PM UDI REF 013-00163 (01) 0 42606513 8140 8 LOT 250130001 (10) 250130001 (11) 250424 MD 10% 95% 700 hPa 1060 hPa -30°C +60°C Rx ONLY CH REP UK REP Dipl.-Ing. (FH) Jan Möstel Robert-Seidel-Hof 70 CH-8048 Zürich Switzerland Viamed Ltd. 15 Station Road, Cross Hills, Keighley BD20 7DT West Yorkshire United Kingdom CH Importer: Philips AG Seestrasse 87 CH-8810 Horgen Switzerland UK Importer: Philips Electronics UK Ltd. Ascent 1 Aerospace Boulevard GU14 6XW Farnborough United Kingdom 300-00642 Rev. 2

REF number/type	Description	Labelling
REF: 013-00163 Type: EC-15-PM	Extension cable for single-use probes, 1.5 m, Molex connector and Philips compatible monitor connector	Flag label (front):  Flag label (back): 

REF number/type	Description	Labelling
REF: 013-00110 Type: EC-20-PRM-G	Extension cable for single-use probes, 2.0 m, Molex connector and right-angled monitor connector	Box label:  Sensatronic Temperature probe extension cable 2.0 m # EC-20-PRM-G UDI REF 013-00110 (01) 0 42606513 8175 0 (10) 250130010 LOT 250130010 (11) 251204 MD 10% 95% 700 hPa 1060 hPa -30°C +60°C Sensatronic GmbH Am Ring 9 - 23970 Wismar, Germany E-Mail: prrc@sensatronic.com - Made in Germany 300-00766 Rev. 0 CH REP UK REP Dipl.-Ing. (FH) Jan Möstel Robert-Seidel-Hof 70 CH-8048 Zürich Switzerland Viamed Ltd. 15 Station Road, Cross Hills, Keighley BD20 7DT West Yorkshire United Kingdom Distributed by: corpuls® Hauswiesenstraße 26 - 86916 Kaufering, Germany GS REF 04231.01

REF number/type	Description	Labelling
REF: 013-00110 Type: EC-20-PRM-G	Extension cable for single-use probes, 2.0 m, Molex connector and right-angled monitor connector	Flag label (front):  Flag label (back): 