

<b>Guy's and St Thomas' NHS</b> NHS Foundation Trust				Contact Reference: CPC (74J011)			Purchase Order Date: 28-JAN-2026		<b>Purchase Order</b>		
				Contact Name: Anthony Haire			Page Number: Page 1 of 1				
				Contact Number:			Revision Number: 0		Order Number RJ1-1459488		
VIAMED 15 STATION ROAD CROSS HILLS KEIGHLEY WEST YORKSHIRE BD20 7DT				Deliver to: 000036 : Harefield Stores Loading Bay Goods Inwards Goods will only be received between 8:00 and 16:00 Mon to Fri Harefield Stores Loading Bay (Goods Inwards) Harefield Hospital Hill End Road Harefield UB9 6JH UNITED KINGDOM			Invoice To: Guy's Hospital PO Box 147 Great Maze Pond London SE1 9RT UNITED KINGDOM EORI:GB654923417000 (Excludes NI) Invoices to: gstt.supplierinvoices@nhs.net Statements and queries to gstt.accountspayablequeries2025@nhs.net				
Tel: +44 (01535)01535634542 Fax:				Tel:							
Notes to supplier: Quotation QVM161497							Settlement terms: 30 Days				
Line No	Qty	Unit of Purchase	Description	Supplier Item Code	Req.No	Internal Contract Reference	Unit Price exc VAT GBP	Value exc VAT GBP	VAT GBP	Required Delivery Date	
1	3	EACH	Maxtec Oxygen Sensor MAX-250E	0110429	RBH-510056655-REQ		67.30	201.90	40.38	28-Jan-26	
2	1	EACH	PPUPS1, UPS Courier Delivery - Standard Note To Supplier : *FAO - ANTHONY HAIRE - CLINICAL ENGINEERING* - Please contact anthony.haire@nhs.net & gstt.ce@nhs.net, if there is any problems with this order and to confirm receipt of PO / ETA. Many Thanks, Anthony.		RBH-510056655-REQ		0.00	0.00	0.00	28-Jan-26	
							Total Order Value	201.90	40.38		

**Notes:**

1. The above Purchase Order Number must be quoted on all the invoices, delivery notes and other correspondence. Failure to do so may result in rejection of goods or delay in payment.
2. This order is issued in accordance with our standard terms and conditions, copies of which are available on request.
3. If there are any queries, please contact the buyer prior to processing this order.
4. EORI: GB654923417000 must be replaced when trading with Northern Ireland (NI) by X654923417000.

