



Sophie Lines <viamed.sophie.lines@gmail.com>

Fwd: Isensix O2 Sensor Order

1 message

Ryan Swaine <ryan.swaine@vandagraph.co.uk>

Fri, Feb 6, 2026 at 11:10 AM

Reply-To: ryan.swaine@vandagraph.co.uk

To: Aqib Majeed <aqib.majeed@vandagraph.co.uk>, Michael Lamb <michael.lamb@vandagraph.co.uk>, Kate Griffiths <kate.griffiths@vandagraph.co.uk>, Sophie Lines <sophie.lines@vandagraph.co.uk>, Emily Morton <emily.morton@vandagraph.co.uk>

Hi, please can we send Tom (CID26253) 2x proforma invoices:

Both have the following invoice and delivery address, delivery PPUPS7:

Invoice Address
Isensix, Inc
Accounting
557 Cottonwood Ave
Ste 102
Hartland
WI 53029
United States

Delivery Address
Isensix, Inc
CO: Cadent Technologies
FAO: James Cruz
42244 Remington Ave
Temecula
CA 92590
United States

- 1)
30x 0110239 R-33VAN (RP) sensors
- 2)
90x 0110239 R-33VAN (RP) sensors

Thank you, Ryan

Ryan Swaine
General Manager
VANDAGRAPH Ltd.
<http://www.vandagraph.co.uk>
Email ryan.swaine@vandagraph.co.uk
Tel: +44 (0)1535 634900
Mob: +44 (0)7803 907117

----- Forwarded message -----

From: **Stawicki, Thomas** <tstawicki@dwyeromega.com>
Date: Mon, 2 Feb 2026 at 15:48
Subject: Re: Isensix O2 Sensor Order
To: ryan.swaine@vandagraph.co.uk <ryan.swaine@vandagraph.co.uk>
Cc: Snyder, Karen <ksnyder@dwyeromega.com>

I'll take a partial shipment of the 40 and wait on the remainder. Thank you Ryan,
Tom



Tom Stawicki
 General Manager, Monitoring
 T +12623911714
 SensoScientific+Isensix
 DwyerOmega Monitoring

CONFIDENTIAL

From: Ryan Swaine <ryan.swaine@vandagraph.co.uk>
Date: Monday, February 2, 2026 at 7:17 AM
To: Stawicki, Thomas <tstawicki@dwyeromega.com>
Cc: Snyder, Karen <ksnyder@dwyeromega.com>
Subject: Re: Isensix O2 Sensor Order

EXTERNAL EMAIL: DO NOT click links or open attachments unless you trust the sender AND know the content is safe.

Hi Tom

Thank you very much for your email.

I am pleased to confirm that the price has not changed since your last order:
0110239 Oxygen sensor R-33VAN (RP) = GBP £50 each EXW

I only have enough base sensor stock to create 40x sensors, but I am expecting more in approximately 4 weeks, would this be acceptable?
Would you need a part shipment?

I will await your reply before sending a proforma invoice.

Best regards
Ryan

Ryan Swaine
 General Manager
 VANDAGRAPH Ltd.
<http://www.vandagraph.co.uk>
 Email ryan.swaine@vandagraph.co.uk
 Tel: +44 (0)1535 634900
 Mob: +44 (0)7803 907117

On Sat, 31 Jan 2026 at 18:54, Stawicki, Thomas <tstawicki@dwyeromega.com> wrote:

Hi Ryan and Happy New Year!

We're ready for another 120 units. Can you please provide current price and ETA?

Thanks and hope all is well,
Tom



Tom Stawicki
 General Manager, Monitoring
 T +12623911714
 Sensoscientific+Isensix
 DwyerOmega Monitoring

CONFIDENTIAL

From: Stawicki, Thomas <tstawicki@dwyeromega.com>
Date: Tuesday, July 8, 2025 at 9:35 AM
To: ryan.swaine@vandagraph.co.uk <ryan.swaine@vandagraph.co.uk>

Cc: Snyder, Karen <ksnyder@dwyeromega.com>
Subject: Re: Isensix O2 Sensor Order

Hi Ryan,

The wire transfer was done yesterday. Can you please check with your bank and see if it was processed at that end?

Tom



Thomas Stawicki
President
T +12623911714 | M +12623911714
Isensix a DwyerOmega brand

From: Ryan Swaine <ryan.swaine@vandagraph.co.uk>
Date: Friday, July 4, 2025 at 3:35 AM
To: Stawicki, Thomas <tstawicki@dwyeromega.com>
Subject: Re: Isensix O2 Sensor Order

EXTERNAL EMAIL: DO NOT click links or open attachments unless you trust the sender AND know the content is safe.

Hi Tom

Nice to hear from you.

Please find your proforma invoice attached, I have used the same details as your previous orders, please let me know if there are any amendments required.

We have the core sensors and parts in stock, so assembly and testing would be approximately 2 weeks, would this work for you?

Best regards
Ryan

Ryan Swaine
General Manager
VANDAGRAPH Ltd.
<http://www.vandagraph.co.uk>
Email ryan.swaine@vandagraph.co.uk
Tel: +44 (0)1535 634900
Mob: +44 (0)7803 907117

On Thu, 3 Jul 2025 at 19:47, Stawicki, Thomas <tstawicki@dwyeromega.com> wrote:

Hello Ryan,

I would like to place an order for 100 O2 sensors. Can you please provide an estimate of ETA and pricing?

I promise to make sure we have no issues with correct IBAN and Swift Code numbers Ryan!

Best,

Tom Stawicki



Visit us at dwyeromega.com

Thomas Stawicki
President
T +12623911714 | M +12623911714
Isensix a DwyerOmega brand

CONFIDENTIAL