

Date	Part number	Part number	Serial number	Output	Zero offset voltage
	VST	JFD		mV	µV
25/02/2026	8010050	DB200381	108415	7.8	108
25/02/2026	8010050	DB200381	108416	7.8	78
25/02/2026	8010050	DB200381	108417	7.7	95
25/02/2026	8010050	DB200381	108418	7.3	107
25/02/2026	8010050	DB200381	108419	7.7	67
25/02/2026	8010050	DB200381	108420	7.8	83
25/02/2026	8010050	DB200381	108421	7.7	89
25/02/2026	8010050	DB200381	108422	7.3	104
25/02/2026	8010050	DB200381	108423	7.5	100
25/02/2026	8010050	DB200381	108424	7.7	109
25/02/2026	8010050	DB200381	108425	7.5	86
25/02/2026	8010050	DB200381	108426	7.7	53
25/02/2026	8010050	DB200381	108427	7.8	59
25/02/2026	8010050	DB200381	108428	7.5	84
25/02/2026	8010050	DB200381	108429	7.5	70
25/02/2026	8010050	DB200381	108430	7.3	82
25/02/2026	8010050	DB200381	108431	7.7	115
25/02/2026	8010050	DB200381	108432	7.7	74
25/02/2026	8010050	DB200381	108433	7.1	75
25/02/2026	8010050	DB200381	108434	7.2	98
25/02/2026	8010050	DB200381	108435	7.3	88
25/02/2026	8010050	DB200381	108436	6.9	117
25/02/2026	8010050	DB200381	108437	7.5	82
25/02/2026	8010050	DB200381	108438	7.8	72
25/02/2026	8010050	DB200381	108439	7.1	82
25/02/2026	8010050	DB200381	108440	7.7	94
25/02/2026	8010050	DB200381	108441	7.8	110
25/02/2026	8010050	DB200381	108442	7.6	67
25/02/2026	8010050	DB200381	108443	7.8	87
25/02/2026	8010050	DB200381	108444	7.0	105
25/02/2026	8010050	DB200381	108445	6.9	112
25/02/2026	8010050	DB200381	108446	7.2	76
25/02/2026	8010050	DB200381	108447	7.5	97
25/02/2026	8010050	DB200381	108448	7.3	106
25/02/2026	8010050	DB200381	108449	7.5	123
25/02/2026	8010050	DB200381	108450	7.6	76
25/02/2026	8010050	DB200381	108451	7.4	115
25/02/2026	8010050	DB200381	108452	7.7	74
25/02/2026	8010050	DB200381	108453	7.8	72
25/02/2026	8010050	DB200381	108454	7.7	81
25/02/2026	8010050	DB200381	108455	7.5	122
25/02/2026	8010050	DB200381	108456	7.9	64
25/02/2026	8010050	DB200381	108457	7.0	66
25/02/2026	8010050	DB200381	108458	7.8	76
25/02/2026	8010050	DB200381	108459	7.7	85
25/02/2026	8010050	DB200381	108460	7.4	92
25/02/2026	8010050	DB200381	108461	7.8	68
25/02/2026	8010050	DB200381	108462	7.7	64
25/02/2026	8010050	DB200381	108463	7.7	85
25/02/2026	8010050	DB200381	108464	7.5	107
25/02/2026	8010050	DB200381	108465	7.1	70
25/02/2026	8010050	DB200381	108466	7.5	109
25/02/2026	8010050	DB200381	108467	7.8	59

25/02/2026	8010050	DB200381	108468	7.7	75
25/02/2026	8010050	DB200381	108469	7.8	76
25/02/2026	8010050	DB200381	108470	7.6	86
25/02/2026	8010050	DB200381	108471	7.8	64
25/02/2026	8010050	DB200381	108472	7.6	78
25/02/2026	8010050	DB200381	108473	7.7	72
25/02/2026	8010050	DB200381	108474	7.8	66
25/02/2026	8010050	DB200381	108475	7.8	83
25/02/2026	8010050	DB200381	108476	7.7	72
25/02/2026	8010050	DB200381	108477	7.7	95
25/02/2026	8010050	DB200381	108478	7.1	64
25/02/2026	8010050	DB200381	108479	7.7	67
25/02/2026	8010050	DB200381	108480	7.7	118
25/02/2026	8010050	DB200381	108481	7.6	99
25/02/2026	8010050	DB200381	108482	7.8	72
25/02/2026	8010050	DB200381	108483	7.7	81
25/02/2026	8010050	DB200381	108484	6.9	77
25/02/2026	8010050	DB200381	108485	7.8	100
25/02/2026	8010050	DB200381	108486	7.6	106
25/02/2026	8010050	DB200381	108487	7.4	83
25/02/2026	8010050	DB200381	108488	7.7	64
25/02/2026	8010050	DB200381	108489	7.6	76
25/02/2026	8010050	DB200381	108490	7.0	107
25/02/2026	8010050	DB200381	108491	7.5	75
25/02/2026	8010050	DB200381	108492	8.5	108
25/02/2026	8010050	DB200381	108493	7.7	106
25/02/2026	8010050	DB200381	108494	7.7	104
25/02/2026	8010050	DB200381	108495	7.7	103
25/02/2026	8010050	DB200381	108496	7.7	115
25/02/2026	8010050	DB200381	108497	7.8	75
25/02/2026	8010050	DB200381	108498	7.4	84
25/02/2026	8010050	DB200381	108499	7.7	65
25/02/2026	8010050	DB200381	108500	7.7	78
25/02/2026	8010050	DB200381	108501	7.0	102
25/02/2026	8010050	DB200381	108502	7.6	74
25/02/2026	8010050	DB200381	108503	8.5	106
25/02/2026	8010050	DB200381	108504	7.7	102
25/02/2026	8010050	DB200381	108505	7.8	77
25/02/2026	8010050	DB200381	108506	7.7	71
25/02/2026	8010050	DB200381	108507	7.2	154
25/02/2026	8010050	DB200381	108508	6.9	70
25/02/2026	8010050	DB200381	108509	7.5	86
25/02/2026	8010050	DB200381	108510	7.7	75
25/02/2026	8010050	DB200381	108511	7.8	77
25/02/2026	8010050	DB200381	108512	7.8	71
25/02/2026	8010050	DB200381	108513	6.9	74
25/02/2026	8010050	DB200381	108514	7.5	91
25/02/2026	8010050	DB200381	108515	7.8	75
25/02/2026	8010050	DB200381	108516	7.3	91
25/02/2026	8010050	DB200381	108517	7.8	81
25/02/2026	8010050	DB200381	108518	7.8	79
25/02/2026	8010050	DB200381	108519	7.8	72
25/02/2026	8010050	DB200381	108520	7.4	126
25/02/2026	8010050	DB200381	108521	6.9	74
25/02/2026	8010050	DB200381	108522	7.7	71
25/02/2026	8010050	DB200381	108523	7.5	90
25/02/2026	8010050	DB200381	108524	7.8	78
25/02/2026	8010050	DB200381	108525	7.3	94

25/02/2026	8010050	DB200381	108526	7.8	83
25/02/2026	8010050	DB200381	108527	7.8	77
25/02/2026	8010050	DB200381	108528	7.8	81
25/02/2026	8010050	DB200381	108529	7.6	118
25/02/2026	8010050	DB200381	108530	7.7	73
25/02/2026	8010050	DB200381	108531	7.7	65
25/02/2026	8010050	DB200381	108532	7.3	94
25/02/2026	8010050	DB200381	108533	7.6	77
25/02/2026	8010050	DB200381	108534	7.3	95
25/02/2026	8010050	DB200381	108535	7.3	75
25/02/2026	8010050	DB200381	108536	7.5	111
25/02/2026	8010050	DB200381	108537	7.0	109
25/02/2026	8010050	DB200381	108538	7.8	71
25/02/2026	8010050	DB200381	108539	7.3	74
25/02/2026	8010050	DB200381	108540	7.6	88
25/02/2026	8010050	DB200381	108541	7.0	88
25/02/2026	8010050	DB200381	108542	6.9	93
25/02/2026	8010050	DB200381	108543	7.8	88
25/02/2026	8010050	DB200381	108544	6.9	67
25/02/2026	8010050	DB200381	108545	6.9	83
25/02/2026	8010050	DB200381	108546	7.8	79
25/02/2026	8010050	DB200381	108547	7.3	94
25/02/2026	8010050	DB200381	108548	7.4	74
25/02/2026	8010050	DB200381	108549	7.3	76
25/02/2026	8010050	DB200381	108550	7.8	74
25/02/2026	8010050	DB200381	108551	7.8	83
25/02/2026	8010050	DB200381	108552	7.6	105
25/02/2026	8010050	DB200381	108553	7.4	72
25/02/2026	8010050	DB200381	108554	7.0	136
25/02/2026	8010050	DB200381	108555	7.6	111
25/02/2026	8010050	DB200381	108556	7.3	66
25/02/2026	8010050	DB200381	108557	7.8	77
25/02/2026	8010050	DB200381	108558	7.1	71
25/02/2026	8010050	DB200381	108559	7.7	106
25/02/2026	8010050	DB200381	108560	7.6	69
25/02/2026	8010050	DB200381	108561	7.3	99
25/02/2026	8010050	DB200381	108562	7.8	81
25/02/2026	8010050	DB200381	108563	7.8	53
25/02/2026	8010050	DB200381	108564	7.1	85
25/02/2026	8010050	DB200381	108565	7.7	80
25/02/2026	8010050	DB200381	108566	7.8	135
25/02/2026	8010050	DB200381	108567	7.8	103
25/02/2026	8010050	DB200381	108568	7.4	74
25/02/2026	8010050	DB200381	108569	7.7	61
25/02/2026	8010050	DB200381	108570	7.3	80
25/02/2026	8010050	DB200381	108571	7.6	60
25/02/2026	8010050	DB200381	108572	8.5	14
25/02/2026	8010050	DB200381	108573	7.4	87
25/02/2026	8010050	DB200381	108574	7.8	102
25/02/2026	8010050	DB200381	108575	7.8	83
25/02/2026	8010050	DB200381	108576	7.6	90
25/02/2026	8010050	DB200381	108577	7.8	69
25/02/2026	8010050	DB200381	108578	7.2	100
25/02/2026	8010050	DB200381	108579	7.6	100
25/02/2026	8010050	DB200381	108580	7.7	108
25/02/2026	8010050	DB200381	108581	7.8	78
25/02/2026	8010050	DB200381	108582	7.7	54
25/02/2026	8010050	DB200381	108583	7.7	129

25/02/2026	8010050	DB200381	108584	7.8	114
25/02/2026	8010050	DB200381	108585	7.7	100
25/02/2026	8010050	DB200381	108586	7.7	100
25/02/2026	8010050	DB200381	108587	7.7	134
25/02/2026	8010050	DB200381	108588	7.8	78
25/02/2026	8010050	DB200381	108589	7.6	71
25/02/2026	8010050	DB200381	108590	7.3	120
25/02/2026	8010050	DB200381	108591	7.8	91
25/02/2026	8010050	DB200381	108592	7.7	88
25/02/2026	8010050	DB200381	108593	7.7	66
25/02/2026	8010050	DB200381	108594	7.7	107
25/02/2026	8010050	DB200381	108595	7.7	149
25/02/2026	8010050	DB200381	108596	7.6	100
25/02/2026	8010050	DB200381	108597	7.6	80
25/02/2026	8010050	DB200381	108598	7.0	139
25/02/2026	8010050	DB200381	108599	7.8	157
25/02/2026	8010050	DB200381	108600	7.3	92
25/02/2026	8010050	DB200381	108601	7.6	155
25/02/2026	8010050	DB200381	108602	8.1	113
25/02/2026	8010050	DB200381	108603	7.9	135
25/02/2026	8010050	DB200381	108604	7.6	137
25/02/2026	8010050	DB200381	108605	7.7	177
25/02/2026	8010050	DB200381	108606	8.2	113
25/02/2026	8010050	DB200381	108607	7.9	138
25/02/2026	8010050	DB200381	108608	7.3	80
25/02/2026	8010050	DB200381	108609	7.6	60
25/02/2026	8010050	DB200381	108610	8.5	92
25/02/2026	8010050	DB200381	108611	7.4	87
25/02/2026	8010050	DB200381	108612	7.8	81
25/02/2026	8010050	DB200381	108613	7.8	79
25/02/2026	8010050	DB200381	108614	7.8	72
25/02/2026	8010050	DB200381	108615	7.4	126
25/02/2026	8010050	DB200381	108616	7.7	106
25/02/2026	8010050	DB200381	108617	7.7	104
25/02/2026	8010050	DB200381	108618	7.7	103