



Kate Griffiths &lt;viamed.kate.griffiths@gmail.com&gt;

**Fwd: Purchase order number E1/090326**

1 message

**Cathy Green** <cathy.green@viamed.co.uk>  
To: office@vmsecure.me.uk

9 March 2026 at 17:27

Customer has given go ahead for this order to go ahead.  
Please treat as a pri 3

Thanks Cathy

----- Forwarded message -----

From: **Piotr Podkowa** <piotr@oxylink.pl>  
Date: Mon, 9 Mar 2026 at 17:21  
Subject: Re: Purchase order number E1/090326  
To: Cathy Green <cathy.green@viamed.co.uk>

Dear Cathy,

Thank you. Please go ahead. Is there any chance to dispatch my orders tomorrow?

Pozdrawiam serdecznie / Best regards,

Piotr Podkowa  
OXYLINK  
Tel.: 509 701 509  
E-mail: [piotr@oxylink.pl](mailto:piotr@oxylink.pl)  
Web: [www.oxylink.pl](http://www.oxylink.pl)

pon., 9 mar 2026 o 18:12 Cathy Green <cathy.green@viamed.co.uk> napisal(a):

Dear Piotr

Please see below

Sensor type: R-43V **Part Number: 0110043** **Date Code : 02/2026**  
Qty: x13

2.  
Sensor type: INQOX **Part Number: 0110510** **Back Order**  
Qty: x10

3.  
Sensor type: R-49V **Part Number: 0110049** **Date Code 01/2026**  
Qty: x50

4.  
Sensor type: MAX-13J **Part Number : 0110474** **To be Ordered**  
Qty: x3

5.  
Sensor type: MAX-13CS **Part Number: 0110469** **To be Ordered**  
Qty: x2

6.  
Sensor type: MLF-16 **Part Number 0110704** **Date Code 02/2026**  
Qty: x2

7.  
Sensor type: MAX-250E **Part Number: 0110429** **Date Code 02/2026**  
Qty: x4

8.

Sensor type: MNO-1B [In Stock](#)

P/N: 0110491

Qty: x1

9

Sensor type: MND-1S [In Stock](#)

P/N: 0110495

Qty: x1

on order number E1/090326.

Kind Regards

Cathy Green

On Mon, 9 Mar 2026 at 11:11, Piotr Podkowa <[piotr@oxylink.pl](mailto:piotr@oxylink.pl)> wrote:

Dear Cathy,

Please supply as follows:

1.

Sensor type: R-43V

Qty: x13

2.

Sensor type: INQOX

Qty: x10

3.

Sensor type: R-49V

Qty: x50

4.

Sensor type: MAX-13J

Qty: x3

5.

Sensor type: MAX-13CS

Qty: x2

6.

Sensor type: MLF-16

Qty: x2

7.

Sensor type: MAX-250E

Qty: x4

8.

Sensor type: MNO-1B

P/N: 0110491

Qty: x1

9

Sensor type: MND-1S

P/N: 0110495

Qty: x1

on order number E1/090326.

Pozdrawiam serdecznie / Best regards,

Piotr Podkowa

OXYLINK

Tel.: 509 701 509

E-mail: [piotr@oxylink.pl](mailto:piotr@oxylink.pl)Web: [www.oxylink.pl](http://www.oxylink.pl)

--

Kind regards

Cathy Green  
Goods Out / Stock Control Supervisor  
Viamed Ltd.

<http://www.viamed.co.uk>

Email: [cathy.green@viamed.co.uk](mailto:cathy.green@viamed.co.uk)

Tel: 44 (0)1535 634 542

Fax: 44 (0)1535 635 582

Twitter: [twitter.com/ViamedLtd](https://twitter.com/ViamedLtd)

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

-----

GDPR / Privacy Policy available at [www.viamed.co.uk/policy](http://www.viamed.co.uk/policy)

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call 44 (0)1535 634542

-----

--

Kind regards

Cathy Green  
Goods Out / Stock Control Supervisor  
Viamed Ltd.

<http://www.viamed.co.uk>

Email: [cathy.green@viamed.co.uk](mailto:cathy.green@viamed.co.uk)

Tel: 44 (0)1535 634 542

Fax: 44 (0)1535 635 582

Twitter: [twitter.com/ViamedLtd](https://twitter.com/ViamedLtd)

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

-----

GDPR / Privacy Policy available at [www.viamed.co.uk/policy](http://www.viamed.co.uk/policy)

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call 44 (0)1535 634542

-----