



Kate Griffiths &lt;viamed.kate.griffiths@gmail.com&gt;

---

**RE: Viamed Ltd PO No-ST25264017 Dtd-25.03.2026**

1 message

**Gurubasavaraja** <scm@sourcetechnologi.com>

25 March 2026 at 09:58

To: Kate Griffiths &lt;kate.griffiths@viamed.co.uk&gt;

Cc: Manjula K &lt;venkateesha@sourcetechnologi.com&gt;, lokesh &lt;sales3@sourcetechnologi.com&gt;, Arun Kumar H &lt;logistics@sourcetechnologi.com&gt;

Hi Kate,

Thanks for the PI, but please remove shipping charges. We have our own UPS account, will share the details once the payment is done.

Also share your Paypal id to make payment. Or if you accept credit card, please let me know.

With best wishes;

Gurubasavaraja U,

Supply Chain Management.

Source Technologi.

No. 727, 21st Main Road, 12th Cross, Phase 2,

JP Nagar, Bengaluru - 560078

Phone no – 080-26571838 Ext – 118

Mobile no – 8431904710

Teams id - gurubasavarajsourcetech@gmail.com

---

**From:** Kate Griffiths <kate.griffiths@viamed.co.uk>**Sent:** Wednesday, March 25, 2026 3:11 PM**To:** Gurubasavaraja <scm@sourcetechnologi.com>**Subject:** Re: Viamed Ltd PO No-ST25264017 Dtd-25.03.2026

Good morning,

Thank you for your PO.

Please see attached updated proforma invoice, I had previously used the end user pricing on your proforma, please accept my apologies. **You will see from the attached that the price is now lower.**

I am happy to use the same PO, but I wanted to let you know in case you need to change the PO to match.

Kind regards

Kate Griffiths

Office Administrator

Viamed Ltd.

<http://www.viamed.co.uk>

Email [kate.griffiths@viamed.co.uk](mailto:kate.griffiths@viamed.co.uk)

Tel: +44 (0)1535 634542

Fax: +44 (0)1535 635582

Check out our product portfolio at:

[www.viamed.co.uk/productportfolio](http://www.viamed.co.uk/productportfolio)

Twitter: [twitter.com/ViamedLtd](https://twitter.com/ViamedLtd)

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

-----  
GDPR / Privacy Policy available at [www.viamed.co.uk/policy](http://www.viamed.co.uk/policy)

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call 44 (0)1535 634542

-----  
On Wed, 25 Mar 2026 at 07:19, Gurubasavaraja <[scm@sourcetechnologi.com](mailto:scm@sourcetechnologi.com)> wrote:

Hello Kate,

Hope you are doing well.

Please find the attached PO copy for your reference, kindly review and confirm receipt as well as provide an estimated shipping date.

If there are any discrepancies or questions, do not hesitate to contact me.

With best wishes;

Gurubasavaraja U,

Supply Chain Management.

Source Technologi.

No. 727, 21st Main Road, 12th Cross, Phase 2,

JP Nagar, Bengaluru - 560078

Phone no – 080-26571838 Ext – 118

Mobile no – 8431904710

Teams id - gurubasavarajsourcetek@gmail.com

**From:** Kate Griffiths [<mailto:kate.griffiths@viamed.co.uk>]

**Sent:** 10 March 2026 16:24

**To:** lokesh <[sales3@sourcetechnologi.com](mailto:sales3@sourcetechnologi.com)>

**Cc:** Catrin Hollings <[catrin.hollings@viamed.co.uk](mailto:catrin.hollings@viamed.co.uk)>; [pallavi@sourcetechnologi.com](mailto:pallavi@sourcetechnologi.com); BRV Travel <[travel@sourcetechnologi.com](mailto:travel@sourcetechnologi.com)>; Source Technologi <[sourceblr@sourcetechnologi.in](mailto:sourceblr@sourcetechnologi.in)>; [so@sourcetechnologi.com](mailto:so@sourcetechnologi.com); Manjula K <[venkateesha@sourcetechnologi.in](mailto:venkateesha@sourcetechnologi.in)>

**Subject:** Re: Follow Up – ITG MLF-16D Oxygen Sensor Enquiry

Good morning,

Thank you for your reply.

Please see attached quotation. It is valid for 30 days. I am happy to make any changes you require.

Please let me know if you would like a proforma invoice instead.

The lead time for these sensors from date of payment is approximately 3-4 weeks.

Kind regards

Kate Griffiths

Office Administrator

Viamed Ltd.

<http://www.viamed.co.uk>

Email [kate.griffiths@viamed.co.uk](mailto:kate.griffiths@viamed.co.uk)

Tel: +44 (0)1535 634542

Fax: +44 (0)1535 635582

Check out our product portfolio at:

[www.viamed.co.uk/productportfolio](http://www.viamed.co.uk/productportfolio)

Twitter: [twitter.com/ViamedLtd](https://twitter.com/ViamedLtd)

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

-----

GDPR / Privacy Policy available at [www.viamed.co.uk/policy](http://www.viamed.co.uk/policy)

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call 44 (0)1535 634542

-----

On Tue, 10 Mar 2026 at 09:14, lokesh <[sales3@sourcetechnologi.com](mailto:sales3@sourcetechnologi.com)> wrote:

Dear Catrin Hollings,

Thanks for the mail, please share your formal quote with best discounted price for Qty 5 Nos.

Part Number 0110710 – ITG MLF-16D Oxygen Sensor

Thanks & Regards

B. Lokesh

Manager – Commodity

## Source Technologi

# 727, 21<sup>st</sup> Main, 12<sup>th</sup> Cross, 2<sup>nd</sup> Phase, JP Nagar,

Bangalore – 5600078.

Mobile: 7619176082. Ph : +91 080-26571838/ 26576657/ 26561167

Email: [sales3@sourcetechnologi.com](mailto:sales3@sourcetechnologi.com)

Web: [www.sourcetechnologi.in](http://www.sourcetechnologi.in)

**For brochure Scan / Click Here**



<https://rb.gy/gvtqui>



Please consider your environmental responsibility before printing this e-mail

**From:** Catrin Hollings [mailto:[catrin.hollings@viamed.co.uk](mailto:catrin.hollings@viamed.co.uk)]

**Sent:** 05 March 2026 16:32

**To:** [sales3@sourcetechnologi.com](mailto:sales3@sourcetechnologi.com); [pallavi@sourcetechnologi.com](mailto:pallavi@sourcetechnologi.com)

**Cc:** [kate.griffiths@viamed.co.uk](mailto:kate.griffiths@viamed.co.uk)

**Subject:** Re: Follow Up – ITG MLF-16D Oxygen Sensor Enquiry

Dear Mr Lokesh,

I am writing to follow up on my previous email regarding your enquiry for Part Number 0110710 – ITG MLF-16D Oxygen Sensor.

As previously advised, the unit price is \$115.50 each EXW. This item is not currently held in stock and has a lead time of approximately three to four weeks from receipt of order.

Please could you kindly confirm if you would like us to proceed with issuing a formal quotation or proforma invoice including carriage, insurance, and bank charges? If so, we would require confirmation of your invoice and delivery addresses in order to set up your account accordingly.

Should you require any further information to assist with your enquiry, please do not hesitate to let me know and I will be pleased to help.

If this enquiry is no longer relevant or the requirement is no longer needed, we would be grateful if you could kindly confirm so that we may update our records.

I look forward to hearing from you.

Kind regards

Catrin Hollings

Marketing

Viamed Ltd.

<http://www.viamed.co.uk>

Email: [catrin.hollings@viamed.co.uk](mailto:catrin.hollings@viamed.co.uk)

Tel: +44 (0)1535 634 542

Fax: +44 (0)1535 635 582

Working Hours: Tuesday - Thursday 8.30am - 2.30pm

Check out our product portfolio at:

[www.viamed.co.uk/productportfolio](http://www.viamed.co.uk/productportfolio)

Twitter: [twitter.com/ViamedLtd](https://twitter.com/ViamedLtd)

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

-----

GDPR / Privacy Policy available at [www.viamed.co.uk/policy](http://www.viamed.co.uk/policy)

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call +44 (0)1535 634542

-----

On Thu, 12 Feb 2026 at 11:02, Catrin Hollings <[catrin.hollings@viamed.co.uk](mailto:catrin.hollings@viamed.co.uk)> wrote:

Dear Mr Lokesh,

I am writing further to your recent enquiry, and following the correspondence with my colleague Kate regarding Part Number 0110710 – ITG MLF-16D Oxygen Sensor.

As Kate previously advised, the unit price is \$115.50 each EXW. This item is currently not held in stock and has a lead time of three to four weeks from receipt of order.

Please could you kindly confirm if you would like us to proceed with issuing a formal quotation or proforma invoice, including carriage, insurance, and bank charges? If so, we would require confirmation of your invoice and delivery addresses in order to set up your account accordingly.

Should you require any further information in order to proceed, please do not hesitate to let me know and I will be pleased to assist.

If this enquiry is no longer relevant or the requirement is no longer needed, we would be grateful if you could kindly confirm so that we may update our records.

I look forward to hearing from you.

Kind regards

Catrin Hollings

Marketing

Viamed Ltd.

<http://www.viamed.co.uk>

Email: [catrin.hollings@viamed.co.uk](mailto:catrin.hollings@viamed.co.uk)

Tel: +44 (0)1535 634 542

Fax: +44 (0)1535 635 582

Working Hours: Tuesday - Thursday 8.30am - 2.30pm

Check out our product portfolio at:

[www.viamed.co.uk/productportfolio](http://www.viamed.co.uk/productportfolio)

Twitter: [twitter.com/ViamedLtd](https://twitter.com/ViamedLtd)

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

-----

GDPR / Privacy Policy available at [www.viamed.co.uk/policy](http://www.viamed.co.uk/policy)

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call +44 (0)1535 634542

-----

----- Forwarded message -----

From: **Kate Griffiths** <[kate.griffiths@viamed.co.uk](mailto:kate.griffiths@viamed.co.uk)>

Date: Mon, 26 Jan 2026 at 10:58

Subject: Re: RFQ

To: <[sales3@sourcetechnologi.com](mailto:sales3@sourcetechnologi.com)>, <[pallavi@sourcetechnologi.com](mailto:pallavi@sourcetechnologi.com)>

Good morning,

Thank you for your email.

The price of part number 0110710 - MLF-16D oxygen sensor is \$115.50 each EXW. This is a non stock item so would have an approximate lead time of 3-4 weeks.

Please let me know if you require a quotation or proforma invoice detailing carriage charge/insurance/bank charges. If so, I would need your invoice and delivery addresses in order to set up a new account for you.

Many thanks.

Kind regards

Kate Griffiths

Office Administrator

Viamed Ltd.

<http://www.viamed.co.uk>

Email [kate.griffiths@viamed.co.uk](mailto:kate.griffiths@viamed.co.uk)

Tel: +44 (0)1535 634542

Fax: +44 (0)1535 635582

Check out our product portfolio at:

[www.viamed.co.uk/productportfolio](http://www.viamed.co.uk/productportfolio)

Twitter: [twitter.com/ViamedLtd](https://twitter.com/ViamedLtd)

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

-----

GDPR / Privacy Policy available at [www.viamed.co.uk/policy](http://www.viamed.co.uk/policy)

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call 44 (0)1535 634542

-----  
On Mon, 26 Jan 2026 at 10:43, Main Account <viamedinbox@gmail.com> wrote:

----- Forwarded message -----

From: **lokesh** <sales3@sourcetechnologi.com>

Date: Sat, 24 Jan 2026 at 05:17

Subject: RE: RFQ

To: <enquiries@viamed.co.uk>

Cc: <pallavi@sourcetechnologi.com>, BRV Travel <travel@sourcetechnologi.com>, Source Technologi <sourceblr@sourcetechnologi.in>

Dear Sir /madam,

Please quote to the below – Qty 1 No.

**PN: ITG MLF-16D**

Manufacturer: ITG

Attached the datasheet FYR.

[http://itg-wismar.de/index.php?content=rg1&app\\_id=1&il=3&is=1](http://itg-wismar.de/index.php?content=rg1&app_id=1&il=3&is=1)

Thanks & Regards

B. Lokesh

Manager – Commodity

**Source Technologi**

# 727, 21<sup>st</sup> Main, 12<sup>th</sup> Cross, 2<sup>nd</sup> Phase, JP Nagar,

Bangalore – 5600078.

Mobile: 7619176082. Ph : +91 080-26571838/ 26576657/ 26561167

Email: [sales3@sourcetechnologi.com](mailto:sales3@sourcetechnologi.com)

Web: [www.sourcetechnologi.in](http://www.sourcetechnologi.in)

**For brochure Scan / Click Here**




<https://rb.gy/gvtqui>



Please consider your environmental responsibility before printing this e-mail

---

 **MVM162311.pdf**  
88K