



Kate Griffiths <viamed.kate.griffiths@gmail.com>

# Inquiry and Quotation Request for MaxO2 Plus Gas Flow Analyzer

1 message

**Chumno Chhat** <purchaser6@angkorhospital.org>  
To: Kate Griffiths <kate.griffiths@viamed.co.uk>

28 April 2026 at 05:40

Dear Kate

Good morning.

Could I request a quotation in Qty 1 unit as attached product. **MaxO2+AE Oxygen analyser, 0111261**

And ship to California, USA

first name : CKCargo

Last name : ChhatChumno

Address's warehouse: [1299 E Anaheim st Long Beach ca 90813](#)

Phone : 5622188288

\*\* please mark on carton " CKCargo ChhatChumno

Thank You.

**With My Best Wishes and Regards**

**Chumno**

\*\*\*\*\*



**Mr. Chhat Chumno**

*Purchasing Manager*

**Angkor Hospital for Children (AHC)**

Mobile: **(855) 17 84 85 58**

(Telegram, WhatsApp, WeChat)

WeChat ID: chumno-angkor

[angkorhospital.org](http://angkorhospital.org)

[Read our latest report](#)



**From:** Makara Thon <purchaser3@angkorhospital.org>  
**Sent:** Wednesday, 21 January, 2026 7:57 AM  
**To:** Kate Griffiths <kate.griffiths@viamed.co.uk>