



Kate Griffiths <viamed.kate.griffiths@gmail.com>

Re: Buenas cordial saludo mi nombre es José cabarcas , estoy interesado en 40 unidades de Teledyne R-22A Oxygen Sensor gracias.

1 message

José Ignacio Cabarcas <jose95cabarcas@hotmail.com>
To: Kate Griffiths <kate.griffiths@viamed.co.uk>

2 June 2026 at 12:18

Buenas,

Cordial saludo en una sola caja por favor para que no afecte el cargo de transporte por qué el impuesto está saliendo muy costoso no se qué posibilidad hay para que los derechos de impuesto salgan bajo gracias

[Obtener Outlook para iOS](#)

De: Kate Griffiths <kate.griffiths@viamed.co.uk>**Enviado:** Tuesday, June 2, 2026 5:19:30 AM**Para:** José Ignacio Cabarcas <jose95cabarcas@hotmail.com>**Asunto:** Re: Buenas cordial saludo mi nombre es José cabarcas , estoy interesado en 40 unidades de Teledyne R-22A Oxygen Sensor gracias.

Thank you Jose,

I will create a quotation for 40 x 0110190 - oxygen sensor - Automotive AO2 and 50 x 0110182 - R-22AVG.

Please could I ask **if you require the 0110182 in individual boxes?** Just asking as this will affect the carriage charge.

Kind regards

Kate Griffiths
Office Administrator
Viamed Ltd.<http://www.viamed.co.uk>Email kate.griffiths@viamed.co.uk

Tel: +44 (0)1535 634542

Fax: +44 (0)1535 635582

Check out our product portfolio at:
www.viamed.co.uk/productportfolioTwitter: twitter.com/ViamedLtd

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

GDPR / Privacy Policy available at www.viamed.co.uk/policy

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call 44 (0)1535 634542

On Mon, 1 Jun 2026 at 16:58, José Ignacio Cabarcas <jose95cabarcas@hotmail.com> wrote:

Buenas,

Esta propuesta aun esta disponible R-22AVG ?

Me regalas una cotización de 50 piezas R-22AVG.

The alternative to the R-22A would be the R-22AVG. Pricing is as follows:

1 = USD \$28.60
25 = USD \$25.80
50 = USD \$24.30
100 = USD \$23.90

gracias, saludos.

Jose Cabarcas
Tel. 316 895 6259

De: Kate Griffiths <kate.griffiths@viamed.co.uk>

Enviado: lunes, 1 de junio de 2026 10:17 a. m.

Para: José Ignacio Cabarcas <jose95cabarcas@hotmail.com>

Asunto: Re: Buenas cordial saludo mi nombre es José cabarcas , estoy interesado en 40 unidades de Teledyne R-22A Oxygen Sensor gracias.

Hi Jose,

Please see attached technical specification which includes images.

Kind regards

Kate Griffiths
Office Administrator
Viamed Ltd.

<http://www.viamed.co.uk>
Email kate.griffiths@viamed.co.uk
Tel: +44 (0)1535 634542
Fax: +44 (0)1535 635582

Check out our product portfolio at:
www.viamed.co.uk/productportfolio

Twitter: twitter.com/ViamedLtd
Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

GDPR / Privacy Policy available at www.viamed.co.uk/policy

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call 44 (0)1535 634542

On Mon, 1 Jun 2026 at 14:50, José Ignacio Cabarcas <jose95cabarcas@hotmail.com> wrote:

Buenas,

Es tan amable y me compartes imagen de ese sensor gracias quedo atento.

Saludos

Obtener [Outlook para iOS](#)

De: Kate Griffiths <kate.griffiths@viamed.co.uk>

Enviado: Monday, June 1, 2026 8:26:04 AM

Para: José Ignacio Cabarcas <jose95cabarcas@hotmail.com>

Asunto: Re: Buenas cordial saludo mi nombre es José cabarcas , estoy interesado en 40 unidades de Teledyne R-22A Oxygen Sensor gracias.

Good afternoon Jose,

Our part number 0110190 - oxygen sensor - Automotive AO2City Technology AA428-210 CiTiceL has the following price breaks:

1 - 9 = \$ 86.00 each EXW	10 - 49 = \$ 81.50 each EXW	
---------------------------	-----------------------------	--

This is a non stock sensor.

Kind regards

Kate Griffiths
Office Administrator
Viamed Ltd.

<http://www.viamed.co.uk>
Email kate.griffiths@viamed.co.uk
Tel: +44 (0)1535 634542
Fax: +44 (0)1535 635582

Check out our product portfolio at:
www.viamed.co.uk/productportfolio

Twitter: twitter.com/ViamedLtd
Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

GDPR / Privacy Policy available at www.viamed.co.uk/policy
The information in this email is confidential and may be legally privileged.
It is intended solely for the addressee. Access to this email by anyone else is unauthorized.
If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call 44 (0)1535 634542

On Wed, 27 May 2026 at 15:38, José Ignacio Cabarcas <jose95cabarcas@hotmail.com> wrote:

Hola Kate,

Gracias por responderme quedo atento a la respuesta del sensor citycel gracias para hacer un solo pedido.

cordial saludo.

Jose Cabarcas
Tel. 316 895 6259

De: Kate Griffiths <kate.griffiths@viamed.co.uk>
Enviado: miércoles, 27 de mayo de 2026 7:53 a. m.
Para: José Ignacio Cabarcas <jose95cabarcas@hotmail.com>
Cc: Ryan Swaine <ryan.swaine@viamed.co.uk>
Asunto: Re: Buenas cordial saludo mi nombre es José cabarcas , estoy interesado en 40 unidades de Teledyne R-22A Oxygen Sensor gracias.

Hi Jose,

Thank you for your email. Please accept my apologies for the delay in my response. We were closed on Monday and I have been catching up!

Picture 1 is our part number 0110581 - Oxygen sensor OOM202. The price is \$40 each EXW. We currently has stock of this sensor.

Picture 2 is our part number 0110190 - oxygen sensor - Automotive AO2City Technology AA428-210 CiTiceL. **I do not have a price yet as I am waiting to hear from our commercial director.**

I will reply again as soon as I can.

Thank you for your patience.

Kind regards

Kate Griffiths
Office Administrator
Viamed Ltd.

<http://www.viamed.co.uk>
Email kate.griffiths@viamed.co.uk
Tel: +44 (0)1535 634542
Fax: +44 (0)1535 635582

Check out our product portfolio at:
www.viamed.co.uk/productportfolio

Twitter: twitter.com/ViamedLtd
Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

GDPR / Privacy Policy available at www.viamed.co.uk/policy
The information in this email is confidential and may be legally privileged.
It is intended solely for the addressee. Access to this email by anyone else is unauthorized.
If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call 44 (0)1535 634542

On Fri, 22 May 2026 at 21:30, José Ignacio Cabarcas <jose95cabarcas@hotmail.com> wrote:

Buenas,
Mucho gusto cordial saludo KATE estoy interesado en este producto quería saber si lo manejan

Obtener [Outlook para iOS](#)

De: José Ignacio Cabarcas <jose95cabarcas@hotmail.com>
Enviado: Monday, March 16, 2026 7:49:02 AM
Para: Kate Griffiths <kate.griffiths@viamed.co.uk>; Ryan Swaine <ryan.swaine@viamed.co.uk>
Asunto: Re: Buenas cordial saludo mi nombre es José cabarcas , estoy interesado en 40 unidades de Teledyne R-22A Oxygen Sensor gracias.

Buenos días,

Me hace el favor de compartirme el catálogo de los productos que manejan gracias.

Obtener [Outlook para iOS](#)

De: José Ignacio Cabarcas <jose95cabarcas@hotmail.com>

Enviado: Thursday, March 12, 2026 8:17:14 AM

Para: Kate Griffiths <kate.griffiths@viamed.co.uk>; Ryan Swaine <ryan.swaine@viamed.co.uk>

Asunto: Re: Buenas cordial saludo mi nombre es José cabarcas , estoy interesado en 40 unidades de Teledyne R-22A Oxygen Sensor gracias.

Buenas,

muchas gracias quedo atento.

Obtener [Outlook para iOS](#)

De: Kate Griffiths <kate.griffiths@viamed.co.uk>

Enviado: Thursday, March 12, 2026 8:04:39 AM

Para: José Ignacio Cabarcas <jose95cabarcas@hotmail.com>; Ryan Swaine <ryan.swaine@viamed.co.uk>

Asunto: Re: Buenas cordial saludo mi nombre es José cabarcas , estoy interesado en 40 unidades de Teledyne R-22A Oxygen Sensor gracias.

Good afternoon Jose,

Thank you for your payment.

Please see order confirmation attached.

We will email a tracking number when the goods leave our warehouse.

Kind regards

Kate Griffiths
Office Administrator
Viamed Ltd.

<http://www.viamed.co.uk>

Email kate.griffiths@viamed.co.uk

Tel: +44 (0)1535 634542

Fax: +44 (0)1535 635582

Check out our product portfolio at:

www.viamed.co.uk/productportfolio

Twitter: twitter.com/ViamedLtd

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

GDPR / Privacy Policy available at www.viamed.co.uk/policy

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call 44 (0)1535 634542

On Wed, 11 Mar 2026 at 17:15, José Ignacio Cabarcas <jose95cabarcas@hotmail.com> wrote:

Buenas tardes, me puedes compartir una certificación bancaria para poder hacer el pago más seguro gracias.

Obtener [Outlook para iOS](#)

De: José Ignacio Cabarcas <jose95cabarcas@hotmail.com>

Enviado: Wednesday, March 11, 2026 11:26:18 AM

Para: Kate Griffiths <kate.griffiths@viamed.co.uk>; Ryan Swaine <ryan.swaine@viamed.co.uk>

Asunto: Re: Buenas cordial saludo mi nombre es José cabarcas , estoy interesado en 40 unidades de Teledyne R-22A Oxygen Sensor gracias.

Procedemos hacer el pago que medios de pago tienes gracias.

Obtener [Outlook para iOS](#)

De: José Ignacio Cabarcas <jose95cabarcas@hotmail.com>

Enviado: Wednesday, March 11, 2026 11:25:35 AM

Para: Kate Griffiths <kate.griffiths@viamed.co.uk>; Ryan Swaine <ryan.swaine@viamed.co.uk>

Asunto: Re: Buenas cordial saludo mi nombre es José cabarcas , estoy interesado en 40 unidades de Teledyne R-22A Oxygen Sensor gracias.

Buenas tardes, de acuerdo perfecto

Obtener [Outlook para iOS](#)

De: Kate Griffiths <kate.griffiths@viamed.co.uk>

Enviado: Wednesday, March 11, 2026 11:08:50 AM

Para: jose95cabarcas@hotmail.com <jose95cabarcas@hotmail.com>; Ryan Swaine <ryan.swaine@viamed.co.uk>

Asunto: Re: Buenas cordial saludo mi nombre es José cabarcas , estoy interesado en 40 unidades de Teledyne R-22A Oxygen Sensor gracias.

Good afternoon Jose,

Thank you for your email, please accept my reply on behalf of Ryan.

Please see attached proforma invoice, valid for 30 days.

Please let me know if you require any changes to be made.

Kind regards

Kate Griffiths
Office Administrator
Viamed Ltd.

<http://www.viamed.co.uk>

Email kate.griffiths@viamed.co.uk

Tel: +44 (0)1535 634542

Fax: +44 (0)1535 635582

Check out our product portfolio at:

www.viamed.co.uk/productportfolio

Twitter: twitter.com/ViamedLtd

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

GDPR / Privacy Policy available at www.viamed.co.uk/policy

The information in this email is confidential and may be legally privileged.
It is intended solely for the addressee. Access to this email by anyone else is unauthorized.
If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call 44 (0)1535 634542

On Wed, 11 Mar 2026 at 16:04, Main Account <viamedinbox@gmail.com> wrote:

----- Forwarded message -----

From: José Ignacio Cabarcas <jose95cabarcas@hotmail.com>
Date: Wed, 11 Mar 2026 at 14:57
Subject: Re: Buenas cordial saludo mi nombre es José cabarcas , estoy interesado en 40 unidades de Teledyne R-22A Oxygen Sensor gracias.
To: ryan.swaine@viamed.co.uk <ryan.swaine@viamed.co.uk>

Perfecto como hago el pago de 40 unidades
Oxygen sensor - Automotive R-22A = USD \$28.80

Obtener [Outlook para iOS](#)

De: Ryan Swaine <ryan.swaine@viamed.co.uk>
Enviado: Wednesday, March 11, 2026 9:47:13 AM
Para: José Ignacio Cabarcas <jose95cabarcas@hotmail.com>
Asunto: Re: Buenas cordial saludo mi nombre es José cabarcas , estoy interesado en 40 unidades de Teledyne R-22A Oxygen Sensor gracias.

Hi

No, it is Viamed brand.

Best regards
Ryan

Ryan Swaine
International Sales Manager
VIAMED
www.viamed.co.uk
Email: ryan.swaine@viamed.co.uk
Office: +44 (0) 1535 634542
Mobile: +44 (0) 7803 907117

Check out our product portfolio at:
www.viamed.co.uk/productportfolio

GDPR / Privacy Policy available at www.viamed.co.uk/policy

On Wed, 11 Mar 2026 at 14:25, José Ignacio Cabarcas <jose95cabarcas@hotmail.com> wrote:
Pero esta referencia R-22AVG no es marca teledyne?

Obtener [Outlook para iOS](#)

De: José Ignacio Cabarcas <jose95cabarcas@hotmail.com>
Enviado: Wednesday, March 11, 2026 8:55:39 AM
Para: ryan.swaine@viamed.co.uk <ryan.swaine@viamed.co.uk>
Asunto: Re: Buenas cordial saludo mi nombre es José cabarcas , estoy interesado en 40 unidades de Teledyne R-22A Oxygen Sensor gracias.

De acuerdo me hace el favor y me cotiza 20 unidades de esta modelo teledyne original 0110142 sensor de oxígeno automoción R-22AH gracias.

Teledyne original: 0110142 Sensor de oxígeno - Automoción R-2

Obtener [Outlook para iOS](#)

De: Ryan Swaine <ryan.swaine@viamed.co.uk>

Enviado: Wednesday, March 11, 2026 8:13:38 AM

Para: José Ignacio Cabarcas <jose95cabarcas@hotmail.com>

Asunto: Re: Buenas cordial saludo mi nombre es José cabarcas , estoy interesado en 40 unidades de Teledyne R-22A Oxygen Sensor gracias.

Hi

The alternative to the R-22A would be the R-22AVG. Pricing is as follows:

1 = USD \$28.60

25 = USD \$25.80

50 = USD \$24.30

100 = USD \$23.90

Unfortunately, we do not have an alternative with the exact same output as the R-22AH, but we can offer the original Teledyne model:

0110142 Oxygen sensor - Automotive R-22AH

USD \$32.00

USD \$28.80 (based on 25+)

Best regards

Ryan

Ryan Swaine
International Sales Manager
VIAMED

www.viamed.co.uk

Email: ryan.swaine@viamed.co.uk

Office: +44 (0) 1535 634542

Mobile: +44 (0) 7803 907117

Check out our product portfolio at:

www.viamed.co.uk/productportfolio

GDPR / Privacy Policy available at www.viamed.co.uk/policy

On Wed, 11 Mar 2026 at 13:04, José Ignacio Cabarcas <jose95cabarcas@hotmail.com> wrote:

Perfecto, y también manejan este modelo Teledyne class R-22AH Oxygen Sensor? Y cuál sería la alternativa?

Obtener [Outlook para iOS](#)

De: Ryan Swaine <ryan.swaine@viamed.co.uk>

Enviado: Wednesday, March 11, 2026 7:58:49 AM

Para: José Ignacio Cabarcas <jose95cabarcas@hotmail.com>

Asunto: Re: Buenas cordial saludo mi nombre es José cabarcas , estoy interesado en 40 unidades de Teledyne R-22A Oxygen Sensor gracias.

Hi

The R-22A sensors are Teledyne, we are their master distributor.
We can also offer a Viamed alternative if you wish?

Best regards
Ryan

Ryan Swaine
International Sales Manager
VIAMED
www.viamed.co.uk
Email: ryan.swaine@viamed.co.uk
Office: +44 (0) 1535 634542
Mobile: +44 (0) 7803 907117

Check out our product portfolio at:
www.viamed.co.uk/productportfolio

GDPR / Privacy Policy available at www.viamed.co.uk/policy

On Wed, 11 Mar 2026 at 12:56, José Ignacio Cabarcas <jose95cabarcas@hotmail.com> wrote:
Disculpa, pero si es marca teledyne?

Obtener [Outlook para iOS](#)

De: Ryan Swaine <ryan.swaine@viamed.co.uk>
Enviado: Wednesday, March 11, 2026 7:52:01 AM
Para: José Ignacio Cabarcas <jose95cabarcas@hotmail.com>
Asunto: Re: Buenas cordial saludo mi nombre es José cabarcas , estoy interesado en 40 unidades de Teledyne R-22A Oxygen Sensor gracias.

Dear José

Please find the pictures below:



Kind regards
Ryan

Ryan Swaine
International Sales Manager
VIAMED
www.viamed.co.uk
Email: ryan.swaine@viamed.co.uk
Office: +44 (0) 1535 634542
Mobile: +44 (0) 7803 907117

Check out our product portfolio at:
www.viamed.co.uk/productportfolio

GDPR / Privacy Policy available at www.viamed.co.uk/policy

On Wed, 11 Mar 2026 at 12:38, José Ignacio Cabarcas <jose95cabarcas@hotmail.com> wrote:
Buenas, perfecto me puede hacer un favor de compartirme foto del producto gracias y gestionar el pago esta es mi WhatsApp +57 3168956259 gracias

Obtener [Outlook para iOS](#)

De: Ryan Swaine <ryan.swaine@viamed.co.uk>
Enviado: Wednesday, March 11, 2026 5:58:39 AM
Para: José Ignacio Cabarcas <jose95cabarcas@hotmail.com>
Asunto: Re: Buenas cordial saludo mi nombre es José cabarcas , estoy interesado en 40 unidades de Teledyne R-22A Oxygen Sensor gracias.

Dear José

Thank you for your email.

For the quantity of 40, we can offer you the following price:

Oxygen sensor - Automotive R-22A = USD \$28.80 each EXW (based on 25+)

Best regards
Ryan

Ryan Swaine
International Sales Manager
VIAMED
www.viamed.co.uk
Email: ryan.swaine@viamed.co.uk
Office: +44 (0) 1535 634542
Mobile: +44 (0) 7803 907117

Check out our product portfolio at:
www.viamed.co.uk/productportfolio

GDPR / Privacy Policy available at www.viamed.co.uk/policy

On Tue, 10 Mar 2026 at 19:45, José Ignacio Cabarcas <jose95cabarcas@hotmail.com> wrote:
Buenas,

jose ignacio cabarcas
+57-3168956259
carrera 38 # 7a-42 barrio las palmeras- apto 2 piso 2
Norte De Santander
Código postal -546551
ciudad -ocaña Colombia

Obtener [Outlook para iOS](#)

De: José Ignacio Cabarcas <jose95cabarcas@hotmail.com>
Enviado: Tuesday, March 10, 2026 11:31:24 AM
Para: ryan.swaine@viamed.co.uk <ryan.swaine@viamed.co.uk>
Asunto: Re: Buenas cordial saludo mi nombre es José cabarcas , estoy interesado en 40 unidades de Teledyne R-22A Oxygen Sensor gracias.

Buenas estoy interesado en 40 unidades país Colombia, USD por favor gracias quedo atento.

Obtener [Outlook para iOS](#)

De: Ryan Swaine <ryan.swaine@viamed.co.uk>
Enviado: Tuesday, March 10, 2026 9:03:29 AM
Para: jose95cabarcas@hotmail.com <jose95cabarcas@hotmail.com>
Asunto: Re: Buenas cordial saludo mi nombre es José cabarcas , estoy interesado en 40 unidades de Teledyne R-22A Oxygen Sensor gracias.

Dear José

Thank you very much for your email.

We have the R-22A available from stock, we would be very happy to quote you.

Please can you let me know where you are located and the nature of your business/organisation?

Please can you let me know which is your preferred currency: GBP, USD or EUR

I look forward to hearing from you.

Kind regards
Ryan

Ryan Swaine
International Sales Manager
VIAMED
www.viamed.co.uk
Email: ryan.swaine@viamed.co.uk
Office: +44 (0) 1535 634542
Mobile: +44 (0) 7803 907117

Check out our product portfolio at:
www.viamed.co.uk/productportfolio

GDPR / Privacy Policy available at www.viamed.co.uk/policy

On Tue, 10 Mar 2026 at 12:39, Main Account <viamedinbox@gmail.com> wrote:

----- Forwarded message -----

From: **José Ignacio Cabarcas** <jose95cabarcas@hotmail.com>
Date: Tue, 10 Mar 2026 at 12:34
Subject: Buenas cordial saludo mi nombre es José cabarcas , estoy interesado en 40 unidades de Teledyne R-22A Oxygen Sensor gracias.
To: orders@viamed.co.uk <orders@viamed.co.uk>

Quedo atento.

Obtener [Outlook para iOS](#)