



Sophie Lines <viamed.sophie.lines@gmail.com>

**VLU 250526-GBS2-20B : Requirement of Sensor Electric ABTEUK/CEM/1000849222**

1 message

**GBS FIN\*ABT Europe Ltd UK\* PC#261** <gbs.fin@abteurope.uk>  
Reply-To: gbs.fin@abteurope.uk  
To: helen.lamb <helen.lamb@viamed.co.uk>  
Cc: Sophie Lines <sophie.lines@viamed.co.uk>

Hi Helen,

Please find attached our Purchase Order ref no. VLU 250526-GBS2-20B against your attached quotation reference number QVM161712.

Kindly send us order acknowledgment or return our purchase order with your company's sign and stamp along with the proforma invoice for further process of releasing your advance pa

Waiting for your prompt response.

Best Regards,

(Director)

ABT Europe Ltd.



95 Pole Hill Road,  
Uxbridge, London,  
UB10 0QD  
United Kingdom.

Phone : +44 2084 323268  
WhatsApp : +44 2084 323260  
: gbs.fin@abteurope.uk  
Email : www.abteurope.uk  
Web :



Registered With Achilles



ISO 9001:2015



**From:** helen.lamb <helen.lamb@viamed.co.uk>  
**Sent:** Wednesday, 8 April 2026 3:37 pm  
**To:** gbs6@abteurope.uk  
**Cc:** Sophie Lines <sophie.lines@viamed.co.uk>  
**Subject:** Re: Requirement of Sensor Electric ABTEUK/CEM/1000849222

Dear Malik

Please find the completed form attached

Kind regards

Helen Lamb  
Accounts Director  
Viamed Ltd

<http://www.viamed.co.uk>  
Email: [helen.lamb@viamed.co.uk](mailto:helen.lamb@viamed.co.uk)

Email: [helen.lamb@viamed.me.uk](mailto:helen.lamb@viamed.me.uk)  
Tel: +44 (0)1535 634 542  
Fax: +44 (0)1535 635 582

Sign up to our mailing list, go to [www.viamed.co.uk/sign-up](http://www.viamed.co.uk/sign-up)

Twitter: [twitter.com/ViamedLtd](https://twitter.com/ViamedLtd)  
Facebook: [facebook.com/ViamedLtdUK](https://facebook.com/ViamedLtdUK)

Company registered in England, No. 01291765.

E-mail Disclaimer

The information in this email is confidential and may be legally privileged. It is intended solely for the addressee. Access to this email by anyone else is unauthorized. If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful. If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call +44 (0)1535 634542

GDPR / Privacy Policy available at [www.viamed.co.uk/policy](http://www.viamed.co.uk/policy)

----- Forwarded message -----  
From: **GBS6\*ABT Europe Ltd,UK\*** <[gbs6@abteurope.uk](mailto:gbs6@abteurope.uk)>  
Date: Tue, 7 Apr 2026 at 12:10  
Subject: RE: Requirement of Sensor Electric ABTEUK/CEM/1000849222  
To: Sophie Lines <[sophie.lines@viamed.co.uk](mailto:sophie.lines@viamed.co.uk)>

Good Morning Sophie,

Hope you're well.

Ref. to our below email communication regarding the subject requirement, we kindly request you to please provide us attached Prequalification Form, duly filled signed and stamped (VIAMED LTD.), & kindly also provide the following documents along with Pre-qualification form in order to Register your Company in our ERP System so that we can proceed further

1. Duly filled Prequalification Form
2. Commercial Registration Form
3. Trade License
4. VAT Certificate
5. ISO Certificate if any
6. Provide Proforma Invoice
7. **Country of Origin: ?**
8. **HS Code: ?**

Please note that above requested documents are required only one time to register the supplier in our ERP program prior to the issuance of Purchase Order. You may leave any section comfortable completing, and simply include essential details such as Company Name, Address & Company Stamp / Signature.

Therefore, kindly review and provide us duly filled Prequalification Form including above requisite documents at the earliest possible.

Best Regards,

Malik Kamal.

(Director)

[ABT Europe Ltd.](http://ABT Europe Ltd.)



95 Pole Hill Road,  
Uxbridge, London,  
UB10 0QD  
United Kingdom.

Phone : +44 204 542 4921  
Mobile : +44 7985 489140  
WhatsApp : +44 204 542 4921

Email : [gbs6@abteurope.uk](mailto:gbs6@abteurope.uk)



Registered With Achilles



---

**From:** Sophie Lines <[sophie.lines@viamed.co.uk](mailto:sophie.lines@viamed.co.uk)>  
**Sent:** Wednesday, 25 February 2026 4:37 pm  
**To:** [gbs6@abteurope.uk](mailto:gbs6@abteurope.uk)  
**Subject:** Fwd: Requirement of Sensor Electric ABTEUK/CEM/1000849222

Good morning,

I am just following up on our emails below, to see if the attached quotation for the MAX-250(B) Oxygen Sensor is still of interest to you?

If I can be of further assistance, please do not hesitate to contact me.

Kind regards

Sophie Lines  
Office Administrator  
Viamed Ltd.

<http://www.viamed.co.uk>

Email: [sophie.lines@viamed.co.uk](mailto:sophie.lines@viamed.co.uk)

Tel: 44 (0)1535 634 542

Fax: 44 (0)1535 635 582

Please note: My working days are Tuesday-Friday

Check out our product portfolio at:  
[www.viamed.co.uk/productportfolio](http://www.viamed.co.uk/productportfolio)

Twitter: [twitter.com/ViamedLtd](https://twitter.com/ViamedLtd)

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

-----  
GDPR / Privacy Policy available at [www.viamed.co.uk/policy](http://www.viamed.co.uk/policy)

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call 44 (0)1535 634542

----- Forwarded message -----

**From:** Sophie Lines <[sophie.lines@viamed.co.uk](mailto:sophie.lines@viamed.co.uk)>  
**Date:** Fri, 6 Feb 2026 at 16:21  
**Subject:** Re: Requirement of Sensor Electric ABTEUK/CEM/1000849222  
**To:** <[gbs6@abteurope.uk](mailto:gbs6@abteurope.uk)>

Dear Malik,

Thank you for your reply.

While we are not the OEM of either the KE-25F3 or the MAX-250(B), based on the technical specifications available to us, the MAX-250(B) has been identified as a suitable alternative sheet attached for your reference.

Also attached is your quotation for 1 x MAX-250(B) Oxygen Sensor. This item is currently in stock and can be dispatched within 1–3 days from receipt of payment.

Should you wish to proceed with this as an order, or if you require any further information, please do not hesitate to contact me.

Kind regards,  
Sophie

Kind regards

Sophie Lines  
Office Administrator  
Viamed Ltd.

<http://www.viamed.co.uk>

Email: [sophie.lines@viamed.co.uk](mailto:sophie.lines@viamed.co.uk)

Tel: 44 (0)1535 634 542

Fax: 44 (0)1535 635 582

Please note: My working days are Tuesday-Friday

Check out our product portfolio at:

[www.viamed.co.uk/productportfolio](http://www.viamed.co.uk/productportfolio)

Twitter: [twitter.com/ViamedLtd](https://twitter.com/ViamedLtd)

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

-----

GDPR / Privacy Policy available at [www.viamed.co.uk/policy](http://www.viamed.co.uk/policy)

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call 44 (0)1535 634542

-----

On Fri, Feb 6, 2026 at 6:47 AM GBS6\*ABT Europe Ltd,UK\* <[gbs6@abteurope.uk](mailto:gbs6@abteurope.uk)> wrote:

Dear Sophie,

Hope you're well.

With reference to the email below, please note that if the specifications of the **MAX-250(B)** align with the originally requested item, and as it has been recommended by you as the submitting the quotation for the **MAX-250(B)**.

We appreciate your kind cooperation and look forward to receiving your valued response at the earliest convenience.

Best Regards,

Malik Kamal.

(Director)

**ABT Europe Ltd.**

---

**From:** Sophie Lines <[sophie.lines@viamed.co.uk](mailto:sophie.lines@viamed.co.uk)>

**Sent:** Tuesday, 3 February 2026 5:21 pm

**To:** [gbs6@abteurope.uk](mailto:gbs6@abteurope.uk)

**Subject:** Re: Requirement of Sensor Electric ABTEUK/CEM/1000849222

Good afternoon,

Thank you for your email, unfortunately KE-24F3 has now been discontinued by the manufacturer.

Please see <https://www.viamed.online/collections/industrial-oxygen-sensors-1> for the current range of KE series sensors.

Alternatively, we are able to offer the MAX-250(B) unterminated oxygen sensor - should you wish for us to quote on this please let me know including quantities and I shall arrange you. I have attached a copy of the technical sheet for your reference.

Link: <https://www.viamed.online/products/0110432-max-250b-oxygen-sensor>

Kind regards

Sophie Lines  
Office Administrator  
Viamed Ltd.

<http://www.viamed.co.uk>  
Email: [sophie.lines@viamed.co.uk](mailto:sophie.lines@viamed.co.uk)  
Tel: 44 (0)1535 634 542  
Fax: 44 (0)1535 635 582

Please note: My working days are Tuesday-Friday

Check out our product portfolio at:  
[www.viamed.co.uk/productportfolio](http://www.viamed.co.uk/productportfolio)

Twitter: [twitter.com/ViamedLtd](https://twitter.com/ViamedLtd)  
Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

-----  
GDPR / Privacy Policy available at [www.viamed.co.uk/policy](http://www.viamed.co.uk/policy)

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call 44 (0)1535 634542

-----  
On Tue, Feb 3, 2026 at 9:24 AM Main Account <[viamedinbox@gmail.com](mailto:viamedinbox@gmail.com)> wrote:

----- Forwarded message -----  
From: **GBS6\*ABT Europe Ltd,UK\*** <[gbs6@abteurope.uk](mailto:gbs6@abteurope.uk)>  
Date: Tue, 3 Feb 2026 at 06:58  
Subject: Requirement of Sensor Electric ABTEUK/CEM/1000849222  
To: <[info@viamed.co.uk](mailto:info@viamed.co.uk)>  
Cc: <[enquiries@viamed.co.uk](mailto:enquiries@viamed.co.uk)>

**MOST URGENT**

Dear Sir/Madam,

Could you please review & send us your offer for below description and quantity:

Line.	Description	Qty.	Unit.
-------	-------------	------	-------

1.	<b>Sensor Electric</b> <b>Manufacturer:</b> Viamed <b>Part:</b> 020701 <b>Model:</b> KE-25 F3 <b>Range:</b> 0-100% O2 <b>Accuracy:</b> +/- 1% <b>Indicator Oxygen Percentage</b>  <b>Output Signal:</b> 10-15 MV	01	EA
----	--	----	----

**Please note in your quotation must be included below information.**

- Make/Manufacturer of the item to be quoted.
- Country of origin of the item to be quoted.
- Technical literature/ datasheet of the item to be quoted.
- Unit/ Total price separately as per required quantity
- Net/ gross weight of the item to be quoted.
- Estimated or confirmed packing dimensions of whole shipment.
- HS code of the item to be quoted.
- Shortest delivery time of the item to be quoted.
- Freight charges up to our UK Office.
- Detailed Ex-works pick up address.

Your earliest reply by return in this regard will be highly appreciated.

Best Regards,

Malik Kamal.  
(Director)

ABT Europe Ltd.



95 Pole Hill Road,  
 Uxbridge, London,  
 UB10 0QD  
 United Kingdom.

Phone : +44 204 542 4921  
 Mobile : +44 7985 489140  
 WhatsApp : +44 204 542 4921  
  
 Email : [gbs6@abteurope.uk](mailto:gbs6@abteurope.uk)  
 Web : [www.abteurope.uk](http://www.abteurope.uk)



Registered With Achilles



ISO 9001:2015



3 attachments



image003.jpg  
8K

VLU 250526-GBS2-20B.pdf  
869K

Quotation QVM161712.pdf  
91K