

101A Sefton Street

Southport

PR8 5DD

tel: 01704 536 010 fax: 01704 548 028

email: sales@gnw.co.uk web: www.gnw.co.uk

Thermometers & pressure gauges

- Electronic instrumentation
- Test equipment & calibration
- Scales, balances & weights
- Pneumatic & hydraulic equipment

Chart recorders

Thermocouples Transducers & transmitters

Flowmeters

TEST CERTIFICATE NUMBER: 78487/092

Instrument:

63mm Compound Gauge

Manufacturer:

Gauges North West Ltd

Serial Number:

78487/092

Range

-5 to +60 cm/H²0

Customer:

Viamed Ltd

Address:

Keighley

Date Of Calibration:

21 September 2017

Test Equipment Used: Druck DPI 601 Serial No: 5132/91-1

Traceable To:

National Standards via certificate no: INTO02

Test Increments In:

cm/H²0

Accuracy

±1.6%

Barometric Pressure

1011mbar

Humidity 58%

Applied Test Value	Actual Reading BEFORE Adjustment	Actual Error BEFORE Adjustment	Actual Reading AFTER Adjustment	Error AFTER Adjustmen
-5.0	-4.9	+0.1	N/A	N/A
0.0	0.0	0.0	N/A	N/A
20.0	20.3	+0.3	N/A	N/A
40.0	39.9	-0.1	N/A	N/A
60.0	60.4	+0.4	N/A	N/A

Using Test Equipment traceable to National or International Standards, we confirm the uncertainties of measurement are of a confident probability of not less than 95%. The uncertainty of error has been calculated using a formula (KEx2 = Known Errors x 2).

Authorised Signature

Lu Che

Conditions of certification



101A Sefton Street

Southport

PR8 5DD

tel: 01704 536 010 fax: 01704 548 028

email: sales@anw.co.uk web: www.gnw.co.uk

Thermometers & pressure gauges

- Electronic instrumentation
- Test equipment & calibration
- Scales, balances & weights
- Pneumatic & hydraulic equipment

Chart recorders

- Thermocouples
- Transducers & transmitters
- Flowmeters

TEST CERTIFICATE NUMBER: 78487/093

Instrument:

63mm Compound Gauge

Manufacturer:

Gauges North West Ltd

Serial Number:

78487/093

Range

-5 to +60 cm/H20

Customer:

Viamed Ltd

Address:

Keighley

Date Of Calibration:

21 September 2017

Test Equipment Used:

Druck DPI 601 Serial No: 5132/91-1

Traceable To:

National Standards via certificate no: INTO02

Test Increments In:

cm/H²0

Accuracy

±1.6%

Barometric Pressure

1011mbar

Humidity 58%

Applied Test Value	Actual Reading BEFORE Adjustment	Actual Error BEFORE Adjustment	Actual Reading AFTER Adjustment	Error AFTER Adjustment
-5.0	-4.9	+0.1	N/A	N/A
0.0	0.0	0.0	N/A	N/A
20.0	20.1	+0.1	N/A	N/A
40.0	39.8	-0.2	N/A	N/A
60.0	59.7	-0.3	N/A	N/A
				5/1-41
	18	The City		

Using Test Equipment traceable to National or International Standards, we confirm the uncertainties of measurement are of a confident probability of not less than 95%. The uncertainty of error has been calculated using a formula ($KEx2 = Known Errors \times 2$).

Authorised Signature

Lu Chi

Conditions of certification



GNW Instrumentati

101A Sefton Street Southport

PR8 5DD

tel: 01704 536 010 fax: 01704 548 028

email: sales@anw.co.uk web: www.gnw.co.uk

Thermometers & pressure gauges

Transducers & transmitters Flowmeters

Chart recorders

Thermocouples

Test equipment & calibration Scales, balances & weights

Pneumatic & hydraulic equipment

TEST CERTIFICATE NUMBER: 78487/094

Instrument:

63mm Compound Gauge

Manufacturer:

Gauges North West Ltd

Serial Number:

78487/094

Range

-5 to +60 cm/H20

Customer:

Viamed Ltd

Address:

Keighley

Date Of Calibration:

21 September 2017

Test Equipment Used: Druck DPI 601 Serial No: 5132/91-1

Traceable To:

National Standards via certificate no: INT002

Test Increments In:

cm/H²0

Accuracy

±1.6%

Barometric Pressure

1011mbar

Humidity 58%

Applied Test Value	Actual Reading BEFORE Adjustment	Actual Error BEFORE Adjustment	Actual Reading AFTER Adjustment	Error AFTER Adjustment
-5.0	-5.0	0.0	N/A	N/A
0.0	0.0	0.0	N/A	N/A
20.0	20.0	0.0	N/A	N/A
40.0	40.1	+0.1	N/A	N/A
60.0	60.0	0.0	N/A	N/A
		111.50		

Using Test Equipment traceable to National or International Standards, we confirm the uncertainties of measurement are of a confident probability of not less than 95%. The uncertainty of error has been calculated using a formula (KEx2 = Known Errors x 2).

Authorised Signature

Lu Chi

Conditions of certification





A division of Gauges North West Ltd.

IOI A C - ft - -- Cl -- - - 1

101A Sefton Street Southport

PR8 5DD

tel: 01704 536 010 fax: 01704 548 028

email: sales@gnw.co.uk
web: www.gnw.co.uk

Thermometers & pressure gauges

- Electronic instrumentation
- Test equipment & calibration
- Scales, balances & weights
- Pneumatic & hydraulic equipment

Chart recorders

Thermocouples

Transducers & transmitters

Flowmeters

TEST CERTIFICATE NUMBER: 78487/095

Instrument:

63mm Compound Gauge

Manufacturer:

Gauges North West Ltd

Serial Number:

78487/095

Range

-5 to +60 cm/H²0

Customer:

Viamed Ltd

Address:

Keighley

Date Of Calibration:

21 September 2017

Test Equipment Used:

Druck DPI 601 Serial No: 5132/91-1

Traceable To:

National Standards via certificate no: INT002

Test Increments In:

cm/H²0

Accuracy

±1.6%

Barometric Pressure

1011mbar

Humidity 58%

Applied Test Value	Actual Reading BEFORE Adjustment	Actual Error BEFORE Adjustment	Actual Reading AFTER Adjustment	Error AFTER Adjustment
-5.0	-5.2	-0.2	N/A	N/A
0.0	0.0	0.0	N/A	N/A
20.0	20.0	0.0	N/A	N/A
40.0	40.4	+0.4	N/A	N/A
60.0	60.1	+0.1	N/A	N/A
				, 1

Using Test Equipment traceable to National or International Standards, we confirm the uncertainties of measurement are of a confident probability of not less than 95%. The uncertainty of error has been calculated using a formula (KEx2 = Known Errors x 2).

Authorised Signature

Lu Chi

Conditions of certification





101A Sefton Street Southport

PR8 5DD

tel: 01704 536 010 fax: 01704 548 028

email: sales@anw.co.uk web: www.gnw.co.uk

Thermometers & pressure gauges

- Electronic instrumentation
- Test equipment & calibration
- Scales, balances & weights
- Pneumatic & hydraulic equipment

Chart recorders

Thermocouples

Transducers & transmitters

Flowmeters

TEST CERTIFICATE NUMBER: 78487/096

Instrument:

63mm Compound Gauge

Manufacturer:

Gauges North West Ltd

Serial Number:

78487/096

Range

-5 to +60 cm/H²0

Customer:

Viamed Ltd

Address:

Keighley

Date Of Calibration:

21 September 2017

Test Equipment Used:

Druck DPI 601 Serial No: 5132/91-1

Traceable To:

National Standards via certificate no: INT002

Test Increments In:

cm/H²0

Accuracy

±1.6%

Barometric Pressure

1011mbar

Humidity 58%

Applied Test Value	Actual Reading BEFORE Adjustment	Actual Error BEFORE Adjustment	Actual Reading AFTER Adjustment	Error AFTER Adjustment
-5.0	-5.1	-0.1	N/A	N/A
0.0	0.0	0.0	N/A	N/A
20.0	20.3	+0.3	N/A	N/A
40.0	40.1	+0.1	N/A	N/A
60.0	60.5	+0.5	N/A	N/A

Using Test Equipment traceable to National or International Standards, we confirm the uncertainties of measurement are of a confident probability of not less than 95%. The uncertainty of error has been calculated using a formula (KEx2 = Known Errors x 2).

Authorised Signature

Lu Chi

Conditions of certification



101A Sefton Street Southport

PR8 5DD

tel: 01704 536 010

fax: 01704 548 028 email: sales@gnw.co.uk

web: www.gnw.co.uk

Thermometers & pressure gauges

Electronic instrumentation

Test equipment & calibration

Scales, balances & weights Pneumatic & hydraulic equipment Chart recorders

Thermocouples

Transducers & transmitters

Flowmeters

TEST CERTIFICATE NUMBER: 78487/097

Instrument:

63mm Compound Gauge

Manufacturer: Serial Number:

Gauges North West Ltd 78487/097

Range

-5 to +60 cm/H²0

Customer:

Viamed Ltd

Address:

Keighley

Date Of Calibration:

21 September 2017

Test Equipment Used:

Druck DPI 601 Serial No: 5132/91-1

Traceable To:

National Standards via certificate no: INT002

Test Increments In:

cm/H²0

Accuracy

±1.6%

Barometric Pressure

1011mbar

Humidity 58%

Applied Test Value	Actual Reading BEFORE Adjustment	Actual Error BEFORE Adjustment	Actual Reading AFTER Adjustment	Error AFTER Adjustment
-5.0	-5.2	-0.2	N/A	N/A
0.0	0.0	0.0	N/A	N/A
20.0	20.1	+0.1	N/A	N/A
40.0	40.0	0.0	N/A	N/A
60.0	59.6	-0.4	N/A	N/A
		- in the		

Using Test Equipment traceable to National or International Standards, we confirm the uncertainties of measurement are of a confident probability of not less than 95%. The uncertainty of error has been calculated using a formula (KEx2 = Known Errors x 2).

Authorised Signature

Lu Che

Conditions of certification



101A Sefton Street

Southport

PR8 5DD

tel: 01704 536 010 fax: 01704 548 028

email: sales@gnw.co.uk web: www.gnw.co.uk

Thermometers & pressure gauges

Electronic instrumentation

Test equipment & calibration Scales, balances & weights

Pneumatic & hydraulic equipment

Chart recorders

Thermocouples

Transducers & transmitters

Flowmeters

TEST CERTIFICATE NUMBER: 78487/098

Instrument:

63mm Compound Gauge

Manufacturer: Serial Number:

Gauges North West Ltd 78487/098

Range

-5 to +60 cm/H20

Customer:

Viamed Ltd

Address:

Keighley

Date Of Calibration:

21 September 2017

Test Equipment Used:

Druck DPI 601 Serial No: 5132/91-1

Traceable To:

National Standards via certificate no: INT002

Test Increments In:

cm/H²0

Accuracy

±1.6%

Barometric Pressure

1011mbar

Humidity 58%

Applied Test Value	Actual Reading BEFORE Adjustment	Actual Error BEFORE Adjustment	Actual Reading AFTER Adjustment	Error AFTER Adjustment
-5.0	-5.1	-0.1	N/A	N/A
0.0	0.0	0.0	N/A	N/A
20.0	19.9	-0.1	N/A	N/A
40.0	40.0	0.0	N/A	N/A
60.0	60.0	0.0	N/A	N/A
		<u> </u>		
		ally all		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

Using Test Equipment traceable to National or International Standards, we confirm the uncertainties of measurement are of a confident probability of not less than 95%. The uncertainty of error has been calculated using a formula (KEx2 = Known Errors x 2).

Authorised Signature

Lu Chi

Conditions of certification





101A Sefton Street

Southport

PR8 5DD

tel: 01704 536 010 fax: 01704 548 028

email: sales@gnw.co.uk web: www.gnw.co.uk

Thermometers & pressure gauges

- Electronic instrumentation
- Test equipment & calibration Scales, balances & weights
- Pneumatic & hydraulic equipment

Chart recorders

Thermocouples

Transducers & transmitters

Flowmeters

TEST CERTIFICATE NUMBER: 78487/099

Instrument:

63mm Compound Gauge

Manufacturer:

Gauges North West Ltd

Serial Number:

78487/099

Range

-5 to +60 cm/H²0

Customer:

Viamed Ltd

Address:

Keighley

Date Of Calibration:

21 September 2017

Test Equipment Used: Druck DPI 601 Serial No: 5132/91-1

Traceable To:

National Standards via certificate no: INT002

Test Increments In:

Barometric Pressure

cm/H²0 ±1.6%

Accuracy

1011mbar

Humidity

58%

Applied Test Value	Actual Reading BEFORE Adjustment	Actual Error BEFORE Adjustment	Actual Reading AFTER Adjustment	Error AFTER Adjustmen
-5.0	-5.0	0.0	N/A	N/A
0.0	0.0	0.0	N/A	N/A
20.0	20.0	0.0	N/A	N/A
40.0	39.9	-0.1	N/A	N/A
60.0	60.2	+0.2	N/A	N/A
		н-		2 199

Using Test Equipment traceable to National or International Standards, we confirm the uncertainties of measurement are of a confident probability of not less than 95%. The uncertainty of error has been calculated using a formula (KEx2 = Known Errors x 2).

Authorised Signature

Lu Che

Conditions of certification



101A Sefton Street

Southport

PR8 5DD

tel: 01704 536 010 fax: 01704 548 028

email: sales@anw.co.uk web: www.gnw.co.uk

Thermometers & pressure gauges

Electronic instrumentation

Test equipment & calibration Scales, balances & weights

Pneumatic & hydraulic equipment

Chart recorders

Thermocouples

Transducers & transmitters

Flowmeters

TEST CERTIFICATE NUMBER: 78487/100

Instrument:

63mm Compound Gauge

Manufacturer: Serial Number:

Gauges North West Ltd 78487/100

Range

-5 to +60 cm/H²0

Customer:

Viamed Ltd

Address:

Keighley

Date Of Calibration:

21 September 2017

Test Equipment Used: Druck DPI 601 Serial No: 5132/91-1

Traceable To:

National Standards via certificate no: INT002

Test Increments In:

cm/H²0

Accuracy

±1.6%

Barometric Pressure

1011mbar

Humidity 58%

Applied Test Value	Actual Reading BEFORE Adjustment	Actual Error BEFORE Adjustment	Actual Reading AFTER Adjustment	Error AFTER Adjustment
-5.0	-4.8	+0.2	N/A	N/A
0.0	0.0	0.0	N/A	N/A
20.0	20.0	0.0	N/A	N/A
40.0	40.1	+0.1	N/A	N/A
60.0	60.0	0.0	N/A	N/A
				- 25
		н		

Using Test Equipment traceable to National or International Standards, we confirm the uncertainties of measurement are of a confident probability of not less than 95%. The uncertainty of error has been calculated using a formula (KEx2 = Known Errors x 2).

Authorised Signature

Lu Chi

Conditions of certification





101A Sefton Street Southport

PR8 5DD tel: 01704 536 010

fax: 01704 548 028 email: sales@anw.co.uk web: www.gnw.co.uk

Thermometers & pressure gauges

- Electronic instrumentation
- Test equipment & calibration
- Scales, balances & weights
- Pneumatic & hydraulic equipment

Chart recorders

Thermocouples

Transducers & transmitters

Flowmeters

TEST CERTIFICATE NUMBER: 78487/013

Instrument:

63mm Compound Gauge

Manufacturer:

Gauges North West Ltd

Serial Number:

78487/013

Range

-5 to +60 cm/H20

Customer:

Viamed Ltd

Address:

Keighley

Date Of Calibration:

21 September 2017

Test Equipment Used:

Druck DPI 601 Serial No: 5132/91-1

Traceable To:

National Standards via certificate no: INTO02

Test increments in:

Barometric Pressure

cm/H²0

Accuracy

±1.6%

1011mbar

Humidity 58%

Applied Test Value	Actual Reading BEFORE Adjustment	Actual Error BEFORE Adjustment	Actual Reading AFTER Adjustment	Error AFTER Adjustmen
-5.0	-4.9	+0.1	N/A	N/A
0.0	0.0	0.0	N/A	N/A
20.0	20.8	+0.8	N/A	N/A
40.0	40.6	+0.6	N/A	N/A
60.0	60.8	+0.8	N/A	N/A
		- ст		124

Using Test Equipment traceable to National or International Standards, we confirm the uncertainties of measurement are of a confident probability of not less than 95%. The uncertainty of error has been calculated using a formula ($KEx2 = Known Errors \times 2$).

Authorised Signature

Lu Chi

Conditions of certification



101A Sefton Street Southport

PR8 5DD

tel: 01704 536 010 fax: 01704 548 028

email: sales@anw.co.uk web: www.gnw.co.uk

Thermometers & pressure gauges

- Electronic instrumentation
- Test equipment & calibration Scales, balances & weights

Pneumatic & hydraulic equipment

Chart recorders

Thermocouples

Transducers & transmitters

Flowmeters

TEST CERTIFICATE NUMBER: 78487/014

Instrument:

63mm Compound Gauge

Manufacturer: Serial Number:

Gauges North West Ltd 78487/014

Range

-5 to +60 cm/H²0

Customer:

Viamed Ltd

Address:

Keighley

Date Of Calibration:

21 September 2017

Test Equipment Used:

Druck DPI 601 Serial No: 5132/91-1

Traceable To:

National Standards via certificate no: INT002

Test Increments In:

Barometric Pressure

cm/H²0

Accuracy

±1.6%

1011mbar

Humidity 58%

Applied Test Value	Actual Reading BEFORE Adjustment	Actual Error BEFORE Adjustment	Actual Reading AFTER Adjustment	Error AFTER Adjustmen
-5.0	-4.9	+0.1	N/A	N/A
0.0	0.0	0.0	N/A	N/A
20.0	20.2	+0.2	N/A	N/A
40.0	39.6	-0.4	N/A	N/A
60.0	60.7	+0.7	N/A	N/A

Using Test Equipment traceable to National or International Standards, we confirm the uncertainties of measurement are of a confident probability of not less than 95%. The uncertainty of error has been calculated using a formula (KEx2 = Known Errors x 2).

Authorised Signature

Lu Chi

Conditions of certification



101A Sefton Street Southport

PR8 5DD

tel: 01704 536 010 fax: 01704 548 028

email: sales@gnw.co.uk web: www.gnw.co.uk

Thermometers & pressure gauges

Electronic instrumentation

Test equipment & calibration Scales, balances & weights

Pneumatic & hydraulic equipment

 Chart recorders Thermocouples

Transducers & transmitters

Flowmeters

TEST CERTIFICATE NUMBER: 78487/015

Instrument:

63mm Compound Gauge

Manufacturer: Serial Number:

Gauges North West Ltd 78487/015

Range

-5 to +60 cm/H²0

Customer:

Viamed Ltd

Address:

Keighley

Date Of Calibration:

21 September 2017

Test Equipment Used: Druck DPI 601 Serial No: 5132/91-1

Traceable To:

National Standards via certificate no: INT002

Test Increments In:

Barometric Pressure

cm/H²0 ±1.6%

Accuracy

1011mbar

Humidity

58%

Actual Reading Actual Error BEFORE Actual Reading AFTER Applied Test Value Error AFTER Adjustment BEFORE Adjustment Adjustment Adjustment -5.0 -4.9 +0.1 N/A N/A 0.0 0.0 0.0 N/A N/A 20.0 20.1 +0.1 N/A N/A 40.0 39.5 -0.5 N/A N/A 60.0 59.9 -0.1 N/A N/A

Using Test Equipment traceable to National or International Standards, we confirm the uncertainties of measurement are of a confident probability of not less than 95%. The uncertainty of error has been calculated using a formula (KEx2 = Known Errors x 2).

Authorised Signature

Lu Chi

Conditions of certification



Test equipment & calibration

GNW Instrumenta

101A Sefton Street

Southport PR8 5DD

tel: 01704 536 010 fax: 01704 548 028

email: sales@gnw.co.uk web: www.gnw.co.uk

Chart recorders

Thermocouples

Transducers & transmitters

Scales, balances & weights Pneumatic & hydraulic equipment

Thermometers & pressure gauges

Flowmeters

TEST CERTIFICATE NUMBER: 78487/016

Instrument:

63mm Compound Gauge

Manufacturer: Serial Number: **Gauges North West Ltd** 78487/016

Range

-5 to +60 cm/H²0

Customer:

Viamed Ltd

Address:

Keighley

Date Of Calibration:

21 September 2017

Test Equipment Used:

Druck DPI 601 Serial No: 5132/91-1

Traceable To:

National Standards via certificate no: INT002

Test Increments In:

cm/H²0

Accuracy

±1.6%

Barometric Pressure

1011mbar

Humidity 58%

Applied Test Value	Actual Reading BEFORE Adjustment	Actual Error BEFORE Adjustment	Actual Reading AFTER Adjustment	Error AFTER Adjustmen
-5.0	-5.0	0.0	N/A	N/A
0.0	0.0	0.0	N/A	N/A
20.0	20.0	0.0	N/A	N/A
40.0	40.3	+0.3	N/A	N/A
60.0	60.7	+0.7	N/A	N/A
	- 11c-11 - 13			

Using Test Equipment traceable to National or International Standards, we confirm the uncertainties of measurement are of a confident probability of not less than 95%. The uncertainty of error has been calculated using a formula ($KEx2 = Known Errors \times 2$).

Authorised Signature

Lu Chi

Conditions of certification



101A Sefton Street

Southport PR8 5DD

tel: 01704 536 010 fax: 01704 548 028

email: sales@gnw.co.uk web: www.gnw.co.uk

Thermometers & pressure aquaes

- Electronic instrumentation
- Test equipment & calibration
- Scales, balances & weights Pneumatic & hydraulic equipment

Chart recorders

Thermocouples

Transducers & transmitters

Flowmeters

TEST CERTIFICATE NUMBER: 78487/017

Instrument:

63mm Compound Gauge

Manufacturer:

Gauges North West Ltd

Serial Number:

78487/017

Range

-5 to +60 cm/H²0

Customer:

Viamed Ltd

Address:

Keighley

Date Of Calibration:

21 September 2017

Test Equipment Used: Druck DPI 601 Serial No: 5132/91-1

Traceable To:

National Standards via certificate no: INT002

Test Increments In:

cm/H²0

Accuracy

±1.6%

Barometric Pressure

1011mbar

Humidity 58%

Applied Test Value	Actual Reading BEFORE Adjustment	Actual Error BEFORE Adjustment	Actual Reading AFTER Adjustment	Error AFTER Adjustmen
-5.0	-5.7	-0.7	N/A	N/A
0.0	0.0	0.0	N/A	N/A
20.0	20.5	+0.5	N/A	N/A
40.0	40.0	0.0	N/A	N/A
60.0	60.8	+0.8	N/A	N/A
		inte		

Using Test Equipment traceable to National or International Standards, we confirm the uncertainties of measurement are of a confident probability of not less than 95%. The uncertainty of error has been calculated using a formula (KEx2 = Known Errors x 2).

Authorised Signature

Lu Chi

Conditions of certification





A division of Gauges North West Ltd.

IOI A Caffara Cl

101A Sefton Street Southport

PR8 5DD

tel: 01704 536 010 fax: 01704 548 028

email: <u>sales@gnw.co.uk</u> web: <u>www.gnw.co.uk</u>

Thermometers & pressure gauges

Electronic instrumentation

Test equipment & calibrationScales, balances & weights

Pneumatic & hydraulic equipment

Chart recorders

Thermocouples

Transducers & transmitters

Flowmeters

TEST CERTIFICATE NUMBER: 78487/018

Instrument:

63mm Compound Gauge

Manufacturer: Serial Number:

Gauges North West Ltd 78487/018

Range

-5 to +60 cm/H²0

Customer:

Viamed Ltd

Address:

Keighley

Date Of Calibration:

21 September 2017

Test Equipment Used:

Druck DPI 601 Serial No: 5132/91-1

Traceable To:

National Standards via certificate no: INT002

Test Increments In:

Barometric Pressure

cm/H²0

Accuracy

±1.6%

1011mbar

Humidity 58%

Applied Test Value	Actual Reading BEFORE Adjustment	Actual Error BEFORE Adjustment	Actual Reading AFTER Adjustment	Error AFTER Adjustmen
-5.0	-5.1	-0.1	N/A	N/A
0.0	0.0	0.0	N/A	N/A
20.0	19.6	-0.4	N/A	N/A
40.0	39.7	-0.3	N/A	N/A
60.0	60.8	+0.8	N/A	N/A
		\		W. T

Using Test Equipment traceable to National or International Standards, we confirm the uncertainties of measurement are of a confident probability of not less than 95%. The uncertainty of error has been calculated using a formula (KEx2 = Known Errors x 2).

Authorised Signature

Lu Chi

Conditions of certification



Southport

PR8 5DD

tel: 01704 536 010

web: www.gnw.co.uk

101A Sefton Street

fax: 01704 548 028 email: sales@anw.co.uk

Chart recorders

Thermocouples

Test equipment & calibration Scales, balances & weights

Electronic instrumentation

Pneumatic & hydraulic equipment

Thermometers & pressure gauges

 Transducers & transmitters Flowmeters

TEST CERTIFICATE NUMBER: 78487/019

Instrument:

63mm Compound Gauge

Manufacturer: Serial Number:

Gauges North West Ltd 78487/019

Range

-5 to +60 cm/H20

Customer:

Viamed Ltd

Address:

Keighley

Date Of Calibration:

21 September 2017

Test Equipment Used:

Druck DPI 601 Serial No: 5132/91-1

Traceable To:

National Standards via certificate no: INT002

Test Increments In:

Barometric Pressure

cm/H²0

Accuracy

±1.6% 1011mbar

Humidity 58%

Applied Test Value	Actual Reading BEFORE Adjustment	Actual Error BEFORE Adjustment	Actual Reading AFTER Adjustment	Error AFTER Adjustmen
-5.0	-5.0	0.0	N/A	N/A
0.0	0.0	0.0	N/A	N/A
20.0	20.7	+0.7	N/A	N/A
40.0	40.8	+0.8	N/A	N/A
60.0	60.6	+0.6	N/A	N/A
		O MASS		
	1			
) <u> </u>			

Using Test Equipment traceable to National or International Standards, we confirm the uncertainties of measurement are of a confident probability of not less than 95%. The uncertainty of error has been calculated using a formula (KEx2 = Known Errors x 2).

Authorised Signature

Lu Chi

Conditions of certification



Test equipment & calibration

Scales, balances & weights

Thermometers & pressure gauges

Pneumatic & hydraulic equipment

GNW Instrumentation

A division of Gauges North West Ltd

101A Sefton Street

Southport

PR8 5DD

tel: 01704 536 010 fax: 01704 548 028

email: sales@gnw.co.uk
web: www.gnw.co.uk

Chart recorders

ThermocouplesTransducers & transmitters

Flowmeters

TEST CERTIFICATE NUMBER: 78487/020

Instrument:

63mm Compound Gauge

Manufacturer:

Gauges North West Ltd

Serial Number:

78487/020

Range

-5 to +60 cm/H²0

Customer:

Viamed Ltd

Address:

Keighley

Date Of Calibration:

21 September 2017

Test Equipment Used:

Druck DPI 601 Serial No: 5132/91-1

Traceable To:

National Standards via certificate no: INT002

Test Increments In:

 cm/H^20

Accuracy

±1.6%

Barometric Pressure

1011mbar

Humidity 58%

Applied Test Value	Actual Reading BEFORE Adjustment	Actual Error BEFORE Adjustment	Actual Reading AFTER Adjustment	Error AFTER Adjustment
-5.0	-5.0	0.0	N/A	N/A
0.0	0.0	0.0	N/A	N/A
20.0	20.2	+0.2	N/A	N/A
40.0	40.3	+0.3	N/A	N/A
60.0	60.8	+0.8	N/A	N/A

Using Test Equipment traceable to National or International Standards, we confirm the uncertainties of measurement are of a confident probability of not less than 95%. The uncertainty of error has been calculated using a formula (KEx2 = Known Errors x 2).

Authorised Signature

Lu Chi

Conditions of certification



101A Sefton Street

Southport PR8 5DD

tel: 01704 536 010 fax: 01704 548 028

email: sales@anw.co.uk web: www.gnw.co.uk

Chart recorders

Transducers & transmitters

Thermometers & pressure gauges

Electronic instrumentation

Test equipment & calibration Scales, balances & weights

Pneumatic & hydraulic equipment

Flowmeters

Thermocouples

TEST CERTIFICATE NUMBER: 78487/021

Instrument:

63mm Compound Gauge Gauges North West Ltd

Manufacturer: Serial Number:

78487/021

Range

-5 to +60 cm/H²0

Customer:

Viamed Ltd

Address:

Keighley

Date Of Calibration:

21 September 2017

Test Equipment Used:

Druck DPI 601 Serial No: 5132/91-1

Traceable To:

National Standards via certificate no: INT002

Test Increments In:

Barometric Pressure

cm/H²0

Accuracy

±1.6%

1011mbar

Humidity 58%

Applied Test Value	Actual Reading BEFORE Adjustment	Actual Error BEFORE Adjustment	Actual Reading AFTER Adjustment	Error AFTER Adjustmen
-5.0	-5.1	-0.1	N/A	N/A
0.0	0.0	0.0	N/A	N/A
20.0	19.7	-0.3	N/A	N/A
40.0	40.2	+0.2	N/A	N/A
60.0	60.3	+0.3	N/A	N/A
	, , , , , , , , , , , , , , , , , , , ,			

Using Test Equipment traceable to National or International Standards, we confirm the uncertainties of measurement are of a confident probability of not less than 95%. The uncertainty of error has been calculated using a formula (KEx2 = Known Errors x 2).

Authorised Signature

Lu Chi

Conditions of certification



101A Sefton Street

Southport

PR8 5DD

tel: 01704 536 010 fax: 01704 548 028

email: sales@gnw.co.uk web: www.gnw.co.uk

Thermometers & pressure gauges

Electronic instrumentation

Test equipment & calibration

Scales, balances & weights

Pneumatic & hydraulic equipment

Chart recorders

Thermocouples

Transducers & transmitters

Flowmeters

TEST CERTIFICATE NUMBER: 78487/022

Instrument:

63mm Compound Gauge

Manufacturer:

Gauges North West Ltd

Serial Number:

78487/022

Range

-5 to +60 cm/H20

Customer:

Viamed Ltd

Address:

Keighley

Date Of Calibration:

21 September 2017

Test Equipment Used:

Druck DPI 601 Serial No: 5132/91-1

Traceable To:

National Standards via certificate no: INT002

Test Increments In:

cm/H²0

Accuracy

±1.6%

Barometric Pressure

1011mbar

Humidity 58%

Applied Test Value	Actual Reading BEFORE Adjustment	Actual Error BEFORE Adjustment	Actual Reading AFTER Adjustment	Error AFTER Adjustmen
-5.0	-4.8	+0.2	N/A	N/A
0.0	0.0	0.0	N/A	N/A
20.0	20.1	+0.1	N/A	N/A
40.0	40.5	+0.5	N/A	N/A
60.0	60.7	+0.7	N/A	N/A

Using Test Equipment traceable to National or International Standards, we confirm the uncertainties of measurement are of a confident probability of not less than 95%. The uncertainty of error has been calculated using a formula (KEx2 = Known Errors x 2).

Authorised Signature

Lu Chi

Conditions of certification



A division of Gauges North West Ltd

101A Sefton Street

Southport

PR8 5DD

tel: 01704 536 010 fax: 01704 548 028

email: sales@gnw.co.uk
web: www.gnw.co.uk

Thermometers & pressure gauges

Electronic instrumentation

Test equipment & calibration

Scales, balances & weights

Pneumatic & hydraulic equipment

Chart recorders

Thermocouples

Transducers & transmitters

Flowmeters

TEST CERTIFICATE NUMBER: 78487/023

Instrument:

63mm Compound Gauge

Manufacturer:

Gauges North West Ltd

Serial Number:

78487/023

Range

-5 to +60 cm/H²0

Customer:

Viamed Ltd

Address:

Keighley

Date Of Calibration:

21 September 2017

Test Equipment Used:

Druck DPI 601 Serial No: 5132/91-1

Traceable To:

National Standards via certificate no: INT002

Test Increments In:

cm/H²0

Accuracy

±1.6%

Barometric Pressure

1011mbar

Humidity 58%

Applied Test Value	Actual Reading BEFORE Adjustment	Actual Error BEFORE Adjustment	Actual Reading AFTER Adjustment	Error AFTER Adjustment
-5.0	-4.7	+0.3	N/A	N/A
0.0	0.0	0.0	N/A	N/A
20.0	19.4	-0.6	N/A	N/A
40.0	39.7	-0.3	N/A	N/A
60.0	60.4	+0.4	N/A	N/A

Using Test Equipment traceable to National or International Standards, we confirm the uncertainties of measurement are of a confident probability of not less than 95%. The uncertainty of error has been calculated using a formula (KEx2 = Known Errors x 2).

Authorised Signature

Lu Chi

Conditions of certification



Test equipment & calibration

GNW Instrumentati

101A Sefton Street

Southport

PR8 5DD tel: 01704 536 010

fax: 01704 548 028

email: sales@anw.co.uk web: www.gnw.co.uk

Thermometers & pressure gauges Chart recorders

> Transducers & transmitters Flowmeters

Thermocouples

Scales, balances & weights Pneumatic & hydraulic equipment

TEST CERTIFICATE NUMBER: 78487/024

Instrument:

63mm Compound Gauge

Manufacturer:

Gauges North West Ltd

Serial Number:

78487/024

Range

-5 to +60 cm/H20

Customer:

Viamed Ltd

Address:

Keighley

Date Of Calibration:

21 September 2017

Test Equipment Used:

Druck DPI 601 Serial No: 5132/91-1

Traceable To:

National Standards via certificate no: INT002

Test Increments In:

cm/H²0

Accuracy

±1.6%

Barometric Pressure

1011mbar

Humidity 58%

Applied Test Value	Actual Reading BEFORE Adjustment	Actual Error BEFORE Adjustment	Actual Reading AFTER Adjustment	Error AFTER Adjustment
-5.0	-4.9	+0.1	N/A	N/A
0.0	0.0	0.0	N/A	N/A
20.0	20.3	+0.3	N/A	N/A
40.0	40.6	+0.6	N/A	N/A
60.0	60.7	+0.7	N/A	N/A

Using Test Equipment traceable to National or International Standards, we confirm the uncertainties of measurement are of a confident probability of not less than 95%. The uncertainty of error has been calculated using a formula (KEx2 = Known Errors x 2).

Authorised Signature

Lu Chi

Conditions of certification



A division of Gauges North West Ltd.

101A Sefton Street

Southport

PR8 5DD

tel: 01704 536 010 fax: 01704 548 028

email: sales@gnw.co.uk web: www.gnw.co.uk

Thermometers & pressure gauges

- Electronic instrumentation
- Test equipment & calibration
- Scales, balances & weights
- Pneumatic & hydraulic equipment

Chart recorders

- Thermocouples
- Transducers & transmitters
- Flowmeters

TEST CERTIFICATE NUMBER: 78487/025

Instrument:

63mm Compound Gauge

Manufacturer: Serial Number: Gauges North West Ltd 78487/025

Range

-5 to +60 cm/H²0

Customer:

Viamed Ltd

Address:

Keighley

Date Of Calibration:

21 September 2017

Test Equipment Used:

Druck DPI 601 Serial No: 5132/91-1

Traceable To:

National Standards via certificate no: INT002

Test Increments In:

cm/H²0

Accuracy

±1.6%

Barometric Pressure

1011mbar

Humidity 58%

Applied Test Value	Actual Reading BEFORE Adjustment	Actual Error BEFORE Adjustment	Actual Reading AFTER Adjustment	Error AFTER Adjustment
-5.0	-5.0	0.0	N/A	N/A
0.0	0.0	0.0	N/A	N/A
20.0	20.3	+0.3	N/A	N/A
40.0	40.5	+0.5	N/A	N/A
60.0	60.8	+0.8	N/A	N/A
		- Single - Single		

Using Test Equipment traceable to National or International Standards, we confirm the uncertainties of measurement are of a confident probability of not less than 95%. The uncertainty of error has been calculated using a formula (KEx2 = Known Errors x 2).

Authorised Signature

Lu Chi

Conditions of certification





101A Sefton Street

Southport

PR8 5DD

tel: 01704 536 010 fax: 01704 548 028

email: sales@anw.co.uk web: www.gnw.co.uk

Thermometers & pressure gauges Chart recorders

Scales, balances & weights Pneumatic & hydraulic equipment

Test equipment & calibration

 Transducers & transmitters Flowmeters

Thermocouples

TEST CERTIFICATE NUMBER: 78487/026

Instrument:

63mm Compound Gauge

Manufacturer: Serial Number:

Gauges North West Ltd 78487/026

Range

-5 to +60 cm/H²0

Customer:

Viamed Ltd

Address:

Keighley

Date Of Calibration:

21 September 2017

Test Equipment Used: Druck DPI 601 Serial No: 5132/91-1

Traceable To:

National Standards via certificate no: INT002

Test Increments In:

cm/H²0

Accuracy

±1.6%

Barometric Pressure

1011mbar

Humidity 58%

-4.7 0.0	+0.3	N/A	N/A
0.0	0.0		IN/A
	0.0	N/A	N/A
19.2	-0.8	N/A	N/A
39.5	-0.5	N/A	N/A
60.7	+0.7	N/A	N/A
4			
18			

Using Test Equipment traceable to National or International Standards, we confirm the uncertainties of measurement are of a confident probability of not less than 95%. The uncertainty of error has been calculated using a formula (KEx2 = Known Errors x 2).

Authorised Signature

Lu Che

Conditions of certification



Test equipment & calibration

GNW Instrumentati

101A Sefton Street

Southport

PR8 5DD

tel: 01704 536 010 fax: 01704 548 028

email: sales@anw.co.uk web: www.gnw.co.uk

Thermometers & pressure gauges Chart recorders

Scales, balances & weights Pneumatic & hydraulic equipment

 Transducers & transmitters Flowmeters

Thermocouples

TEST CERTIFICATE NUMBER: 78487/027

Instrument:

63mm Compound Gauge

Gauges North West Ltd

Manufacturer: Serial Number:

78487/027

Range

-5 to +60 cm/H20

Customer:

Viamed Ltd

Address:

Keighley

Date Of Calibration:

21 September 2017

Test Equipment Used:

Druck DPI 601 Serial No: 5132/91-1

Traceable To:

National Standards via certificate no: INT002

Test Increments in:

cm/H²0

Accuracy

±1.6%

Barometric Pressure

1011mbar

Humidity 58%

Applied Test Value	Actual Reading BEFORE Adjustment	Actual Error BEFORE Adjustment	Actual Reading AFTER Adjustment	Error AFTER Adjustmen
-5.0	-5.1	-0.1	N/A	N/A
0.0	0.0	0.0	N/A	N/A
20.0	20.6	+0.6	N/A	N/A
40.0	40.4	+0.4	N/A	N/A
60.0	59.9	-0.1	N/A	N/A
		11.1		

Using Test Equipment traceable to National or International Standards, we confirm the uncertainties of measurement are of a confident probability of not less than 95%. The uncertainty of error has been calculated using a formula ($KEx2 = Known Errors \times 2$).

Authorised Signature

Lu Chi

Conditions of certification





101A Sefton Street

Southport

PR8 5DD tel: 01704 536 010

fax: 01704 548 028

email: sales@gnw.co.uk web: www.gnw.co.uk

Thermometers & pressure gauges

- Electronic instrumentation
- Test equipment & calibration
- Scales, balances & weights
- Pneumatic & hydraulic equipment

Chart recorders

Thermocouples

- Transducers & transmitters
- Flowmeters

TEST CERTIFICATE NUMBER: 78487/028

Instrument:

63mm Compound Gauge

Manufacturer:

Gauges North West Ltd

Serial Number:

78487/028

Range

-5 to +60 cm/H20

Customer:

Viamed Ltd

Address:

Keighley

Date Of Calibration:

21 September 2017

Test Equipment Used:

Druck DPI 601 Serial No: 5132/91-1

Traceable To:

National Standards via certificate no: INT002

Test Increments In:

cm/H²0

Accuracy

±1.6%

Barometric Pressure

1011mbar

Humidity 58%

Applied Test Value	Actual Reading BEFORE Adjustment	Actual Error BEFORE Adjustment	Actual Reading AFTER Adjustment	Error AFTER Adjustmen
-5.0	-5.5	-0.5	N/A	N/A
0.0	0.0	0.0	N/A	N/A
20.0	20.3	+0.3	N/A	N/A
40.0	40.5	+0.5	N/A	N/A
60.0	60.1	+0.1	N/A	N/A
		11.00		
		lichie		

Using Test Equipment traceable to National or International Standards, we confirm the uncertainties of measurement are of a confident probability of not less than 95%. The uncertainty of error has been calculated using a formula (KEx2 = Known Errors x 2).

Authorised Signature

Lu Chi

Conditions of certification