



Sophie Lines <viamed.sophie.lines@gmail.com>

RE: Oxygen Sensor

1 message

Erick Lorenzana-Saldivar <erick.lorenzana.saldivar@duke.edu>

29 July 2026 at 13:55

To: Sophie Lines <sophie.lines@viamed.co.uk>

Cc: Kate Griffiths <kate.griffiths@viamed.co.uk>, Ashley Burke <ashley.burke@duke.edu>

Hi Sophie,

Thank you for sending the proforma! Can we change the delivery and invoice address to the following:

Erick Lorenzana

Duke University Health System

[315 Trent Drive](#)

Hanes House Ofc 277

Durham, NC 27705

Also just to confirm, will this serve as the final invoice or will we get one after we place the order?

Thanks!

Erick

Erick D. Lorenzana-Saldivar, BSEerick.lorenzana.saldivar@duke.edu

Clinical Research Coordinator III

Tel: 919.681.1802

Anesthesiology Clinical Research Unit

Fax: 919.681.8076

Duke University Health System

Pager: 919.206.0435

[315 Trent Dr](#), Hanes House Office 287

Cell: 984.327.2650

Durham, NC 27710

**Duke Anesthesiology**
Duke University School of Medicine

Excellence | Safety | Integrity | Diversity | Teamwork

"The information in this electronic mail is sensitive, protected information intended only for the addressee(s). Any other person, including anyone who believes s/he might have received it due to addressing error, is requested to notify the sender immediately by return electronic mail, and to delete it without further reading or retention. The information is not to be forwarded or shared unless in compliance with DUHS policies on confidentiality and/or with the approval of the sender."

From: Sophie Lines <sophie.lines@viamed.co.uk>**Sent:** Wednesday, July 29, 2026 07:29**To:** Erick Lorenzana-Saldivar <erick.lorenzana.saldivar@duke.edu>**Cc:** Kate Griffiths <kate.griffiths@viamed.co.uk>; Ashley Burke <ashley.burke@duke.edu>**Subject:** Re: Oxygen Sensor

Good afternoon,

Thank you for your email. Please find attached your Proforma Invoice for payment via PayPal. When sending payment, I would be grateful if you could please ensure the correct currency is selected (USD) in order to match the Proforma Invoice amount.

If you have any questions or concerns, please do not hesitate to contact me.

Kind regards

Sophie Lines
Office Administrator
Viamed Ltd.

<http://www.viamed.co.uk>

Email: sophie.lines@viamed.co.uk

Tel: 44 (0)1535 634 542

Fax: 44 (0)1535 635 582

Please note: My working days are Tuesday-Friday

Check out our product portfolio at:

www.viamed.co.uk/productportfolio

Twitter: twitter.com/ViamedLtd

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

GDPR / Privacy Policy available at www.viamed.co.uk/policy

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call 44 (0)1535 634542

On Tue, 28 Jul 2026 at 18:15, Erick Lorenzana-Saldivar <erick.lorenzana.saldivar@duke.edu> wrote:

Hi all,

Thank you for your email and all the information. We would like to proceed with the option of using PayPal, we just want to confirm we will be receiving an invoice from you (the vendor/seller) as it will be needed for our finance team to clear the charge on our end.

Please let us know how to proceed with purchase.

Thanks!

Erick

Erick D. Lorenzana-Saldivar, BSEerick.lorenzana.saldivar@duke.edu

Clinical Research Coordinator III

Tel: 919.681.1802

Anesthesiology Clinical Research Unit

Fax: 919.681.8076

Duke University Health System

Pager: 919.206.0435

[315 Trent Dr](#), Hanes House Office 287

Cell: 984.327.2650

Durham, NC 27710

**Duke Anesthesiology**
Duke University School of Medicine

Excellence | Safety | Integrity | Diversity | Teamwork

"The information in this electronic mail is sensitive, protected information intended only for the addressee(s). Any other person, including anyone who believes s/he might have received it due to addressing error, is requested to notify the sender immediately by return electronic mail, and to delete it without further reading or retention. The information is not to be forwarded or shared unless in compliance with DUHS policies on confidentiality and/or with the approval of the sender."

From: Kate Griffiths <kate.griffiths@viamed.co.uk>**Sent:** Friday, July 24, 2026 03:43**To:** Ashley Burke <ashley.burke@duke.edu>; Erick Lorenzana-Saldivar <erick.lorenzana.saldivar@duke.edu>**Cc:** Sophie Lines <sophie.lines@viamed.co.uk>**Subject:** Re: Oxygen Sensor

Good morning,

Thank you for your email. Please accept my reply on behalf of Sophie.

We are not able to accept online orders from any country other than the UK.

Would you like me to issue a proforma invoice for 2 x 0110081 UFO 130-2? We accept payment by bank transfer. If this is not suitable, we offer Paypal (with a 6% fee of total order).

Many thanks.

Kind regards

Kate Griffiths

Office Administrator

Viamed Ltd.

<http://www.viamed.co.uk>Email kate.griffiths@viamed.co.uk

Tel: +44 (0)1535 634542

Fax: +44 (0)1535 635582

Check out our product portfolio at:

www.viamed.co.uk/productportfolio

Twitter: twitter.com/ViamedLtd

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

GDPR / Privacy Policy available at www.viamed.co.uk/policy

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call 44 (0)1535 634542

On Fri, 24 Jul 2026 at 08:38, Main Account <viamedinbox@gmail.com> wrote:

----- Forwarded message -----

From: **Ashley Burke** <ashley.burke@duke.edu>

Date: Thu, 23 Jul 2026 at 15:49

Subject: RE: Oxygen Sensor

To: Erick Lorenzana-Saldivar <erick.lorenzana.saldivar@duke.edu>, Sophie Lines <sophie.lines@viamed.co.uk>

Hello Sophie,

Can you see the question below from Erick. We are working on ordering the oxygen sensors but have run into some issues.

Best wishes,

Ashley

Ashley Burke, BS, CCRC

Clinical Research Coordinator, Sr.

Duke University School of Medicine

Anesthesiology Clinical Research Unit



Duke Anesthesiology
Duke University School of Medicine

Ashley.Burke@duke.edu

Ph: 919-681-2849

F: 919-681-7631

Pager: 919-970-1912

3024 Pickett Road

Durham, NC 27705

[HIPAA Privacy Notification: This message and any accompanying documents are covered by the Electronic Communications Privacy Act, 18 U.S.C. 2510-2521, and contain information intended for the specified individual(s) only. This information is confidential. If you are not the intended recipient or an agent responsible for delivering it to the intended recipient, you are hereby notified that you have received this document in error and that any review, dissemination, copying or the taking of any action based on the contents of this information is strictly prohibited. If you have received this communication in error, please notify me immediately by e-mail, and delete the original message.]

From: Erick Lorenzana-Saldivar <erick.lorenzana.saldivar@duke.edu>

Sent: Thursday, July 23, 2026 9:45 AM

To: Ashley Burke <ashley.burke@duke.edu>

Subject: RE: Oxygen Sensor

Hi Ashley,

I tried doing it online and it was not letting me add to the cart or check out. Are you able to reach out to the vendor to see how to purchase? If they have a method through which I can use the p-card (i.e. a form they collect, a link they send for us to purchase, etc) that would probably be the best since at this point we have all the green lights to proceed with the purchase.

Let me know how I can help.

Erick

Erick D. Lorenzana-Saldivar, BSE

Clinical Research Coordinator III

Anesthesiology Clinical Research Unit

Duke University Health System

315 Trent Dr, Hanes House Office 287

Durham, NC 27710

erick.lorenzana.saldivar@duke.edu

Tel: 919.681.1802

Fax: 919.681.8076

Pager: 919.206.0435

Cell: 984.327.2650



Duke Anesthesiology
Duke University School of Medicine

[Excellence](#) | [Safety](#) | [Integrity](#) | [Diversity](#) | [Teamwork](#)

"The information in this electronic mail is sensitive, protected information intended only for the addressee(s). Any other person, including anyone who believes s/he might have received it due to addressing error, is requested to notify the sender immediately by return electronic mail, and to delete it without further reading or retention. The information is not to be forwarded or shared unless in compliance with DUHS policies on confidentiality and/or with the approval of the sender."

From: Ashley Burke <ashley.burke@duke.edu>

Sent: Thursday, July 23, 2026 09:31

To: Erick Lorenzana-Saldivar <erick.lorenzana.saldivar@duke.edu>

Subject: RE: Oxygen Sensor

Hi – I realized I didn't respond. Were you able to get these ordered?

Best wishes,

Ashley

Ashley Burke, BS, CCRC

Clinical Research Coordinator, Sr.

Duke University School of Medicine

Anesthesiology Clinical Research Unit

Ashley.Burke@duke.edu

Ph: 919-681-2849

F: 919-681-7631

Pager: 919-970-1912



Duke Anesthesiology
Duke University School of Medicine

3024 Pickett Road

Durham, NC 27705

[HIPAA Privacy Notification: This message and any accompanying documents are covered by the Electronic Communications Privacy Act, 18 U.S.C. 2510-2521, and contain information intended for the specified individual(s) only. This information is confidential. If you are not the intended recipient or an agent responsible for delivering it to the intended recipient, you are hereby notified that you have received this document in error and that any review, dissemination, copying or the taking of any action based on the contents of this information is strictly prohibited. If you have received this communication in error, please notify me immediately by e-mail, and delete the original message.]

From: Erick Lorenzana-Saldivar <erick.lorenzana.saldivar@duke.edu>
Sent: Wednesday, July 8, 2026 4:21 PM
To: Ashley Burke <ashley.burke@duke.edu>
Subject: RE: Oxygen Sensor

Scratch that, can't order online...can you ask their contact the process to order using a credit card?

Erick

Erick D. Lorenzana-Saldivar, BSE

erick.lorenzana.saldivar@duke.edu

Clinical Research Coordinator III

Tel: 919.681.1802

Anesthesiology Clinical Research Unit

Fax: 919.681.8076

Duke University Health System

Pager: 919.206.0435

[315 Trent Dr](#), Hanes House Office 287

Cell: 984.327.2650

Durham, NC 27710



Duke Anesthesiology
Duke University School of Medicine

Excellence | Safety | Integrity | Diversity | Teamwork

"The information in this electronic mail is sensitive, protected information intended only for the addressee(s). Any other person, including anyone who believes s/he might have received it due to addressing error, is requested to notify the sender immediately by return electronic mail, and to delete it without further reading or retention. The information is not to be forwarded or shared unless in compliance with DUHS policies on confidentiality and/or with the approval of the sender."

From: Erick Lorenzana-Saldivar
Sent: Wednesday, July 8, 2026 16:16
To: Ashley Burke <ashley.burke@duke.edu>
Subject: RE: Oxygen Sensor

Hi Ashley,

We have the approval to order, so I'll go on the website to place the order. Not sure if it would be worth mentioning to the contact that gave us the quote that we will be going the website/credit card route.

Erick

Erick D. Lorenzana-Saldivar, BSE

erick.lorenzana.saldivar@duke.edu

Clinical Research Coordinator III

Tel: 919.681.1802

Anesthesiology Clinical Research Unit

Fax: 919.681.8076

Duke University Health System

Pager: 919.206.0435

[315 Trent Dr](#), Hanes House Office 287

Cell: 984.327.2650

Durham, NC 27710



Duke Anesthesiology
Duke University School of Medicine

[Excellence](#) | [Safety](#) | [Integrity](#) | [Diversity](#) | [Teamwork](#)

"The information in this electronic mail is sensitive, protected information intended only for the addressee(s). Any other person, including anyone who believes s/he might have received it due to addressing error, is requested to notify the sender immediately by return electronic mail, and to delete it without further reading or retention. The information is not to be forwarded or shared unless in compliance with DUHS policies on confidentiality and/or with the approval of the sender."

From: Ashley Burke <ashley.burke@duke.edu>
Sent: Wednesday, July 8, 2026 08:41
To: Erick Lorenzana-Saldivar <erick.lorenzana.saldivar@duke.edu>
Subject: FW: Oxygen Sensor

Hi Erick,

They have the currency now as US dollars, are we able to order the sensors or are we still waiting for approval?

Best wishes,

Ashley

Ashley Burke, BS, CCRC

Clinical Research Coordinator, Sr.

Duke University School of Medicine

Anesthesiology Clinical Research Unit



Duke Anesthesiology
Duke University School of Medicine

Ashley.Burke@duke.edu

Ph: 919-681-2849

F: 919-681-7631

Pager: 919-970-1912

3024 Pickett Road

Durham, NC 27705

[HIPAA Privacy Notification: This message and any accompanying documents are covered by the Electronic Communications Privacy Act, 18 U.S.C. 2510-2521, and contain information intended for the specified individual(s) only. This information is confidential. If you are not the intended recipient or an agent responsible for delivering it to the intended recipient, you are hereby notified that you have received this document in error and that any review, dissemination, copying or the taking of any action based on the contents of this information is strictly prohibited. If you have received this communication in error, please notify me immediately by e-mail, and delete the original message.]

From: Sophie Lines <sophie.lines@viamed.co.uk>
Sent: Wednesday, July 8, 2026 8:38 AM
To: Ashley Burke <ashley.burke@duke.edu>
Subject: Re: Oxygen Sensor

Hi Ashley,

I hope you are doing well.

I just wanted to follow up to see if you had any further thoughts regarding the quotation? Just to clarify, the quotation has been issued in USD, so hopefully this may simplify things if there was any uncertainty regarding the currency.

If you have any questions or require any further information, please don't hesitate to let me know. Otherwise, I look forward to hearing from you when you've had a chance to discuss it further.

Kind regards

Sophie Lines

Office Administrator

Viamed Ltd.

<http://www.viamed.co.uk>

Email: sophie.lines@viamed.co.uk

Tel: 44 (0)1535 634 542

Fax: 44 (0)1535 635 582

Please note: My working days are Tuesday-Friday

Check out our product portfolio at:

www.viamed.co.uk/productportfolio

Twitter: twitter.com/ViamedLtd

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

GDPR / Privacy Policy available at www.viamed.co.uk/policy

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call 44 (0)1535 634542

On Thu, 2 Jul 2026 at 13:56, Ashley Burke <ashley.burke@duke.edu> wrote:

Hi Sophie,

We are still interested. We are working with Duke on how the currency exchange payment will work for payment of the sensors.

Best wishes,

Ashley

Ashley Burke, BS, CCRC

Clinical Research Coordinator, Sr.

Duke University School of Medicine

Anesthesiology Clinical Research Unit



Ashley.Burke@duke.edu

Ph: 919-681-2849

F: 919-681-7631

Pager: 919-970-1912

3024 Pickett Road

Durham, NC 27705

[HIPAA Privacy Notification: This message and any accompanying documents are covered by the Electronic Communications Privacy Act, 18 U.S.C. 2510-2521, and contain information intended for the specified individual(s) only. This information is confidential. If you are not the intended recipient or an agent responsible for delivering it to the intended recipient, you are hereby notified that you have received this document in error and that any review, dissemination, copying or the taking of any action based on the contents of this information is strictly prohibited. If you have received this communication in error, please notify me immediately by e-mail, and delete the original message.]

From: Sophie Lines <sophie.lines@viamed.co.uk>
Sent: Wednesday, July 1, 2026 6:17 AM
To: Ashley Burke <ashley.burke@duke.edu>
Subject: Fwd: Oxygen Sensor

Dear Ashley,

Just a quick email to see if the attached quotation is still of interest to you? It will expire on the 9th of July and then be deleted from our system. However, if you do need more time please let me know.

Kind regards

Sophie Lines
Office Administrator
Viamed Ltd.

<http://www.viamed.co.uk>

Email: sophie.lines@viamed.co.uk

Tel: 44 (0)1535 634 542

Fax: 44 (0)1535 635 582

Please note: My working days are Tuesday-Friday

Check out our product portfolio at:

www.viamed.co.uk/productportfolio

Twitter: twitter.com/ViamedLtd

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

GDPR / Privacy Policy available at www.viamed.co.uk/policy

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call 44 (0)1535 634542

----- Forwarded message -----

From: Sophie Lines <sophie.lines@viamed.co.uk>
Date: Wed, 17 Jun 2026 at 10:33
Subject: Fwd: Oxygen Sensor
To: <ashley.burke@duke.edu>

Dear Ashley,

I am just following up on the below emails to see whether the attached quotation is still of interest?

If you have any questions at all please let me know.

Kind regards

Sophie Lines
Office Administrator
Viamed Ltd.

<http://www.viamed.co.uk>

Email: sophie.lines@viamed.co.uk

Tel: 44 (0)1535 634 542

Fax: 44 (0)1535 635 582

Please note: My working days are Tuesday-Friday

Check out our product portfolio at:

www.viamed.co.uk/productportfolio

Twitter: twitter.com/ViamedLtd

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

GDPR / Privacy Policy available at www.viamed.co.uk/policy

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call 44 (0)1535 634542

----- Forwarded message -----

From: **Sophie Lines** <sophie.lines@viamed.co.uk>

Date: Tue, 9 Jun 2026 at 15:13

Subject: Re: Oxygen Sensor

To: <ashley.burke@duke.edu>

Dear Ashley,

Thank you for your email. I can confirm we do supply the Teledyne UFO 130-2 Oxygen Sensor (part number 0110081). Please find attached a quotation for 2 units, including delivery costs to you via UPS.

We do have these sensors available in stock at the moment, so if you did choose to go ahead and place an order, we could dispatch within 1-3 working days from receipt of payment.

If you have any questions, please do not hesitate to contact us.

Kind regards

Sophie Lines
Office Administrator
Viamed Ltd.

<http://www.viamed.co.uk>

Email: sophie.lines@viamed.co.uk

Tel: 44 (0)1535 634 542

Fax: 44 (0)1535 635 582

Please note: My working days are Tuesday-Friday

Check out our product portfolio at:

www.viamed.co.uk/productportfolio

Twitter: twitter.com/ViamedLtd

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

GDPR / Privacy Policy available at www.viamed.co.uk/policy

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call 44 (0)1535 634542

On Tue, 9 Jun 2026 at 09:24, Main Account <viamedinbox@gmail.com> wrote:

----- Forwarded message -----

From: **Ashley Burke** <ashley.burke@duke.edu>
Date: Mon, 8 Jun 2026 at 19:01
Subject: Oxygen Sensor
To: orders@viamed.co.uk <orders@viamed.co.uk>

Hello,

I am looking at purchasing 2 **Teledyne UFO 130-2 Oxygen Sensor**

Part Number: 0110081

Can you confirm if these are in stock?

Best wishes,

Ashley

Ashley Burke, BS, CCRC

Clinical Research Coordinator, Sr.

Duke University School of Medicine

Anesthesiology Clinical Research Unit

**Duke Anesthesiology**
Duke University School of MedicineAshley.Burke@duke.edu

Ph: 919-681-2849

F: 919-681-7631

Pager: 919-970-1912

3024 Pickett Road

Durham, NC 27705

[HIPAA Privacy Notification: This message and any accompanying documents are covered by the Electronic Communications Privacy Act, 18 U.S.C. 2510-2521, and contain information intended for the specified individual(s) only. This information is confidential. If you are not the intended recipient or an agent responsible for delivering it to the intended recipient, you are hereby notified that you have received this document in error and that any review, dissemination, copying or the taking of any action based on the contents of this information is strictly prohibited. If you have received this communication in error, please notify me immediately by e-mail, and delete the original message.]