



Aqib Majeed <viamed.aqib.majeed2@gmail.com>

Fwd: Purchase order number E1/300726

Cathy Green <cathy.green@viamed.co.uk>
To: office@vmsecure.me.uk

Thu, Jul 30, 2026 at 2:25 PM

Please add as pri 8 until we receive confirmation
thanks cathy

----- Forwarded message -----

From: **Cathy Green** <cathy.green@viamed.co.uk>
Date: Thu, 30 Jul 2026 at 14:24
Subject: Re: Purchase order number E1/300726
To: <piotr@oxylink.pl>

Dear Piotr

Please see Below

Please add extra 25x R-22MEDV sensors to this order. I'm sorry for the hassle. P/N: 0110021 Date Code 04/2026

Pozdrawiam serdecznie / Best regards,

Piotr Podkowa
OXYLINK
Tel.: 509 701 509
E-mail: piotr@oxylink.pl
Web: www.oxylink.pl

czw., 30 lip 2026 o 11:17 Piotr Podkowa <piotr@oxylink.pl> napisał(a):

>
> Dear Cathy,
>
> Please supply as follows:
>
> 1.
> Sensor type: R-22VA single P/N 0110039 Date Code 05/2026
> Qty: x50
>
> 2.
> Sensor type: R-47V P/N 0110047 Date Code 05/2026
> Qty: x15
>
> 3.
> Sensor type: R-43V P/N 0110043 Date Code 07/2026
> Qty: x10
>
> 4.
> Sensor type: R-30V P/N 0110040 Date Code 05/2026
> Qty: x10
>
> 5.
> Sensor type: R-17AVG P/N 0110177 04/2026
> Qty: x10
>
> 6.
> Sensor type: R-17Vi P/N 0110019 Date Code 07/2025
> Qty: x3
>
> on order number E1/300726.

We also have some back orders available that we can ship with this order

E1/100726 50 x 0110503

E1/130726 2 x 0110495 and 2 x 0110491 and 7 x 0110504

Kind Regards

Cathy Green

On Thu, 30 Jul 2026 at 12:27, Piotr Podkowa <piotr@oxylink.pl> wrote:

Dear Cathy,

Please add extra 25x R-22MEDV sensors to this order. I'm sorry for the hassle.

Pozdrawiam serdecznie / Best regards,

Piotr Podkowa

OXYLINK

Tel.: 509 701 509

E-mail: piotr@oxylink.plWeb: www.oxylink.plczw., 30 lip 2026 o 11:17 Piotr Podkowa <piotr@oxylink.pl> napisał(a):

>

> Dear Cathy,

>

> Please supply as follows:

>

> 1.

> Sensor type: R-22VA single

> Qty: x50

>

> 2.

> Sensor type: R-47V

> Qty: x15

>

> 3.

> Sensor type: R-43V

> Qty: x10

>

> 4.

> Sensor type: R-30V

> Qty: x10

>

> 5.

> Sensor type: R-17AVG

> Qty: x10

>

> 6.

> Sensor type: R-17Vi

> Qty: x3

>

> on order number E1/300726.

>

> Pozdrawiam serdecznie / Best regards,

>

> Piotr Podkowa

> OXYLINK

> Tel.: 509 701 509

> E-mail: piotr@oxylink.pl> Web: www.oxylink.pl

--

Kind regards

Cathy Green

Goods Out / Stock Control Supervisor

Viamed Ltd.

<http://www.viamed.co.uk>Email: cathy.green@viamed.co.uk

Tel: 44 (0)1535 634 542

Fax: 44 (0)1535 635 582

Twitter: twitter.com/ViamedLtd

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

GDPR / Privacy Policy available at www.viamed.co.uk/policy

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call 44 (0)1535 634542

--

Kind regards

Cathy Green

Goods Out / Stock Control Supervisor

Viamed Ltd.

<http://www.viamed.co.uk>

Email: cathy.green@viamed.co.uk

Tel: 44 (0)1535 634 542

Fax: 44 (0)1535 635 582

Twitter: twitter.com/ViamedLtd

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

GDPR / Privacy Policy available at www.viamed.co.uk/policy

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call 44 (0)1535 634542