



Kate Griffiths <viamed.kate.griffiths@gmail.com>

RE: Purchase Order MQ12368

1 message

Rachel Quantrill <Rachel@mediquipuk.co.uk>
To: Kate Griffiths <kate.griffiths@viamed.co.uk>

20 August 2026 at 16:27

Good afternoon Kate,

Thank you for the update on the price and lead time, please can we proceed with the order, many thanks.

Kind Regards

Rachel

Rachel Quantrill

Mediquip Ltd

Address: 70A Nethergate Street, Bungay, Suffolk, NR35 1HE

Tel No: 01986 892108

Fax No: 01986 948118

Email: sales@mediquipuk.co.uk | rachel@mediquipuk.co.uk

Website: www.mediquipuk.co.uk

From: Kate Griffiths <kate.griffiths@viamed.co.uk>
Sent: 20 August 2026 16:23
To: Rachel Quantrill <Rachel@mediquipuk.co.uk>
Subject: Re: Purchase Order MQ12368

Good afternoon Rachel,

Thank you for your order.

Please could I advise you that the correct price for part number 0110057 - T-7 oxygen sensor is £75.10 each when purchasing one.

I also need to let you know that there is a lead time of late October/early November.

The other price breaks are as follows:

1 = £ 75.10	2 = £ 73.40 each	3 - 10 = £ 71.40 each	11 or more = £ 71.40 each
--------------------	-------------------------	------------------------------	----------------------------------

Please let me know if you would like me to proceed with the correct pricing.

Many thanks.

Kind regards

Kate Griffiths

Office Administrator

Viamed Ltd.

<http://www.viamed.co.uk>

Email kate.griffiths@viamed.co.uk

Tel: +44 (0)1535 634542

Fax: +44 (0)1535 635582

Check out our product portfolio at:

www.viamed.co.uk/productportfolio

Twitter: twitter.com/ViamedLtd

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

GDPR / Privacy Policy available at www.viamed.co.uk/policy

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call 44 (0)1535 634542

On Thu, 20 Aug 2026 at 16:16, Main Account <viamedinbox@gmail.com> wrote:

----- Forwarded message -----

From: **Rachel Quantrill** <Rachel@mediquipuk.co.uk>

Date: Thu, 20 Aug 2026 at 16:12

Subject: Purchase Order MQ12368

To: info@viamed.co.uk <info@viamed.co.uk>

Good afternoon,

Please find attached our purchase order number MQ12368 for review. Please would you be able to advise us of an expected delivery date for this order? Many thanks.

Kind Regards

Rachel

Rachel Quantrill

Mediquip Ltd

Address: 70A Nethergate Street, Bungay, Suffolk, NR35 1HE

Tel No: 01986 892108

Fax No: 01986 948118

Email: sales@mediquipuk.co.uk | rachel@mediquipuk.co.uk

Website: www.mediquipuk.co.uk



Please click on the Google or Trustpilot logo's to leave us a review of our services

Registered Office: MEDIQUIP LTD, Church Road, Flixton, Bungay, United Kingdom NR35 1NU - Registered in England and Wales, Company No. 08165100

CONFIDENTIALITY NOTICE: This message may contain information that is proprietary, confidential, privileged, or otherwise legally exempt from disclosure. It is intended solely for the individual or organisation to which it is addressed. If you are not the intended recipient please do not read, distribute, copy or use this message as it is not authorised and is strictly prohibited. Instead, please inform the sender of the error, delete this message from your system and destroy any hard copies you may have. Any views or opinions in this message are solely those of the author and do not necessarily represent those of the sender company. No responsibility is accepted for alterations to this email after it has been sent or for viruses; it is your responsibility to scan or otherwise check this email and any attachments.



Please consider the environment before printing this email