

Purchase order

12603824

CST164357

Date	Part number	Part number	Serial number	Output	Zero offset voltage
	VST	JFD		mV	µV
20/08/2026	8010050	DB200381	109082	7.6	53
20/08/2026	8010050	DB200381	109083	6.8	53
20/08/2026	8010050	DB200381	109084	7.6	57
20/08/2026	8010050	DB200381	109085	7.8	48
20/08/2026	8010050	DB200381	109086	7.4	52
20/08/2026	8010050	DB200381	109087	7.7	58
20/08/2026	8010050	DB200381	109088	7.6	36
20/08/2026	8010050	DB200381	109089	7.5	40
20/08/2026	8010050	DB200381	109090	7.3	39
20/08/2026	8010050	DB200381	109091	7.6	52
20/08/2026	8010050	DB200381	109092	7.4	39
20/08/2026	8010050	DB200381	109093	7.6	65
20/08/2026	8010050	DB200381	109094	7.3	44
20/08/2026	8010050	DB200381	109095	7.5	48
20/08/2026	8010050	DB200381	109096	7.6	52
20/08/2026	8010050	DB200381	109097	7.3	54
20/08/2026	8010050	DB200381	109098	7.8	53
20/08/2026	8010050	DB200381	109099	7.6	78
20/08/2026	8010050	DB200381	109100	7.4	69
20/08/2026	8010050	DB200381	109101	7.6	62
20/08/2026	8010050	DB200381	109102	7.7	76
20/08/2026	8010050	DB200381	109103	7.3	78
20/08/2026	8010050	DB200381	109104	7.6	63
20/08/2026	8010050	DB200381	109105	7.7	75
20/08/2026	8010050	DB200381	109106	6.9	63
20/08/2026	8010050	DB200381	109107	7.0	85
20/08/2026	8010050	DB200381	109108	7.1	96
20/08/2026	8010050	DB200381	109109	7.5	91
20/08/2026	8010050	DB200381	109110	7.7	61
20/08/2026	8010050	DB200381	109111	7.7	71
20/08/2026	8010050	DB200381	109112	7.4	64
20/08/2026	8010050	DB200381	109113	7.7	62
20/08/2026	8010050	DB200381	109114	7.8	87
20/08/2026	8010050	DB200381	109115	7.8	70
20/08/2026	8010050	DB200381	109116	7.0	95
20/08/2026	8010050	DB200381	109117	7.0	74
20/08/2026	8010050	DB200381	109118	7.8	85
20/08/2026	8010050	DB200381	109119	7.7	60
20/08/2026	8010050	DB200381	109120	7.7	56
20/08/2026	8010050	DB200381	109121	7.0	87
20/08/2026	8010050	DB200381	109122	7.7	58
20/08/2026	8010050	DB200381	109123	7.3	86
20/08/2026	8010050	DB200381	109124	7.7	65
20/08/2026	8010050	DB200381	109125	7.8	63
20/08/2026	8010050	DB200381	109126	7.6	59
20/08/2026	8010050	DB200381	109127	7.7	63
20/08/2026	8010050	DB200381	109128	7.1	62
20/08/2026	8010050	DB200381	109129	6.9	73
20/08/2026	8010050	DB200381	109130	7.6	80
20/08/2026	8010050	DB200381	109131	7.7	82
20/08/2026	8010050	DB200381	109132	7.1	74
20/08/2026	8010050	DB200381	109133	7.7	88
20/08/2026	8010050	DB200381	109134	7.6	86

20/08/2026	8010050	DB200381	109135	7.3	74
20/08/2026	8010050	DB200381	109136	7.7	58
20/08/2026	8010050	DB200381	109137	7.0	78
20/08/2026	8010050	DB200381	109138	7.2	74
20/08/2026	8010050	DB200381	109139	7.7	76
20/08/2026	8010050	DB200381	109140	6.8	100
20/08/2026	8010050	DB200381	109141	7.6	65
20/08/2026	8010050	DB200381	109142	7.2	101
20/08/2026	8010050	DB200381	109143	7.0	71
20/08/2026	8010050	DB200381	109144	7.6	99
20/08/2026	8010050	DB200381	109145	7.6	82
20/08/2026	8010050	DB200381	109146	7.6	71
20/08/2026	8010050	DB200381	109147	7.7	80
20/08/2026	8010050	DB200381	109148	7.8	60
20/08/2026	8010050	DB200381	109149	7.6	59
20/08/2026	8010050	DB200381	109150	7.8	73
20/08/2026	8010050	DB200381	109151	7.1	74
20/08/2026	8010050	DB200381	109152	7.6	80
20/08/2026	8010050	DB200381	109153	7.3	82
20/08/2026	8010050	DB200381	109154	7.5	85
20/08/2026	8010050	DB200381	109155	7.7	82
20/08/2026	8010050	DB200381	109156	7.6	97
20/08/2026	8010050	DB200381	109157	7.6	76
20/08/2026	8010050	DB200381	109158	7.7	66
20/08/2026	8010050	DB200381	109159	7.8	78
20/08/2026	8010050	DB200381	109160	7.6	97
20/08/2026	8010050	DB200381	109161	7.7	85
20/08/2026	8010050	DB200381	109162	7.5	71
20/08/2026	8010050	DB200381	109163	7.0	84
20/08/2026	8010050	DB200381	109164	7.7	80
20/08/2026	8010050	DB200381	109165	7.8	58
20/08/2026	8010050	DB200381	109166	7.7	82
20/08/2026	8010050	DB200381	109167	7.8	76
20/08/2026	8010050	DB200381	109168	7.3	81
20/08/2026	8010050	DB200381	109169	7.6	81
20/08/2026	8010050	DB200381	109170	7.8	71
20/08/2026	8010050	DB200381	109171	7.2	124
20/08/2026	8010050	DB200381	109172	7.6	84
20/08/2026	8010050	DB200381	109173	7.8	89
20/08/2026	8010050	DB200381	109174	7.0	99
20/08/2026	8010050	DB200381	109175	7.6	77
20/08/2026	8010050	DB200381	109176	7.0	82
20/08/2026	8010050	DB200381	109177	7.5	71
20/08/2026	8010050	DB200381	109178	7.7	59
20/08/2026	8010050	DB200381	109179	7.6	62
20/08/2026	8010050	DB200381	109180	7.1	95
20/08/2026	8010050	DB200381	109181	7.7	58
20/08/2026	8010050	DB200381	109182	7.6	78
20/08/2026	8010050	DB200381	109183	7.7	61
20/08/2026	8010050	DB200381	109184	7.7	69
20/08/2026	8010050	DB200381	109185	7.5	74
20/08/2026	8010050	DB200381	109186	7.6	72
20/08/2026	8010050	DB200381	109187	7.7	70
20/08/2026	8010050	DB200381	109188	6.8	76
20/08/2026	8010050	DB200381	109189	7.3	80
20/08/2026	8010050	DB200381	109190	7.7	90
20/08/2026	8010050	DB200381	109191	7.1	85
20/08/2026	8010050	DB200381	109192	7.7	72

20/08/2026	8010050	DB200381	109193	7.0	68
20/08/2026	8010050	DB200381	109194	7.2	55
20/08/2026	8010050	DB200381	109195	7.8	70
20/08/2026	8010050	DB200381	109196	7.5	64
20/08/2026	8010050	DB200381	109197	7.3	69
20/08/2026	8010050	DB200381	109198	7.4	66
20/08/2026	8010050	DB200381	109199	7.4	78
20/08/2026	8010050	DB200381	109200	7.5	69
20/08/2026	8010050	DB200381	109201	7.7	60
20/08/2026	8010050	DB200381	109202	7.6	84
20/08/2026	8010050	DB200381	109203	7.7	63
20/08/2026	8010050	DB200381	109204	7.7	55
20/08/2026	8010050	DB200381	109205	7.5	83
20/08/2026	8010050	DB200381	109206	7.4	77
20/08/2026	8010050	DB200381	109207	7.5	72
20/08/2026	8010050	DB200381	109208	7.6	75
20/08/2026	8010050	DB200381	109209	7.7	59
20/08/2026	8010050	DB200381	109210	7.7	61
20/08/2026	8010050	DB200381	109211	7.5	88
20/08/2026	8010050	DB200381	109212	7.6	70
20/08/2026	8010050	DB200381	109213	7.2	65
20/08/2026	8010050	DB200381	109214	7.8	63
20/08/2026	8010050	DB200381	109215	7.4	66
20/08/2026	8010050	DB200381	109216	7.6	89
20/08/2026	8010050	DB200381	109217	7.7	60
20/08/2026	8010050	DB200381	109218	7.2	74
20/08/2026	8010050	DB200381	109219	7.1	74
20/08/2026	8010050	DB200381	109220	7.5	62
20/08/2026	8010050	DB200381	109221	7.6	51
20/08/2026	8010050	DB200381	109222	7.6	65
20/08/2026	8010050	DB200381	109223	7.1	72
20/08/2026	8010050	DB200381	109224	8.4	55
20/08/2026	8010050	DB200381	109225	7.3	79
20/08/2026	8010050	DB200381	109226	7.7	51
20/08/2026	8010050	DB200381	109227	7.6	58
20/08/2026	8010050	DB200381	109228	7.7	85
20/08/2026	8010050	DB200381	109229	7.7	70
20/08/2026	8010050	DB200381	109230	7.6	53
20/08/2026	8010050	DB200381	109231	6.8	78
20/08/2026	8010050	DB200381	109232	7.4	63
20/08/2026	8010050	DB200381	109233	7.2	68
20/08/2026	8010050	DB200381	109234	7.8	69
20/08/2026	8010050	DB200381	109235	7.4	71
20/08/2026	8010050	DB200381	109236	6.8	78
20/08/2026	8010050	DB200381	109237	7.2	108
20/08/2026	8010050	DB200381	109238	7.7	67
20/08/2026	8010050	DB200381	109239	7.4	62
20/08/2026	8010050	DB200381	109240	7.1	79
20/08/2026	8010050	DB200381	109241	6.9	83
20/08/2026	8010050	DB200381	109242	7.5	68
20/08/2026	8010050	DB200381	109243	7.3	59
20/08/2026	8010050	DB200381	109244	7.2	92
20/08/2026	8010050	DB200381	109245	7.5	56
20/08/2026	8010050	DB200381	109246	7.3	87
20/08/2026	8010050	DB200381	109247	7.7	77
20/08/2026	8010050	DB200381	109248	7.6	59
20/08/2026	8010050	DB200381	109249	7.0	89
20/08/2026	8010050	DB200381	109250	7.6	78

20/08/2026	8010050	DB200381	109251	7.7	106
20/08/2026	8010050	DB200381	109252	7.7	71
20/08/2026	8010050	DB200381	109253	6.9	70
20/08/2026	8010050	DB200381	109254	7.6	77
20/08/2026	8010050	DB200381	109255	7.6	62
20/08/2026	8010050	DB200381	109256	7.6	49
20/08/2026	8010050	DB200381	109257	7.4	120
20/08/2026	8010050	DB200381	109258	7.6	66
20/08/2026	8010050	DB200381	109259	7.6	81
20/08/2026	8010050	DB200381	109260	7.6	60
20/08/2026	8010050	DB200381	109261	7.7	69
20/08/2026	8010050	DB200381	109262	7.6	62
20/08/2026	8010050	DB200381	109263	7.6	48
20/08/2026	8010050	DB200381	109264	7.4	98
20/08/2026	8010050	DB200381	109265	7.6	66
20/08/2026	8010050	DB200381	109266	7.6	85
20/08/2026	8010050	DB200381	109267	7.4	68
20/08/2026	8010050	DB200381	109268	7.6	61
20/08/2026	8010050	DB200381	109269	7.6	47
20/08/2026	8010050	DB200381	109270	7.5	93
20/08/2026	8010050	DB200381	109271	7.3	57
20/08/2026	8010050	DB200381	109272	6.8	65
20/08/2026	8010050	DB200381	109273	7.5	84
20/08/2026	8010050	DB200381	109274	7.2	88
20/08/2026	8010050	DB200381	109275	7.2	77
20/08/2026	8010050	DB200381	109276	7.6	60
20/08/2026	8010050	DB200381	109277	7.6	52
20/08/2026	8010050	DB200381	109278	7.2	77
20/08/2026	8010050	DB200381	109279	7.3	76
20/08/2026	8010050	DB200381	109280	7.6	70
20/08/2026	8010050	DB200381	109281	7.4	56
20/08/2026	8010050	DB200381	109282	7.6	88
20/08/2026	8010050	DB200381	109283	7.2	77
20/08/2026	8010050	DB200381	109284	7.6	71
20/08/2026	8010050	DB200381	109285	7.4	57
20/08/2026	8010050	DB200381	109286	7.6	85
20/08/2026	8010050	DB200381	109287	7.3	74
20/08/2026	8010050	DB200381	109288	7.7	70
20/08/2026	8010050	DB200381	109289	7.7	43
20/08/2026	8010050	DB200381	109290	7.2	92
20/08/2026	8010050	DB200381	109291	7.8	69
20/08/2026	8010050	DB200381	109292	7.7	73
20/08/2026	8010050	DB200381	109293	7.7	68
20/08/2026	8010050	DB200381	109294	7.7	47
20/08/2026	8010050	DB200381	109295	7.8	67
20/08/2026	8010050	DB200381	109296	7.3	77
20/08/2026	8010050	DB200381	109297	7.7	71
20/08/2026	8010050	DB200381	109298	7.7	65
20/08/2026	8010050	DB200381	109299	7.8	64
20/08/2026	8010050	DB200381	109300	7.3	74
20/08/2026	8010050	DB200381	109301	7.7	69
20/08/2026	8010050	DB200381	109302	7.7	65
20/08/2026	8010050	DB200381	109303	7.8	61
20/08/2026	8010050	DB200381	109304	7.3	70
20/08/2026	8010050	DB200381	109305	7.3	64
20/08/2026	8010050	DB200381	109306	7.2	63
20/08/2026	8010050	DB200381	109307	7.8	50
20/08/2026	8010050	DB200381	109308	7.8	71

20/08/2026	8010050	DB200381	109309	7.7	72
20/08/2026	8010050	DB200381	109310	7.7	68
20/08/2026	8010050	DB200381	109311	6.8	70
20/08/2026	8010050	DB200381	109312	7.8	65
20/08/2026	8010050	DB200381	109313	7.3	74
20/08/2026	8010050	DB200381	109314	7.3	60
20/08/2026	8010050	DB200381	109315	7.2	70
20/08/2026	8010050	DB200381	109316	7.2	62
20/08/2026	8010050	DB200381	109317	7.8	47
20/08/2026	8010050	DB200381	109318	7.8	71
20/08/2026	8010050	DB200381	109319	7.7	71
20/08/2026	8010050	DB200381	109320	6.8	67
20/08/2026	8010050	DB200381	109321	6.9	70
20/08/2026	8010050	DB200381	109322	7.1	68
20/08/2026	8010050	DB200381	109323	7.3	63
20/08/2026	8010050	DB200381	109324	7.2	73
20/08/2026	8010050	DB200381	109325	7.1	74
20/08/2026	8010050	DB200381	109326	7.7	58
20/08/2026	8010050	DB200381	109327	7.5	59
20/08/2026	8010050	DB200381	109328	7.7	53
20/08/2026	8010050	DB200381	109329	7.3	64
20/08/2026	8010050	DB200381	109330	7.2	73
20/08/2026	8010050	DB200381	109331	7.8	56
20/08/2026	8010050	DB200381	109332	7.1	74
20/08/2026	8010050	DB200381	109333	7.7	56
20/08/2026	8010050	DB200381	109334	7.2	85
20/08/2026	8010050	DB200381	109335	7.7	96
20/08/2026	8010050	DB200381	109336	7.5	62
20/08/2026	8010050	DB200381	109337	7.7	72
20/08/2026	8010050	DB200381	109338	6.8	71
20/08/2026	8010050	DB200381	109339	7.8	61
20/08/2026	8010050	DB200381	109340	7.6	65
20/08/2026	8010050	DB200381	109341	7.8	48
20/08/2026	8010050	DB200381	109342	7.5	59
20/08/2026	8010050	DB200381	109343	7.7	59
20/08/2026	8010050	DB200381	109344	7.8	69
20/08/2026	8010050	DB200381	109345	7.1	73
20/08/2026	8010050	DB200381	109346	7.7	71
20/08/2026	8010050	DB200381	109347	7.3	61
20/08/2026	8010050	DB200381	109348	7.5	63
20/08/2026	8010050	DB200381	109349	7.7	62
20/08/2026	8010050	DB200381	109350	7.3	70
20/08/2026	8010050	DB200381	109351	7.8	49
20/08/2026	8010050	DB200381	109352	7.2	84
20/08/2026	8010050	DB200381	109353	7.7	60
20/08/2026	8010050	DB200381	109354	7.8	67
20/08/2026	8010050	DB200381	109355	7.2	61
20/08/2026	8010050	DB200381	109356	7.1	73
20/08/2026	8010050	DB200381	109357	7.7	72
20/08/2026	8010050	DB200381	109358	7.3	62
20/08/2026	8010050	DB200381	109359	7.5	64
20/08/2026	8010050	DB200381	109360	7.4	70
20/08/2026	8010050	DB200381	109361	7.7	62
20/08/2026	8010050	DB200381	109362	7.7	65
20/08/2026	8010050	DB200381	109363	7.0	87
20/08/2026	8010050	DB200381	109364	7.8	68
20/08/2026	8010050	DB200381	109365	7.8	64
20/08/2026	8010050	DB200381	109366	7.3	71

20/08/2026	8010050	DB200381	109367	7.7	70
20/08/2026	8010050	DB200381	109368	7.1	88
20/08/2026	8010050	DB200381	109369	7.0	87
20/08/2026	8010050	DB200381	109370	7.8	69
20/08/2026	8010050	DB200381	109371	7.8	61
20/08/2026	8010050	DB200381	109372	7.7	71
20/08/2026	8010050	DB200381	109373	7.1	90
20/08/2026	8010050	DB200381	109374	7.0	89
20/08/2026	8010050	DB200381	109375	7.8	69
20/08/2026	8010050	DB200381	109376	7.8	60
20/08/2026	8010050	DB200381	109377	7.7	70
20/08/2026	8010050	DB200381	109378	7.1	90
20/08/2026	8010050	DB200381	109379	7.0	88
20/08/2026	8010050	DB200381	109380	7.8	69
20/08/2026	8010050	DB200381	109381	7.7	79