








2 OFF HOLES TO
SUIT M6 NUTSERTS




DETAIL A





MATERIAL: MILD STEEL 2mm THK

FINISH: ZINC COAT & COLOUR PASSIVATE
& POWDER COAT RAL 9002




						Dräger RESUS UNIT	







Holes tapped M5 in rear face



SPECIFICATIONS	CONTRACT NO.	DATE	COMPANY		
	DRAWN BY dfg		Dräger Medical		
Position of critical parts.	CHECKED BY		TITLE		
	DESIGNED BY		Flow meter Oxygen		
	DESIGN ACTIVITY		SIZE	FSCM NO.	DWG NO. / FILE NAME
	CUSTOMER		A4		
			SCALE	DATE	SHEET
			1mm = 1mm	7/6/97	1 of 1

TT 460



Holes tapped M5 in rear face

SPECIFICATIONS

Position of critical parts:

CONTRACT NO.

DRAWN BY *dlg*

CHECKED BY

DESIGNED BY

DESIGN ACTIVITY

LISTENER

DATE

COMPANY

Dräger Medical

TITLE

Flow meter Oxygen

SIZE

A4

FSCH NO.

DWG NO. / FILE NAME

SCALE

1mm = 1mm

DATE

7/6/97

SHEET

1 of 1

TT 92