#### pulse oximetry



### MD300-C63

## Finger Pulse Oximeter

Ultra-compact, lightweight pulse oximeter with colour OLED display



- Adjustable brightness: 10 levels
- Pleth waveform, displayed in 2 formats
- Signal strength indicator
- Easy to use; 1-button operation
- Automatic power-off when finger removed
- Special battery cover for more durability
- Suitable for paediatric and adult patients

The MD300-C63 can be used in a variety of applications, for use in GP surgeries, clinics and dental surgeries, through to spot-checking before, during and after exercise.

The bright organic LED display offers superb visibility in all lighting conditions, including direct sunlight.



**Actual Size** 



### MD300-C63 Finger Pulse Oximeter

**Measuring Range** 

SpO<sub>2</sub> 70 - 100% Pulse Rate 30 - 235 bpm

**Accuracy** 

Display

Features Colour OLED, adjustable brightness (10 levels)

Data displayed Oxygen saturation, pulse rate, plethysmogram, pulse indicator bar graph

Indicators

Finger out, signal strength, battery status

**Environmental Conditions** 

Operating temperature 5°C to 40°C Storage temperature -20°C to 55°C

**Regulatory Approvals** 

Standards CE Class Ila

Assembly

Dimensions 58 mm (L) x 34 mm (W) x 36 mm (H)
Weight Approximately 55 g (including batteries)
Power Supply 2 x AAA/LR03/MN2400 1.5V alkaline batteries
Battery Life Approximately 30 hours of continuous operation

Automatically powers off when finger is removed for longer than 8 seconds

Part Number

MD300-C63 2810038

Standard accessories included:

Lanyard

2 x AAA Batteries Operator Manual

**Optional Accessories** 

Soft carry case, with belt loop, colour - black 0022190
Soft carry case, with belt loop, colour - orange 0022191
Soft carry case, with belt loop, colour - green 0022192
Soft carry case, with belt loop, colour - blue 0022193

Clinical trials carried out in accordance with BS EN ISO 9919:2005 standards. Materials tested in accordance with ISO 10993-, -5, -10.



2nd Rotation



**3rd Rotation** 



4th Rotation



Pleth Waveform 1



Pleth Waveform 2

CE 0123 Specifications Subject to Change

Distributed by:



# VIAMED

Viamed Limited · 15 Station Road · Cross Hills Keighley · West Yorkshire · BD20 7DT · United Kingdom Tel: +44 (0)1535 634 542 Fax: +44 (0)1535 635 582 Email: info@viamed.co.uk Website: www.viamed.co.uk

