

Quality management systems — Requirements

The European Standard EN ISO 9001:2000 has the status of a
British Standard

ICS 03.120.10

National foreword

This British Standard is the official English language version of EN ISO 9001:2000. It is identical with ISO 9001:2000. It supersedes BS EN ISO 9001:1994, BS EN ISO 9002:1994 and BS EN ISO 9003:1994 which are now obsolescent.

For detailed information on the ISO 9000:2000 family of standards, including Frequently Asked Questions, Transition Planning Guidance and Guidance on the Documentation Requirements of ISO 9001:2000 please refer to the following websites which are updated on a regular basis:

- www.bsi.org.uk/iso-tc176-sc2 carries detailed information on the ISO 9001/ISO 9004 revision programme;
- www.iso.ch carries general information regarding the ISO 9000:2000 series revision programme;
- www.tc176.org includes general information on the structure and work programme of ISO/TC176 including links to related password-protected and public websites.

The UK participation in its preparation was entrusted by Technical Committee QS/1, Quality management and quality assurance procedures, to Subcommittee QS/1/-18, Consistent pair of QM and QA standards, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

Cross-references

Attention is drawn to the fact that CEN and CENELEC Standards normally include an annex which lists normative references to international publications with their corresponding European publications. The British Standards which implement these international or European publications may be found in the BSI Standards Catalogue under the section entitled "International Standards Correspondence Index", or by using the "Find" facility of the BSI Standards Electronic Catalogue.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, the EN ISO title page, the EN ISO foreword page (2 pages), a blank page, the ISO title page, pages ii to vii, a blank page, pages 1 to 23, the annex ZA page, an inside back cover and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.

Amendments issued since publication

Amd. No.	Date	Comments

This British Standard, having been prepared under the direction of the Management Systems Sector Committee, was published under the authority of the Standards Committee and comes into effect on 15 December 2000

English version

Quality management systems - Requirements (ISO 9001:2000)

Systèmes de management de la qualité - Exigences (ISO
9001:2000)

Qualitätsmanagementsysteme - Forderungen (ISO
9001:2000)

This European Standard was approved by CEN on 15 December 2000.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Foreword

The text of the International Standard ISO 9001:2000 has been prepared by Technical Committee ISO/TC 176 "Quality management and quality assurance", Subcommittee 2 "Quality systems". The transposition into a European Standard has been managed by the CEN Management Centre (CMC) with the assistance of CEN/BT WG 107.

This European Standard supersedes EN ISO 9001:1994, EN ISO 9002:1994 and EN ISO 9003:1994.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2001, and conflicting national standards shall be withdrawn at the latest by June 2001.

NOTE The following is specifically intended for organizations that need to comply with "New Approach" European Directives in order to affix CE marking on their products and to the other parties involved in that process.

The publication of EN ISO 9001:2000 has implications for Council Decision 93/465/EEC of 22 July 1993 concerning the modules for the various phases of the conformity assessment procedures and the rules for affixing and use of the CE conformity marking, which are intended to be used in the technical harmonization directives. It is important to note that the modules used in individual technical harmonization directives may vary in some respects compared to those described in Council Decision 93/465/EEC. In all cases, it is the annex of the applicable directive(s) which is legally binding. The principles set out in this foreword remain valid regardless of these variations.

Three of the modules cited in Council Decision, i.e. modules E, D and H, require that "*the manufacturer must operate an approved quality system*". The scope of the quality systems required by these modules addresses:

- Final product inspection and testing (module E)
- Production, final inspection and testing (module D),
- Design manufacture and final product inspection and testing (module H).

Council decision 93/465/EEC specifies that conformity to the harmonized standards EN 29001, EN 29002 or EN 29003 provides a presumption of conformity to the relevant requirements of modules H, D and E.

EN 29001, EN 29002 and EN 29003 were superseded by EN ISO 9001:1994, EN ISO 9002:1994 and EN ISO 9003:1994 respectively, which in turn are now superseded by EN ISO 9001:2000.

Where organizations wish to implement quality management systems in conformance with modules E, D or H, they may use EN ISO 9001:2000. In seeking compliance with modules D, E or H organizations may exclude specific requirements.

Only those requirements in clause 7 of EN ISO 9001:2000 pertaining to the difference between modules E, D and H may be excluded whilst retaining the presumption of conformity.

Module E Permissible exclusions	Module D Permissible exclusions	Module H Permissible exclusions
Sub-clause 7.1: planning of product realization Sub-clause 7.2.3: customer communication Sub-clause 7.3: design and development Sub-clause 7.4 purchasing Sub-clause 7.5.1: control of production and service provision Sub-clause 7.5.2: validation of processes for production and service provision Sub-clause 7.5.3: Identification and traceability	Sub-clause 7.3: design and development	NO exclusions permitted

It should be noted that no explicit requirements in modules H, D and E relate to the concepts of "customer satisfaction" and "continual improvement". As a consequence, non compliance with requirements of EN ISO 9001:2000 explicitly related to these concepts does not infringe upon the presumption of conformity to the appropriate module

It should be noted that where the exclusions described in sub-clause 1.2 of EN ISO 9001:2000 are exceeded, conformity to EN ISO 9001:2000 shall not be claimed.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of the International Standard ISO 9001:2000 has been approved by CEN as a European Standard without any modifications.

NOTE: Normative references to International Standards are listed in annex ZA (normative).

(ISO) (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

International Standard ISO 9001 was prepared by Technical Committee ISO/TC 176, *Quality management and quality assurance*, Subcommittee SC 2, *Quality systems*.

This third edition of ISO 9001 cancels and replaces the second edition (ISO 9001:1994) together with ISO 9002:1994 and ISO 9003:1994. It constitutes a technical revision of these documents. Those organizations which have used ISO 9002:1994 and ISO 9003:1994 in the past may use this International Standard by excluding certain requirements in accordance with 1.2.

The title of ISO 9001 has been revised in this edition and no longer includes the term "Quality assurance". This reflects the fact that the quality management system requirements specified in this edition of ISO 9001, in addition to quality assurance of product, also aim to enhance customer satisfaction.

Annexes A and B of this International Standard are for information only.

INTERNATIONAL STANDARD

EN ISO 9001:2000

**ISO
9001**

Third edition
2000-12-15

Quality management systems — Requirements

Systèmes de management de la qualité — Exigences



Reference number
ISO 9001:2000(E)

Contents

	Page
1 Scope	1
1.1 General	1
1.2 Application	1
2 Normative reference	1
3 Terms and definitions	1
4 Quality management system	2
4.1 General requirements	2
4.2 Documentation requirements	2
5 Management responsibility	3
5.1 Management commitment	3
5.2 Customer focus	4
5.3 Quality policy	4
5.4 Planning	4
5.5 Responsibility, authority and communication	4
5.6 Management review	5
6 Resource management	5
6.1 Provision of resources	5
6.2 Human resources	6
6.3 Infrastructure	6
6.4 Work environment	6
7 Product realization	6
7.1 Planning of product realization	6
7.2 Customer-related processes	7
7.3 Design and development	8
7.4 Purchasing	9
7.5 Production and service provision	10
7.6 Control of monitoring and measuring devices	11
8 Measurement, analysis and improvement	11
8.1 General	11
8.2 Monitoring and measurement	11
8.3 Control of nonconforming product	12
8.4 Analysis of data	13
8.5 Improvement	13

Annexes

A Correspondence between ISO 9001:2000 and ISO 14001:1996.....	15
B Correspondence between ISO 9001:2000 and ISO 9001:1994	19
Bibliography.....	23

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

International Standard ISO 9001 was prepared by Technical Committee ISO/TC 176, *Quality management and quality assurance*, Subcommittee SC 2, *Quality systems*.

This third edition of ISO 9001 cancels and replaces the second edition (ISO 9001:1994) together with ISO 9002:1994 and ISO 9003:1994. It constitutes a technical revision of these documents. Those organizations which have used ISO 9002:1994 and ISO 9003:1994 in the past may use this International Standard by excluding certain requirements in accordance with 1.2.

The title of ISO 9001 has been revised in this edition and no longer includes the term "Quality assurance". This reflects the fact that the quality management system requirements specified in this edition of ISO 9001, in addition to quality assurance of product, also aim to enhance customer satisfaction.

Annexes A and B of this International Standard are for information only.

Introduction

0.1 General

The adoption of a quality management system should be a strategic decision of an organization. The design and implementation of an organization's quality management system is influenced by varying needs, particular objectives, the products provided, the processes employed and the size and structure of the organization. It is not the intent of this International Standard to imply uniformity in the structure of quality management systems or uniformity of documentation.

The quality management system requirements specified in this International Standard are complementary to requirements for products. Information marked "NOTE" is for guidance in understanding or clarifying the associated requirement.

This International Standard can be used by internal and external parties, including certification bodies, to assess the organization's ability to meet customer, regulatory and the organization's own requirements.

The quality management principles stated in ISO 9000 and ISO 9004 have been taken into consideration during the development of this International Standard.

0.2 Process approach

This International Standard promotes the adoption of a process approach when developing, implementing and improving the effectiveness of a quality management system, to enhance customer satisfaction by meeting customer requirements.

For an organization to function effectively, it has to identify and manage numerous linked activities. An activity using resources, and managed in order to enable the transformation of inputs into outputs, can be considered as a process. Often the output from one process directly forms the input to the next.

The application of a system of processes within an organization, together with the identification and interactions of these processes, and their management, can be referred to as the "process approach".

An advantage of the process approach is the ongoing control that it provides over the linkage between the individual processes within the system of processes, as well as over their combination and interaction.

When used within a quality management system, such an approach emphasizes the importance of

- a) understanding and meeting requirements,
- b) the need to consider processes in terms of added value,
- c) obtaining results of process performance and effectiveness, and
- d) continual improvement of processes based on objective measurement.

The model of a process-based quality management system shown in Figure 1 illustrates the process linkages presented in clauses 4 to 8. This illustration shows that customers play a significant role in defining requirements as inputs. Monitoring of customer satisfaction requires the evaluation of information relating to customer perception as to whether the organization has met the customer requirements. The model shown in Figure 1 covers all the requirements of this International Standard, but does not show processes at a detailed level.

NOTE In addition, the methodology known as “Plan-Do-Check-Act” (PDCA) can be applied to all processes. PDCA can be briefly described as follows.

- Plan: establish the objectives and processes necessary to deliver results in accordance with customer requirements and the organization's policies.
- Do: implement the processes.
- Check: monitor and measure processes and product against policies, objectives and requirements for the product and report the results.
- Act: take actions to continually improve process performance.




Figure 1 — Model of a process-based quality management system

0.3 Relationship with ISO 9004

The present editions of ISO 9001 and ISO 9004 have been developed as a consistent pair of quality management system standards which have been designed to complement each other, but can also be used independently. Although the two International Standards have different scopes, they have similar structures in order to assist their application as a consistent pair.

ISO 9001 specifies requirements for a quality management system that can be used for internal application by organizations, or for certification, or for contractual purposes. It focuses on the effectiveness of the quality management system in meeting customer requirements.

ISO 9004 gives guidance on a wider range of objectives of a quality management system than does ISO 9001, particularly for the continual improvement of an organization's overall performance and efficiency, as well as its effectiveness. ISO 9004 is recommended as a guide for organizations whose top management wishes to move beyond the requirements of ISO 9001, in pursuit of continual improvement of performance. However, it is not intended for certification or for contractual purposes.

0.4 Compatibility with other management systems

This International Standard has been aligned with ISO 14001:1996 in order to enhance the compatibility of the two standards for the benefit of the user community.

This International Standard does not include requirements specific to other management systems, such as those particular to environmental management, occupational health and safety management, financial management or risk management. However, this International Standard enables an organization to align or integrate its own quality management system with related management system requirements. It is possible for an organization to adapt its existing management system(s) in order to establish a quality management system that complies with the requirements of this International Standard.

Quality management systems — Requirements

1 Scope

1.1 General

This International Standard specifies requirements for a quality management system where an organization

- a) needs to demonstrate its ability to consistently provide product that meets customer and applicable regulatory requirements, and
- b) aims to enhance customer satisfaction through the effective application of the system, including processes for continual improvement of the system and the assurance of conformity to customer and applicable regulatory requirements.

NOTE In this International Standard, the term “product” applies only to the product intended for, or required by, a customer.

1.2 Application

All requirements of this International Standard are generic and are intended to be applicable to all organizations, regardless of type, size and product provided.

Where any requirement(s) of this International Standard cannot be applied due to the nature of an organization and its product, this can be considered for exclusion.

Where exclusions are made, claims of conformity to this International Standard are not acceptable unless these exclusions are limited to requirements within clause 7, and such exclusions do not affect the organization's ability, or responsibility, to provide product that meets customer and applicable regulatory requirements.

2 Normative reference

The following normative document contains provisions which, through reference in this text, constitute provisions of this International Standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent edition of the normative document indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO 9000:2000, *Quality management systems — Fundamentals and vocabulary*.

3 Terms and definitions

For the purposes of this International Standard, the terms and definitions given in ISO 9000 apply.

The following terms, used in this edition of ISO 9001 to describe the supply chain, have been changed to reflect the vocabulary currently used:

supplier → organization → customer

The term "organization" replaces the term "supplier" used in ISO 9001:1994, and refers to the unit to which this International Standard applies. Also, the term "supplier" now replaces the term "subcontractor".

Throughout the text of this International Standard, wherever the term "product" occurs, it can also mean "service".

4 Quality management system

4.1 General requirements

The organization shall establish, document, implement and maintain a quality management system and continually improve its effectiveness in accordance with the requirements of this International Standard.

The organization shall

- a) identify the processes needed for the quality management system and their application throughout the organization (see 1.2),
- b) determine the sequence and interaction of these processes,
- c) determine criteria and methods needed to ensure that both the operation and control of these processes are effective,
- d) ensure the availability of resources and information necessary to support the operation and monitoring of these processes,
- e) monitor, measure and analyse these processes, and
- f) implement actions necessary to achieve planned results and continual improvement of these processes.

These processes shall be managed by the organization in accordance with the requirements of this International Standard.

Where an organization chooses to outsource any process that affects product conformity with requirements, the organization shall ensure control over such processes. Control of such outsourced processes shall be identified within the quality management system.

NOTE Processes needed for the quality management system referred to above should include processes for management activities, provision of resources, product realization and measurement.

4.2 Documentation requirements

4.2.1 General

The quality management system documentation shall include

- a) documented statements of a quality policy and quality objectives,
- b) a quality manual,
- c) documented procedures required by this International Standard,
- d) documents needed by the organization to ensure the effective planning, operation and control of its processes, and
- e) records required by this International Standard (see 4.2.4).

NOTE 1 Where the term "documented procedure" appears within this International Standard, this means that the procedure is established, documented, implemented and maintained.

NOTE 2 The extent of the quality management system documentation can differ from one organization to another due to

- a) the size of organization and type of activities,
- b) the complexity of processes and their interactions, and
- c) the competence of personnel.

NOTE 3 The documentation can be in any form or type of medium.

4.2.2 Quality manual

The organization shall establish and maintain a quality manual that includes

- a) the scope of the quality management system, including details of and justification for any exclusions (see 1.2),
- b) the documented procedures established for the quality management system, or reference to them, and
- c) a description of the interaction between the processes of the quality management system.

4.2.3 Control of documents

Documents required by the quality management system shall be controlled. Records are a special type of document and shall be controlled according to the requirements given in 4.2.4.

A documented procedure shall be established to define the controls needed

- a) to approve documents for adequacy prior to issue,
- b) to review and update as necessary and re-approve documents,
- c) to ensure that changes and the current revision status of documents are identified,
- d) to ensure that relevant versions of applicable documents are available at points of use,
- e) to ensure that documents remain legible and readily identifiable,
- f) to ensure that documents of external origin are identified and their distribution controlled, and
- g) to prevent the unintended use of obsolete documents, and to apply suitable identification to them if they are retained for any purpose.

4.2.4 Control of records

Records shall be established and maintained to provide evidence of conformity to requirements and of the effective operation of the quality management system. Records shall remain legible, readily identifiable and retrievable. A documented procedure shall be established to define the controls needed for the identification, storage, protection, retrieval, retention time and disposition of records.

5 Management responsibility

5.1 Management commitment

Top management shall provide evidence of its commitment to the development and implementation of the quality management system and continually improving its effectiveness by

- a) communicating to the organization the importance of meeting customer as well as statutory and regulatory requirements,
- b) establishing the quality policy,
- c) ensuring that quality objectives are established,

- d) conducting management reviews, and
- e) ensuring the availability of resources.

5.2 Customer focus

Top management shall ensure that customer requirements are determined and are met with the aim of enhancing customer satisfaction (see 7.2.1 and 8.2.1).

5.3 Quality policy

Top management shall ensure that the quality policy

- a) is appropriate to the purpose of the organization,
- b) includes a commitment to comply with requirements and continually improve the effectiveness of the quality management system,
- c) provides a framework for establishing and reviewing quality objectives,
- d) is communicated and understood within the organization, and
- e) is reviewed for continuing suitability.

5.4 Planning

5.4.1 Quality objectives

Top management shall ensure that quality objectives, including those needed to meet requirements for product [see 7.1 a)], are established at relevant functions and levels within the organization. The quality objectives shall be measurable and consistent with the quality policy.

5.4.2 Quality management system planning

Top management shall ensure that

- a) the planning of the quality management system is carried out in order to meet the requirements given in 4.1, as well as the quality objectives, and
- b) the integrity of the quality management system is maintained when changes to the quality management system are planned and implemented.

5.5 Responsibility, authority and communication

5.5.1 Responsibility and authority

Top management shall ensure that responsibilities and authorities are defined and communicated within the organization.

5.5.2 Management representative

Top management shall appoint a member of management who, irrespective of other responsibilities, shall have responsibility and authority that includes

- a) ensuring that processes needed for the quality management system are established, implemented and maintained,

- b) reporting to top management on the performance of the quality management system and any need for improvement, and
- c) ensuring the promotion of awareness of customer requirements throughout the organization.

NOTE The responsibility of a management representative can include liaison with external parties on matters relating to the quality management system.

5.5.3 Internal communication

Top management shall ensure that appropriate communication processes are established within the organization and that communication takes place regarding the effectiveness of the quality management system.

5.6 Management review

5.6.1 General

Top management shall review the organization's quality management system, at planned intervals, to ensure its continuing suitability, adequacy and effectiveness. This review shall include assessing opportunities for improvement and the need for changes to the quality management system, including the quality policy and quality objectives.

Records from management reviews shall be maintained (see 4.2.4).

5.6.2 Review input

The input to management review shall include information on

- a) results of audits,
- b) customer feedback,
- c) process performance and product conformity,
- d) status of preventive and corrective actions,
- e) follow-up actions from previous management reviews,
- f) changes that could affect the quality management system, and
- g) recommendations for improvement.

5.6.3 Review output

The output from the management review shall include any decisions and actions related to

- a) improvement of the effectiveness of the quality management system and its processes,
- b) improvement of product related to customer requirements, and
- c) resource needs.

6 Resource management

6.1 Provision of resources

The organization shall determine and provide the resources needed

- a) to implement and maintain the quality management system and continually improve its effectiveness, and
- b) to enhance customer satisfaction by meeting customer requirements.

6.2 Human resources

6.2.1 General

Personnel performing work affecting product quality shall be competent on the basis of appropriate education, training, skills and experience.

6.2.2 Competence, awareness and training

The organization shall

- a) determine the necessary competence for personnel performing work affecting product quality,
- b) provide training or take other actions to satisfy these needs,
- c) evaluate the effectiveness of the actions taken,
- d) ensure that its personnel are aware of the relevance and importance of their activities and how they contribute to the achievement of the quality objectives, and
- e) maintain appropriate records of education, training, skills and experience (see 4.2.4).

6.3 Infrastructure

The organization shall determine, provide and maintain the infrastructure needed to achieve conformity to product requirements. Infrastructure includes, as applicable

- a) buildings, workspace and associated utilities,
- b) process equipment (both hardware and software), and
- c) supporting services (such as transport or communication).

6.4 Work environment

The organization shall determine and manage the work environment needed to achieve conformity to product requirements.

7 Product realization

7.1 Planning of product realization

The organization shall plan and develop the processes needed for product realization. Planning of product realization shall be consistent with the requirements of the other processes of the quality management system (see 4.1).

In planning product realization, the organization shall determine the following, as appropriate:

- a) quality objectives and requirements for the product;
- b) the need to establish processes, documents, and provide resources specific to the product;
- c) required verification, validation, monitoring, inspection and test activities specific to the product and the criteria for product acceptance;
- d) records needed to provide evidence that the realization processes and resulting product meet requirements (see 4.2.4).

The output of this planning shall be in a form suitable for the organization's method of operations.

NOTE 1 A document specifying the processes of the quality management system (including the product realization processes) and the resources to be applied to a specific product, project or contract, can be referred to as a quality plan.

NOTE 2 The organization may also apply the requirements given in 7.3 to the development of product realization processes.

7.2 Customer-related processes

7.2.1 Determination of requirements related to the product

The organization shall determine

- a) requirements specified by the customer, including the requirements for delivery and post-delivery activities,
- b) requirements not stated by the customer but necessary for specified or intended use, where known,
- c) statutory and regulatory requirements related to the product, and
- d) any additional requirements determined by the organization.

7.2.2 Review of requirements related to the product

The organization shall review the requirements related to the product. This review shall be conducted prior to the organization's commitment to supply a product to the customer (e.g. submission of tenders, acceptance of contracts or orders, acceptance of changes to contracts or orders) and shall ensure that

- a) product requirements are defined,
- b) contract or order requirements differing from those previously expressed are resolved, and
- c) the organization has the ability to meet the defined requirements.

Records of the results of the review and actions arising from the review shall be maintained (see 4.2.4).

Where the customer provides no documented statement of requirement, the customer requirements shall be confirmed by the organization before acceptance.

Where product requirements are changed, the organization shall ensure that relevant documents are amended and that relevant personnel are made aware of the changed requirements.

NOTE In some situations, such as internet sales, a formal review is impractical for each order. Instead the review can cover relevant product information such as catalogues or advertising material.

7.2.3 Customer communication

The organization shall determine and implement effective arrangements for communicating with customers in relation to

- a) product information,
- b) enquiries, contracts or order handling, including amendments, and
- c) customer feedback, including customer complaints.

7.3 Design and development

7.3.1 Design and development planning

The organization shall plan and control the design and development of product.

During the design and development planning, the organization shall determine

- a) the design and development stages,
- b) the review, verification and validation that are appropriate to each design and development stage, and
- c) the responsibilities and authorities for design and development.

The organization shall manage the interfaces between different groups involved in design and development to ensure effective communication and clear assignment of responsibility.

Planning output shall be updated, as appropriate, as the design and development progresses.

7.3.2 Design and development inputs

Inputs relating to product requirements shall be determined and records maintained (see 4.2.4). These inputs shall include

- a) functional and performance requirements,
- b) applicable statutory and regulatory requirements,
- c) where applicable, information derived from previous similar designs, and
- d) other requirements essential for design and development.

These inputs shall be reviewed for adequacy. Requirements shall be complete, unambiguous and not in conflict with each other.

7.3.3 Design and development outputs

The outputs of design and development shall be provided in a form that enables verification against the design and development input and shall be approved prior to release.

Design and development outputs shall

- a) meet the input requirements for design and development,
- b) provide appropriate information for purchasing, production and for service provision,
- c) contain or reference product acceptance criteria, and
- d) specify the characteristics of the product that are essential for its safe and proper use.

7.3.4 Design and development review

At suitable stages, systematic reviews of design and development shall be performed in accordance with planned arrangements (see 7.3.1)

- a) to evaluate the ability of the results of design and development to meet requirements, and
- b) to identify any problems and propose necessary actions.

Participants in such reviews shall include representatives of functions concerned with the design and development stage(s) being reviewed. Records of the results of the reviews and any necessary actions shall be maintained (see 4.2.4).

7.3.5 Design and development verification

Verification shall be performed in accordance with planned arrangements (see 7.3.1) to ensure that the design and development outputs have met the design and development input requirements. Records of the results of the verification and any necessary actions shall be maintained (see 4.2.4).

7.3.6 Design and development validation

Design and development validation shall be performed in accordance with planned arrangements (see 7.3.1) to ensure that the resulting product is capable of meeting the requirements for the specified application or intended use, where known. Wherever practicable, validation shall be completed prior to the delivery or implementation of the product. Records of the results of validation and any necessary actions shall be maintained (see 4.2.4).

7.3.7 Control of design and development changes

Design and development changes shall be identified and records maintained. The changes shall be reviewed, verified and validated, as appropriate, and approved before implementation. The review of design and development changes shall include evaluation of the effect of the changes on constituent parts and product already delivered.

Records of the results of the review of changes and any necessary actions shall be maintained (see 4.2.4).

7.4 Purchasing

7.4.1 Purchasing process

The organization shall ensure that purchased product conforms to specified purchase requirements. The type and extent of control applied to the supplier and the purchased product shall be dependent upon the effect of the purchased product on subsequent product realization or the final product.

The organization shall evaluate and select suppliers based on their ability to supply product in accordance with the organization's requirements. Criteria for selection, evaluation and re-evaluation shall be established. Records of the results of evaluations and any necessary actions arising from the evaluation shall be maintained (see 4.2.4).

7.4.2 Purchasing information

Purchasing information shall describe the product to be purchased, including where appropriate

- a) requirements for approval of product, procedures, processes and equipment,
- b) requirements for qualification of personnel, and
- c) quality management system requirements.

The organization shall ensure the adequacy of specified purchase requirements prior to their communication to the supplier.

7.4.3 Verification of purchased product

The organization shall establish and implement the inspection or other activities necessary for ensuring that purchased product meets specified purchase requirements.

Where the organization or its customer intends to perform verification at the supplier's premises, the organization shall state the intended verification arrangements and method of product release in the purchasing information.

7.5 Production and service provision

7.5.1 Control of production and service provision

The organization shall plan and carry out production and service provision under controlled conditions. Controlled conditions shall include, as applicable

- a) the availability of information that describes the characteristics of the product,
- b) the availability of work instructions, as necessary,
- c) the use of suitable equipment,
- d) the availability and use of monitoring and measuring devices,
- e) the implementation of monitoring and measurement, and
- f) the implementation of release, delivery and post-delivery activities.

7.5.2 Validation of processes for production and service provision

The organization shall validate any processes for production and service provision where the resulting output cannot be verified by subsequent monitoring or measurement. This includes any processes where deficiencies become apparent only after the product is in use or the service has been delivered.

Validation shall demonstrate the ability of these processes to achieve planned results.

The organization shall establish arrangements for these processes including, as applicable

- a) defined criteria for review and approval of the processes,
- b) approval of equipment and qualification of personnel,
- c) use of specific methods and procedures,
- d) requirements for records (see 4.2.4), and
- e) revalidation.

7.5.3 Identification and traceability

Where appropriate, the organization shall identify the product by suitable means throughout product realization.

The organization shall identify the product status with respect to monitoring and measurement requirements.

Where traceability is a requirement, the organization shall control and record the unique identification of the product (see 4.2.4).

NOTE In some industry sectors, configuration management is a means by which identification and traceability are maintained.

7.5.4 Customer property

The organization shall exercise care with customer property while it is under the organization's control or being used by the organization. The organization shall identify, verify, protect and safeguard customer property provided for use or incorporation into the product. If any customer property is lost, damaged or otherwise found to be unsuitable for use, this shall be reported to the customer and records maintained (see 4.2.4).

NOTE Customer property can include intellectual property.

7.5.5 Preservation of product

The organization shall preserve the conformity of product during internal processing and delivery to the intended destination. This preservation shall include identification, handling, packaging, storage and protection. Preservation shall also apply to the constituent parts of a product.

7.6 Control of monitoring and measuring devices

The organization shall determine the monitoring and measurement to be undertaken and the monitoring and measuring devices needed to provide evidence of conformity of product to determined requirements (see 7.2.1).

The organization shall establish processes to ensure that monitoring and measurement can be carried out and are carried out in a manner that is consistent with the monitoring and measurement requirements.

Where necessary to ensure valid results, measuring equipment shall

- a) be calibrated or verified at specified intervals, or prior to use, against measurement standards traceable to international or national measurement standards; where no such standards exist, the basis used for calibration or verification shall be recorded;
- b) be adjusted or re-adjusted as necessary;
- c) be identified to enable the calibration status to be determined;
- d) be safeguarded from adjustments that would invalidate the measurement result;
- e) be protected from damage and deterioration during handling, maintenance and storage.

In addition, the organization shall assess and record the validity of the previous measuring results when the equipment is found not to conform to requirements. The organization shall take appropriate action on the equipment and any product affected. Records of the results of calibration and verification shall be maintained (see 4.2.4).

When used in the monitoring and measurement of specified requirements, the ability of computer software to satisfy the intended application shall be confirmed. This shall be undertaken prior to initial use and reconfirmed as necessary.

NOTE See ISO 10012-1 and ISO 10012-2 for guidance.

8 Measurement, analysis and improvement

8.1 General

The organization shall plan and implement the monitoring, measurement, analysis and improvement processes needed

- a) to demonstrate conformity of the product,
- b) to ensure conformity of the quality management system, and
- c) to continually improve the effectiveness of the quality management system.

This shall include determination of applicable methods, including statistical techniques, and the extent of their use.

8.2 Monitoring and measurement

8.2.1 Customer satisfaction

As one of the measurements of the performance of the quality management system, the organization shall monitor information relating to customer perception as to whether the organization has met customer requirements. The methods for obtaining and using this information shall be determined.

8.2.2 Internal audit

The organization shall conduct internal audits at planned intervals to determine whether the quality management system

- a) conforms to the planned arrangements (see 7.1), to the requirements of this International Standard and to the quality management system requirements established by the organization, and
- b) is effectively implemented and maintained.

An audit programme shall be planned, taking into consideration the status and importance of the processes and areas to be audited, as well as the results of previous audits. The audit criteria, scope, frequency and methods shall be defined. Selection of auditors and conduct of audits shall ensure objectivity and impartiality of the audit process. Auditors shall not audit their own work.

The responsibilities and requirements for planning and conducting audits, and for reporting results and maintaining records (see 4.2.4) shall be defined in a documented procedure.

The management responsible for the area being audited shall ensure that actions are taken without undue delay to eliminate detected nonconformities and their causes. Follow-up activities shall include the verification of the actions taken and the reporting of verification results (see 8.5.2).

NOTE See ISO 10011-1, ISO 10011-2 and ISO 10011-3 for guidance.

8.2.3 Monitoring and measurement of processes

The organization shall apply suitable methods for monitoring and, where applicable, measurement of the quality management system processes. These methods shall demonstrate the ability of the processes to achieve planned results. When planned results are not achieved, correction and corrective action shall be taken, as appropriate, to ensure conformity of the product.

8.2.4 Monitoring and measurement of product

The organization shall monitor and measure the characteristics of the product to verify that product requirements have been met. This shall be carried out at appropriate stages of the product realization process in accordance with the planned arrangements (see 7.1).

Evidence of conformity with the acceptance criteria shall be maintained. Records shall indicate the person(s) authorizing release of product (see 4.2.4).

Product release and service delivery shall not proceed until the planned arrangements (see 7.1) have been satisfactorily completed, unless otherwise approved by a relevant authority and, where applicable, by the customer.

8.3 Control of nonconforming product

The organization shall ensure that product which does not conform to product requirements is identified and controlled to prevent its unintended use or delivery. The controls and related responsibilities and authorities for dealing with nonconforming product shall be defined in a documented procedure.

The organization shall deal with nonconforming product by one or more of the following ways:

- a) by taking action to eliminate the detected nonconformity;
- b) by authorizing its use, release or acceptance under concession by a relevant authority and, where applicable, by the customer;
- c) by taking action to preclude its original intended use or application.

Records of the nature of nonconformities and any subsequent actions taken, including concessions obtained, shall be maintained (see 4.2.4).

When nonconforming product is corrected it shall be subject to re-verification to demonstrate conformity to the requirements.

When nonconforming product is detected after delivery or use has started, the organization shall take action appropriate to the effects, or potential effects, of the nonconformity.

8.4 Analysis of data

The organization shall determine, collect and analyse appropriate data to demonstrate the suitability and effectiveness of the quality management system and to evaluate where continual improvement of the effectiveness of the quality management system can be made. This shall include data generated as a result of monitoring and measurement and from other relevant sources.

The analysis of data shall provide information relating to

- a) customer satisfaction (see 8.2.1),
- b) conformity to product requirements (see 7.2.1),
- c) characteristics and trends of processes and products including opportunities for preventive action, and
- d) suppliers.

8.5 Improvement

8.5.1 Continual improvement

The organization shall continually improve the effectiveness of the quality management system through the use of the quality policy, quality objectives, audit results, analysis of data, corrective and preventive actions and management review.

8.5.2 Corrective action

The organization shall take action to eliminate the cause of nonconformities in order to prevent recurrence. Corrective actions shall be appropriate to the effects of the nonconformities encountered.

A documented procedure shall be established to define requirements for

- a) reviewing nonconformities (including customer complaints),
- b) determining the causes of nonconformities,
- c) evaluating the need for action to ensure that nonconformities do not recur,
- d) determining and implementing action needed,
- e) records of the results of action taken (see 4.2.4), and
- f) reviewing corrective action taken.

8.5.3 Preventive action

The organization shall determine action to eliminate the causes of potential nonconformities in order to prevent their occurrence. Preventive actions shall be appropriate to the effects of the potential problems.

A documented procedure shall be established to define requirements for

- a) determining potential nonconformities and their causes,
- b) evaluating the need for action to prevent occurrence of nonconformities,
- c) determining and implementing action needed,
- d) records of results of action taken (see 4.2.4), and
- e) reviewing preventive action taken.

Annex A

(informative)

Correspondence between ISO 9001:2000 and ISO 14001:1996

Table A.1 — Correspondence between ISO 9001:2000 and ISO 14001:1996

ISO 9001:2000		ISO 14001:1996	
Introduction			Introduction
General	0.1		
Process approach	0.2		
Relationship with ISO 9004	0.3		
Compatibility with other management systems	0.4		
Scope	1	1	Scope
General	1.1		
Application	1.2		
Normative reference	2	2	Normative references
Terms and definitions	3	3	Definitions
Quality management system	4	4	Environmental management system requirements
General requirements	4.1	4.1	General requirements
Documentation requirements	4.2		
General	4.2.1	4.4.4	Environmental management system documentation
Quality manual	4.2.2	4.4.4	Environmental management system documentation
Control of documents	4.2.3	4.4.5	Document control
Control of records	4.2.4	4.5.3	Records
Management responsibility	5	4.4.1	Structure and responsibility
Management commitment	5.1	4.2 4.4.1	Environmental policy Structure and responsibility
Customer focus	5.2	4.3.1 4.3.2	Environmental aspects Legal and other requirements
Quality policy	5.3	4.2	Environmental policy
Planning	5.4	4.3	Planning
Quality objectives	5.4.1	4.3.3	Objectives and targets
Quality management system planning	5.4.2	4.3.4	Environmental management programme(s)
Responsibility, authority and communication	5.5	4.1	General requirements
Responsibility and authority	5.5.1	4.4.1	Structure and responsibility
Management representative	5.5.2		
Internal communication	5.5.3	4.4.3	Communication
Management review	5.6	4.6	Management review
General	5.6.1		
Review input	5.6.2		
Review output	5.6.3		
Resource management	6	4.4.1	Structure and responsibility
Provision of resources	6.1		
Human resources	6.2		
General	6.2.1		
Competence, awareness and training	6.2.2	4.4.2	Training, awareness and competence
Infrastructure	6.3	4.4.1	Structure and responsibility
Work environment	6.4		

Table A.1 — Correspondence between ISO 9001:2000 and ISO 14001:1996 (continued)

ISO 9001:2000		ISO 14001:1996	
Product realization	7	4.4 4.4.6	Implementation and operation Operational control
Planning of product realization	7.1	4.4.6	Operational control
Customer-related processes	7.2		
Determination of requirements related to the product	7.2.1	4.3.1 4.3.2 4.4.6	Environmental aspects Legal and other requirements Operational control
Review of requirements related to the product	7.2.2	4.4.6 4.3.1	Operational control Environmental aspects
Customer communication	7.2.3	4.4.3	Communications
Design and development	7.3		
Design and development planning	7.3.1	4.4.6	Operational control
Design and development inputs	7.3.2		
Design and development outputs	7.3.3		
Design and development review	7.3.4		
Design and development verification	7.3.5		
Design and development validation	7.3.6		
Control of design and development changes	7.3.7		
Purchasing	7.4	4.4.6	Operational control
Purchasing process	7.4.1		
Purchasing information	7.4.2		
Verification of purchased product	7.4.3		
Production and service provision	7.5	4.4.6	Operational control
Control of production and service provision	7.5.1		
Validation of processes for production and service provision	7.5.2		
Identification and traceability	7.5.3		
Customer property	7.5.4		
Preservation of product	7.5.5		
Control of monitoring and measuring devices	7.6	4.5.1	Monitoring and measurement
Measurement, analysis and improvement	8	4.5	Checking and corrective action
General	8.1	4.5.1	Monitoring and measurement
Monitoring and measurement	8.2		
Customer satisfaction	8.2.1		
Internal audit	8.2.2	4.5.4	Environmental management system audit
Monitoring and measurement of processes	8.2.3	4.5.1	Monitoring and measurement
Monitoring and measurement of product	8.2.4		
Control of nonconforming product	8.3	4.5.2 4.4.7	Nonconformance and corrective and preventive action Emergency preparedness and response
Analysis of data	8.4	4.5.1	Monitoring and measurement
Improvement	8.5	4.2	Environmental policy
Continual improvement	8.5.1	4.3.4	Environmental management programme(s)
Corrective action	8.5.2	4.5.2	Nonconformance and corrective and preventive action
Preventive action	8.5.3		

Table A.2 — Correspondence between ISO 14001:1996 and ISO 9001:2000

ISO 14001:1996		ISO 9001:2000	
Introduction	—	0	Introduction
		0.1	General
		0.2	Process approach
		0.3	Relationship with ISO 9004
		0.4	Compatibility with other management systems
Scope	1	1	Scope
		1.1	General
		1.2	Application
Normative references	2	2	Normative reference
Definitions	3	3	Terms and definitions
Environmental management system requirements	4	4	Quality management system
General requirements	4.1	4.1	General requirements
		5.5	Responsibility, authority and communication
		5.5.1	Responsibility and authority
Environmental policy	4.2	5.1	Management commitment
		5.3	Quality policy
		8.5	Improvement
Planning	4.3	5.4	Planning
Environmental aspects	4.3.1	5.2	Customer focus
		7.2.1	Determination of requirements related to the product
		7.2.2	Review of requirements related to the product
Legal and other requirements	4.3.2	5.2	Customer focus
		7.2.1	Determination of requirements related to the product
Objectives and targets	4.3.3	5.4.1	Quality objectives
Environmental management programme(s)	4.3.4	5.4.2	Quality management system planning
		8.5.1	Continual improvement
Implementation and operation	4.4	7	Product realization
		7.1	Planning of product realization
Structure and responsibility	4.4.1	5	Management responsibility
		5.1	Management commitment
		5.5.1	Responsibility and authority
		5.5.2	Management representative
		6	Resource management
		6.1	Provision of resources
		6.2	Human resources
		6.2.1	General
		6.3	Infrastructure
		6.4	Work environment
Training, awareness and competence	4.4.2	6.2.2	Competence, awareness and training
Communication	4.4.3	5.5.3	Internal communication
		7.2.3	Customer communication
Environmental management system documentation	4.4.4	4.2	Documentation requirements
		4.2.1	General
		4.2.2	Quality manual

Table A.2 — Correspondence between ISO 14001:1996 and ISO 9001:2000 (continued)

ISO 14001:1996		ISO 9001:2000	
Document control	4.4.5	4.2.3	Control of documents
Operational control	4.4.6	7	Product realization
		7.1	Planning of product realization
		7.2	Customer-related processes
		7.2.1	Determination of requirements related to the product
		7.2.2	Review of requirements related to the product
		7.3	Design and development
		7.3.1	Design and development planning
		7.3.2	Design and development inputs
		7.3.3	Design and development outputs
		7.3.4	Design and development review
		7.3.5	Design and development verification
		7.3.6	Design and development validation
		7.3.7	Control of design and development changes
		7.4	Purchasing
		7.4.1	Purchasing process
		7.4.2	Purchasing information
		7.4.3	Verification of purchased product
		7.5	Production and service provision
		7.5.1	Control of production and service provision
		7.5.3	Identification and traceability
		7.5.4	Customer property
		7.5.5	Preservation of product
		7.5.2	Validation of processes for production and service provision
Emergency preparedness and response	4.4.7	8.3	Control of nonconforming product
Checking and corrective action	4.5	8	Measurement, analysis and improvement
Monitoring and measurement	4.5.1	7.6	Control of monitoring and measuring devices
		8.1	General
		8.2	Monitoring and measurement
		8.2.1	Customer satisfaction
		8.2.3	Monitoring and measurement of processes
		8.2.4	Monitoring and measurement of product
		8.4	Analysis of data
Nonconformance and corrective and preventive action	4.5.2	8.3	Control of nonconforming product
		8.5.2	Corrective action
		8.5.3	Preventive action
Records	4.5.3	4.2.4	Control of records
Environmental management system audit	4.5.4	8.2.2	Internal audit
Management review	4.6	5.6	Management review
		5.6.1	General
		5.6.2	Review input
		5.6.3	Review output

Annex B

(informative)

Correspondence between ISO 9001:2000 and ISO 9001:1994

Table B.1 — Correspondence between ISO 9001:1994 and ISO 9001:2000

ISO 9001:1994	ISO 9001:2000
1 Scope	1
2 Normative reference	2
3 Definitions	3
4 Quality system requirements [title only]	
4.1 Management responsibility [title only]	
4.1.1 Quality policy	5.1 + 5.3 + 5.4.1
4.1.2 Organization [title only]	
4.1.2.1 Responsibility and authority	5.5.1
4.1.2.2 Resources	6.1 + 6.2.1
4.1.2.3 Management representative	5.5.2
4.1.3 Management review	5.6.1 + 8.5.1
4.2 Quality system [title only]	
4.2.1 General	4.1 + 4.2.2
4.2.2 Quality system procedures	4.2.1
4.2.3 Quality planning	5.4.2 + 7.1
4.3 Contract review [title only]	
4.3.1 General	
4.3.2 Review	5.2 + 7.2.1 + 7.2.2 + 7.2.3
4.3.3 Amendment to a contract	7.2.2
4.3.4 Records	7.2.2
4.4 Design control [title only]	
4.4.1 General	
4.4.2 Design and development planning	7.3.1
4.4.3 Organizational and technical interfaces	7.3.1
4.4.4 Design input	7.2.1 + 7.3.2
4.4.5 Design output	7.3.3
4.4.6 Design review	7.3.4
4.4.7 Design verification	7.3.5
4.4.8 Design validation	7.3.6
4.4.9 Design changes	7.3.7
4.5 Document and data control [title only]	
4.5.1 General	4.2.3
4.5.2 Document and data approval and issue	4.2.3
4.5.3 Document and data changes	4.2.3
4.6 Purchasing [title only]	
4.6.1 General	
4.6.2 Evaluation of subcontractors	7.4.1
4.6.3 Purchasing data	7.4.2
4.6.4 Verification of purchased product	7.4.3

Table B.1 — Correspondence between ISO 9001:1994 and ISO 9001:2000 (continued)

ISO 9001:1994	ISO 9001:2000
4.7 Control of customer-supplied product	7.5.4
4.8 Product identification and traceability	7.5.3
4.9 Process control	6.3 + 6.4 + 7.5.1 + 7.5.2
4.10 Inspection and testing [title only]	
4.10.1 General	7.1 + 8.1
4.10.2 Receiving inspection and testing	7.4.3 + 8.2.4
4.10.3 In-process inspection and testing	8.2.4
4.10.4 Final inspection and testing	8.2.4
4.10.5 Inspection and test records	7.5.3 + 8.2.4
4.11 Control of inspection, measuring and test equipment [title only]	
4.11.1 General	7.6
4.11.2 Control procedure	7.6
4.12 Inspection and test status	7.5.3
4.13 Control of nonconforming product [title only]	
4.13.1 General	8.3
4.13.2 Review and disposition of nonconforming product	8.3
4.14 Corrective and preventive action [title only]	
4.14.1 General	8.5.2 + 8.5.3
4.14.2 Corrective action	8.5.2
4.14.3 Preventive action	8.5.3
4.15 Handling, storage, packaging, preservation & delivery [title only]	
4.15.1 General	
4.15.2 Handling	7.5.5
4.15.3 Storage	7.5.5
4.15.4 Packaging	7.5.5
4.15.5 Preservation	7.5.5
4.15.6 Delivery	7.5.1
4.16 Control of quality records	4.2.4
4.17 Internal quality audits	8.2.2 + 8.2.3
4.18 Training	6.2.2
4.19 Servicing	7.5.1
4.20 Statistical techniques [title only]	
4.20.1 Identification of need	8.1 + 8.2.3 + 8.2.4 + 8.4
4.20.2 Procedures	8.1 + 8.2.3 + 8.2.4 + 8.4

Table B.2 — Correspondence between ISO 9001:2000 and ISO 9001:1994

ISO 9001:2000	ISO 9001:1994
1 Scope	1
1.1 General	
1.2 Application	
2 Normative reference	2
3 Terms and definitions	3
4 Quality management system [title only]	
4.1 General requirements	4.2.1
4.2 Documentation requirements [title only]	
4.2.1 General	4.2.2
4.2.2 Quality manual	4.2.1
4.2.3 Control of documents	4.5.1 + 4.5.2 + 4.5.3
4.2.4 Control of records	4.16
5 Management responsibility [title only]	
5.1 Management commitment	4.1.1
5.2 Customer focus	4.3.2
5.3 Quality policy	4.1.1
5.4 Planning [title only]	
5.4.1 Quality objectives	4.1.1
5.4.2 Quality management system planning	4.2.3
5.5 Responsibility, authority and communication [title only]	
5.5.1 Responsibility and authority	4.1.2.1
5.5.2 Management representative	4.1.2.3
5.5.3 Internal communication	
5.6 Management review [title only]	
5.6.1 General	4.1.3
5.6.2 Review input	
5.6.3 Review output	
6 Resource management [title only]	
6.1 Provision of resources	4.1.2.2
6.2 Human resources [title only]	
6.2.1 General	4.1.2.2
6.2.2 Competence, awareness and training	4.18
6.3 Infrastructure	4.9
6.4 Work environment	4.9
7 Product realization [title only]	
7.1 Planning of product realization	4.2.3 + 4.10.1
7.2 Customer-related processes [title only]	
7.2.1 Determination of requirements related to the product	4.3.2 + 4.4.4
7.2.2 Review of requirements related to the product	4.3.2 + 4.3.3 + 4.3.4
7.2.3 Customer communication	4.3.2
7.3 Design and development [title only]	
7.3.1 Design and development planning	4.4.2 + 4.4.3
7.3.2 Design and development inputs	4.4.4

Table B.2 — Correspondence between ISO 9001:2000 and ISO 9001:1994 *(continued)*

ISO 9001:2000	ISO 9001:1994
7.3.3 Design and development outputs	4.4.5
7.3.4 Design and development review	4.4.6
7.3.5 Design and development verification	4.4.7
7.3.6 Design and development validation	4.4.8
7.3.7 Control of design and development changes	4.4.9
7.4 Purchasing [title only]	
7.4.1 Purchasing process	4.6.2
7.4.2 Purchasing information	4.6.3
7.4.3 Verification of purchased product	4.6.4 + 4.10.2
7.5 Production and service provision [title only]	
7.5.1 Control of production and service provision	4.9 + 4.15.6 + 4.19
7.5.2 Validation of processes for production and service provision	4.9
7.5.3 Identification and traceability	4.8 + 4.10.5 + 4.12
7.5.4 Customer property	4.7
7.5.5 Preservation of product	4.15.2 + 4.15.3 + 4.15.4 + 4.15.5
7.6 Control of monitoring and measuring devices	4.11.1 + 4.11.2
8 Measurement, analysis and improvement [title only]	
8.1 General	4.10.1 + 4.20.1 + 4.20.2
8.2 Monitoring and measurement [title only]	
8.2.1 Customer satisfaction	
8.2.2 Internal audit	4.17
8.2.3 Monitoring and measurement of processes	4.17 + 4.20.1 + 4.20.2
8.2.4 Monitoring and measurement of product	4.10.2 + 4.10.3 + 4.10.4 + 4.10.5 + 4.20.1 + 4.20.2
8.3 Control of nonconforming product	4.13.1 + 4.13.2
8.4 Analysis of data	4.20.1 + 4.20.2
8.5 Improvement [title only]	
8.5.1 Continual improvement	4.1.3
8.5.2 Corrective action	4.14.1 + 4.14.2
8.5.3 Preventive action	4.14.1 + 4.14.3

Bibliography

- [1] ISO 9000-3:1997, *Quality management and quality assurance standards — Part 3: Guidelines for the application of ISO 9001:1994 to the development, supply, installation and maintenance of computer software.*
- [2] ISO 9004:2000, *Quality management systems — Guidelines for performance improvements.*
- [3] ISO 10005:1995, *Quality management — Guidelines for quality plans.*
- [4] ISO 10006:1997, *Quality management — Guidelines to quality in project management.*
- [5] ISO 10007:1995, *Quality management — Guidelines for configuration management.*
- [6] ISO 10011-1:1990, *Guidelines for auditing quality systems — Part 1: Auditing¹⁾.*
- [7] ISO 10011-2:1991, *Guidelines for auditing quality systems — Part 2: Qualification criteria for quality systems auditors¹⁾.*
- [8] ISO 10011-3:1991, *Guidelines for auditing quality systems — Part 3: Management of audit programmes¹⁾.*
- [9] ISO 10012-1:1992, *Quality assurance requirements for measuring equipment — Part 1: Metrological confirmation system for measuring equipment.*
- [10] ISO 10012-2:1997, *Quality assurance for measuring equipment — Part 2: Guidelines for control of measurement processes.*
- [11] ISO 10013:1995, *Guidelines for developing quality manuals.*
- [12] ISO/TR 10014:1998, *Guidelines for managing the economics of quality.*
- [13] ISO 10015:1999, *Quality management — Guidelines for training.*
- [14] ISO/TR 10017:1999, *Guidance on statistical techniques for ISO 9001:1994.*
- [15] ISO 14001:1996, *Environmental management systems — Specification with guidance for use.*
- [16] IEC 60300-1:—²⁾, *Dependability management — Part 1: Dependability programme management.*
- [17] *Quality Management Principles Brochure³⁾.*
- [18] *ISO 9000 + ISO 14000 News* (a bimonthly publication which provides comprehensive coverage of international developments relating to ISO's management system standards, including news of their implementation by diverse organizations around the world)⁴⁾.
- [19] Reference websites: <http://www.iso.ch>
 <http://www.bsi.org.uk/iso-tc176-sc2>

1) To be revised as ISO 19011, *Guidelines on quality and/or environmental management systems auditing.*

2) To be published. (Revision of ISO 9000-4:1993)

3) Available from website: <http://www.iso.ch>

4) Available from ISO Central Secretariat (sales@iso.ch).

Annex ZA
(normative)

Normative references to international publications with their corresponding European publications

This European Standard incorporates, by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text, and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

NOTE Where an International Publication has been modified by common modifications, indicated by (mod.), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
ISO 9000	2000	Quality management systems – Fundamentals and vocabulary	EN ISO 9000	2000

BSI — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover. Tel: 020 8996 9000. Fax: 020 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: 020 8996 9001. Fax: 020 8996 7001. Standards are also available from the BSI website at <http://www.bsi-global.com>.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact the Information Centre. Tel: 020 8996 7111. Fax: 020 8996 7048.

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration. Tel: 020 8996 7002. Fax: 020 8996 7001. Further information about BSI is available on the BSI website at <http://www.bsi-global.com>.

Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

If permission is granted, the terms may include royalty payments or a licensing agreement. Details and advice can be obtained from the Copyright Manager. Tel: 020 8996 7070.