



Sophie Lines <viamed.sophie.lines@gmail.com>

Fwd: GGH WCSII SCBU MAXBLEND LITE - RFQ

1 message

Main Account <office@viamed.co.uk>
To: Sophie Lines <sophie.lines@viamed.co.uk>

Mon, Nov 2, 2020 at 11:37 AM

----- Forwarded message -----

From: **Sally Moses (Hywel Dda UHB - Capital Administration Officer)** <Sally.Moses@wales.nhs.uk>
Date: Mon, 2 Nov 2020 at 11:25
Subject: GGH WCSII SCBU MAXBLEND LITE - RFQ
To: info@viamed.co.uk <info@viamed.co.uk>, maxblendlite@viamed.co.uk <maxblendlite@viamed.co.uk>
Cc: Karen Jones (Hywel Dda UHB - Senior Nurse) <Karen.Jones23@wales.nhs.uk>

Hi there – can you please provide me with a quotation and lead time for 5no of the attached MaxBlend Lite 0310271 – much appreciated – thanks, Sally

Sally Moses

Enw/Name: Sally Moses

Teitl/Title: Capital Administrative Officer

Bwrdd Iechyd Prifysgol Hywel Dda / Hywel Dda University Health Board

Ysbyty Glangwili / Glangwili Hospital

Heol Dolgwili, Caerfyrddin / Dolgwili Road, Carmarthen

SA31 2AF

WHTN: 01827-2352

Rhif Ffôn / Telephone Number: 01267 227352

Ffacs/ Fax: 01267 227923

E-bost/Email: sally.moses@wales.nhs.uk

Stay Safe  Cadwch yn ddiogel

 Helpwch arbed papur – oes angen i chi printio'r e-bost yma?

Help save paper - do you need to print this e mail?



MaxBlend Lite- oxygen monitor to use with blender.pdf

90K