



Kate Griffiths <viamed.kate.griffiths@gmail.com>

Request for Quotation : for 4 x AX300 Oxygen Analyser - Purchase Order attached

1 message

Rowland, Bob (MLUT) <Bob.Rowland@smiths-medical.com>
To: "kate.griffiths@viamed.co.uk" <kate.griffiths@viamed.co.uk>
Cc: "Bellet, Xavier (MBAR)" <xavier.bellet@smiths-medical.com>

10 February 2021 at 14:00

Dear Kate,

Many thanks for your e-mail.

In reply please see attached Purchase Order for the O2 meters and accessories to this email:

- **Purchase_Order_Report_6.pdf**

If any problem with the Purchase Order please let me know

I can confirm the Ship To address for the equipment is:

Bob Rowland

Technical Support Engineer

Smiths Medical Ltd

Enterprise Way

Bramingham Business Park

Luton

Bedfordshire

LU3 4BU

UK

Many thanks for your help

Kind regards

Bob

Bob Rowland

Technical Support Engineer

Smiths Medical Ltd

Enterprise Way

Bramingham Business Park

Luton

Bedfordshire

LU3 4BU

UK

Cell: +44 (0) 777 206 0300

Bob.Rowland@smiths-medical.com

uktechsupport@smiths-medical.com

www.smiths-medical.com

Please be advised that the new e-mail address for Smiths Medical UK Technical Support questions and inquiries is: uktechsupport@smiths-medical.com

We value your feedback which helps us improve and change in line with our customer needs. Please take a few minutes to complete a short survey by clicking on the link below.

Your feedback is important!

Please click [here](#) to start the survey



From: Main Account [mailto:viamedinbox@gmail.com] **On Behalf Of** Kate Griffiths
Sent: 10 February 2021 13:47
To: Rowland, Bob (MLUT) <Bob.Rowland@smiths-medical.com>
Subject: EXTERNAL: Re: Request for Quotation : for 4 x AX300 Oxygen Analyser - many thanks for Quote

CAUTION: This email came from outside Smiths Group. Be cautious with the contents unless you can confirm the sender is genuine.

Good afternoon Bob,

Just a quick email to ask if quotation QVM128445 is still required? It expires on February 25th, at which time our system requires me to delete it.

I can of course issues a new quotation at any time.

Many thanks.