



Gail Bell <viamed.gail.bell@gmail.com>

Re: Vandagraph order

3 messages

Ryan Swaine <office@viamed.co.uk>
Reply-To: ryan.swaine@vandagraph.co.uk
To: Andrzej Kruczkowski <andrzej_kruczkowski@hotmail.com>
Cc: Gail Bell <gail.bell@vandagraph.co.uk>

21 October 2019 at 15:34

Thank you Andrzej

We will put you one in the post, my colleague Gail will be in contact with your invoice once your order has been dispatched.

Best regards

Ryan

Ryan Swaine
VANDAGRAPH Ltd.
<http://www.vandagraph.co.uk>
Email ryan.swaine@vandagraph.co.uk
Tel: +44 (0)1535 634900
Mob: +44 (0)7803 907117

On Mon, 21 Oct 2019 at 15:09, Andrzej Kruczkowski <andrzej_kruczkowski@hotmail.com> wrote:

Hi Ryan,

I just received sensors, Thanks a lot.

And as it is usually my another analyzer died just now. I would need alsoL

R-33VAN Oxygen Sensor, Part number 0110226 for Analox 02DII

Regards

Andrzej

From: Main Account <viamedinbox@gmail.com> **On Behalf Of** Ryan Swaine
Sent: Wednesday, October 16, 2019 11:30 AM
To: Andrzej Kruczkowski <andrzej_kruczkowski@hotmail.com>
Subject: Re: Vandagraph order

Hi Andrzej

Thank you very much, I can confirm that we sent your order by standard airmail on the 7th October to the address on your proforma invoice:

Kosciuszki 35a
50-011 Wrocław
Poland

Standard airmail has proved to be very reliable, but it can sometimes take a while to arrive.

Best regards

Ryan

Ryan Swaine
VANDAGRAPH Ltd.

<http://www.vandagraph.co.uk>
Email ryan.swaine@vandagraph.co.uk
Tel: +44 (0)1535 634900
Mob: +44 (0)7803 907117

On Wed, 16 Oct 2019 at 09:47, Andrzej Kruczkowski <andrzej_kruczkowski@hotmail.com> wrote:

Hi Ryan,

Have you sent the sensors already? If so, what address is on the package?

Best regards

Andrzej

From: Andrzej Kruczkowski <andrzej_kruczkowski@hotmail.com>
Sent: Friday, October 4, 2019 4:48 PM
To: ryan.swaine@vandagraph.co.uk
Subject: ODP: Vandagraph order

Thanks a lot, standard airmail is ok.

Wysłane z urządzenia z systemem Windows 10

Od: [Ryan Swaine](#)

Wysłano: piątek, 4 października 2019 15:34

Do: [Andrzej Kruczkowski](#)

Temat: Re: Vandagraph order

Dear Andrzej

Thank you very much for your order. Please find a proforma invoice attached. Please can you confirm if everything is okay or are there any amendments required?

I have added transport by standard airmail, as it is the most economical option, but we can also quote or Tracked & Signed or UPS if required.

As soon as I have your reply, we will ship your order.

Best regards

Ryan

Ryan Swaine
VANDAGRAPH Ltd.

<http://www.vandagraph.co.uk>

Email ryan.swaine@vandagraph.co.uk

Tel: +44 (0)1535 634900

Mob: +44 (0)7803 907117

On Fri, 4 Oct 2019 at 13:29, Andrzej Kruczkowski <andrzej_kruczkowski@hotmail.com> wrote:

Dear Ryan,

I would like to order two sensors:

R-33DE Oxygen Sensor (Part number 0110224)

R-17VAN Oxygen Sensor (Part number 0110217)

My address is below. And I kindly ask to send me the invoice by email.

regards

--

Andrzej Kruczkowski

Centrum Nurkowe Exstream

DAN Partner #194018

IANTD Technical Facility #1399

EFR & CFC IDC Center

Kościuszki 35a

50-011 Wrocław

www.exstream.com.pl

www.diveshop.com.pl

www.kursyinstruktorskie.eu

tel/fax: 071 3422800

mobile: +48 602235345

VAT: PL8941461430

Konto: PEKAO S.A. I/O Wrocław

PL 10 1240 1994 1111 0000 2496 2319

Gail Bell <gail.bell@vandagraph.co.uk>

21 October 2019 at 15:48

Reply-To: gail.bell@vandagraph.co.uk

To: andrzej_kruczkowski@hotmail.com

Bcc: ryan.swaine@vandagraph.co.uk

Good afternoon Andrzej

Further to your correspondence with Ryan.

We have now shipped your order. Please find attached coy invoice VG0019869 dated 21.10.2019.

Kind regards

Gail Bell

<http://www.vandagraph.co.uk/>

Email gail.bell@vandagraph.co.uk

Tel: +44 (0)1535 634900

Fax: +44 (0)1535 635582

Company registered in England, No. 02332105.

E-mail Disclaimer

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call +44 (0)1535 634900

[Quoted text hidden]



extream.pdf
56K

Ryan Swaine <office@viamed.co.uk>
Reply-To: ryan.swaine@vandagraph.co.uk
To: Gail Bell <gail.bell@vandagraph.co.uk>

26 July 2021 at 09:24

Ryan Swaine
VANDAGRAPH Ltd.
<http://www.vandagraph.co.uk>
Email ryan.swaine@vandagraph.co.uk
Tel: +44 (0)1535 634900
Mob: +44 (0)7803 907117

----- Forwarded message -----

From: **Andrzej Kruczkowski** <andrzej_kruczkowski@hotmail.com>
Date: Fri, 23 Jul 2021 at 18:50
Subject: RE: Vandagraph order
To: ryan.swaine@vandagraph.co.uk <ryan.swaine@vandagraph.co.uk>

Hi Ryan,

I hope you are ok and safe from COVID.

Time flies and now I need to replace sensors:

R-33DE Oxygen Sensor (Part number 0110224)

R-17VAN Oxygen Sensor (Part number 0110217)

Could you send them on the same address as usually? Transport by standard airmail.

regards

--

Andrzej Kruczkowski
Centrum Nurkowe Exstream
Kościuszki 35a
50-011 Wrocław
mobile: +48 602235345
VAT: PL8941461430

[Quoted text hidden]