




**Department of Health and Social Security**  
 Kingston By-Pass Road Surbiton Surrey

Telephone 01-398 4166 ext 208 .

Mr J S Lamb  
 Director  
 Viamed  
 15 Station Road  
 Cross Hills  
 KEIGHLEY  
 West Yorks BD20 7DT



Your reference

Our reference 06/02/05

Date

24 September 1985

Dear Mr Lamb

Thank you for your letter of 19 September and information on your proposed modification to Cot Covers.

The alterations appear to be satisfactory and should greatly improve the safety of the Lids. I look forward to seeing the sample as soon as you have completed it.

I think it would be prudent to send a copy of your recall letter to all users as soon as possible so that they are aware of the problem. I would suggest that you start with Mr Lavin/Mrs Cutts, of Stepping Hill Hospital, as they have nine units in quarantine at present (the tenth unit is the sample which you are modifying, I will send that to Stepping Hill immediately I have cleared it).

Many thanks for your co-operation in this matter, which I hope we can now bring it to a satisfactory conclusion.

Yours sincerely

C J GADD  
 STB1D  
 Hinchley Wood

Mr Lamb

I have just received your letter with a list of Hospitals to which you have supplied Cot Tops. I will not contact them now as your recall letter will give them all the relevant information.

Thank you.

*Cliff Gadd* 25/9