



Zoey Teal <viamed.zoey.teal@gmail.com>

Fwd: Proforma for Delivery of 0111291

1 message

Main Account <office@viamed.co.uk>
To: Zoey Teal <zoey.teal@vmsecure.me.uk>

Mon, Dec 13, 2021 at 12:33 PM

----- Forwarded message -----

From: **Speir, William** <William.Speir@daera-ni.gov.uk>

Date: Mon, 13 Dec 2021 at 12:32

Subject: Proforma for Delivery of 0111291

To: sales@viamed.co.uk <sales@viamed.co.uk>

Hi

As per discussion with Steve, can you please sent me a proforma for the purchase of 4 x All 200 Palm O2 Oxygen Analyser (product code 0111291) & 4 x Replacement O2 Sensors, can you include delivery to Northern Ireland.

Regards

William Speir**Contingency Planning For Epizootic Disease (CPED)| Veterinary Service Animal Health Group|****Department of Agriculture, Environment and Rural Affairs**

Ballykelly House | 111 Ballykelly Road | Limavady | BT49 9HP

Contact Tel: +44 (0)28 7744 2064 **Internal:** 49064**Email:** william.speir@daera-ni.gov.uk

***Sustainability at the heart of a
living, working, active landscape
valued by everyone.***