



Kate Griffiths <viamed.kate.griffiths@gmail.com>

---

**RE: [EXTERNAL] Re: P/O: 626787-VIAM01**

1 message

---

**Lisa Egan** <LEgan@seaward.com>

21 December 2021 at 16:17

To: "kate.griffiths@viamed.co.uk" <kate.griffiths@viamed.co.uk>

Hi Kate

Price has been amended on the order, please proceed, if you need an updated po let me know

Thanks

**Lisa Egan**

Buyer

T: 0191 587 8747

E: [LEgan@seaward.com](mailto:LEgan@seaward.com)



---

15-18 Bracken Hill, South West Industrial Estate, Peterlee, County Durham, SR8 2SW.

[www.seaward.com](http://www.seaward.com)



---

**From:** Main Account <[viamedinbox@gmail.com](mailto:viamedinbox@gmail.com)> **On Behalf Of** Kate Griffiths  
**Sent:** 21 December 2021 16:07  
**To:** Lisa Egan <[LEgan@seaward.com](mailto:LEgan@seaward.com)>  
**Subject:** [EXTERNAL] Re: P/O: 626787-VIAM01

External E-mail: This Email originated from outside the Seaward Corporate Network. Please take care when clicking links and opening attachments.

---

Good afternoon,

Thank you for your PO 0000626787.

Please could I advise you that the correct price is £71.10 each when purchasing three Oxygen sensor MAX-14 (Fluke version), part number 0110420. Please let me know if you would like me to proceed.

**The lead time time will be approximately 3-4 weeks.**

Many thanks.

Kind regards

Kate Griffiths

**Viamed is now enacting a coronavirus contingency plan to allow sales and admin staff to work from home, and I am now working remotely. Telephone calls to the main office will be answered remotely, but please continue to use email where possible.**

<http://www.viamed.co.uk>

Email [kate.griffiths@viamed.co.uk](mailto:kate.griffiths@viamed.co.uk)

Tel: +44 (0)1535 634542

Fax: +44 (0)1535 635582

Twitter: [twitter.com/ViamedLtd](https://twitter.com/ViamedLtd)

Facebook Page: Search for Viamed Ltd

Company registered in England, No. 01291765.

E-mail Disclaimer

-----

GDPR / Privacy Policy available at [www.viamed.co.uk/policy](http://www.viamed.co.uk/policy)

The information in this email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful.

If you feel you have received this email in error or would like to be removed from our mailing list, please reply with delete in the subject line or call +44 (0)1535 634542

-----

On Tue, 21 Dec 2021 at 15:56, Main Account <[office@viamed.co.uk](mailto:office@viamed.co.uk)> wrote:

----- Forwarded message -----

From: <[LEgan@seaward.com](mailto:LEgan@seaward.com)>  
Date: Tue, 21 Dec 2021 at 15:34  
Subject: P/O: 626787-VIAM01  
To: <[orders@viamed.co.uk](mailto:orders@viamed.co.uk)>

Our Ref: P/O: 626787-VIAM01  
From: [LEgan@seaward.com](mailto:LEgan@seaward.com)

Please find the enclosed document. Please use the below contact information for any queries you may have:

Invoice, Credit Note & Statement Queries - [CreditControl@seaward.com](mailto:CreditControl@seaward.com)

Remittance Advice Queries sent by Seaward - [PurchaseLedger@seaward.com](mailto:PurchaseLedger@seaward.com)

Purchase Order Queries - the Buyer whom the email was sent

Sales Acknowledgement Queries - [Sales@seaward.com](mailto:Sales@seaward.com)

Service/Calibrationhouse Acknowledgement Queries - [Service@calibrationhouse.com](mailto:Service@calibrationhouse.com)

Please refer to our website at the link below for a copy of our Terms & Conditions:

<https://www.seaward.com/gb/terms-conditions/>

This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed.

If you have received this email in error, please notify the system manager.

Seaward Electronic Ltd, Bracken Hill, South West Industrial Estate, Peterlee, County Durham, SR8 2SW, England.  
Company Registration: 1266346.

For the sake of the environment, please do not print this email unless you really need to.